



# Invitation for Bid

## Sealed Bid Sale

Sale Number  
38-4935

### MISCELLANEOUS

Please be aware that the inventory is not being sold by a DRMO.  
Any questions or comments please contact the  
Sales Contracting Officer, Linda L. Lamphear at (269) 961-7400.

**Bid Opening Date and Time**  
February 18, 2004; at 9:00 A.M. (EST)

**No Inspections are  
allowed for this sale.**

**Payment in Full is Required  
Within 10 Days of Award.**

---

Department of Defense  
Defense Reutilization and Marketing Service

---

National Sales Office

Invitation For Bid  
Sale Number  
**38-4935**

**Bid Opening Date**  
February 18, 2004; at 9:00 A.M. (EST)

Bids will be accepted until opening date and time set for Bid opening.  
Bids and all required documentation received after the bid opening date  
may be determined late and not considered.

The bid acceptance period must be at least 10 days from the bid opening  
or the bid will be considered nonresponsive.

**Mail bids to:**

Defense Reutilization and Marketing Service  
National Sales Office - Bids  
74 Washington Ave N STE 6  
Battle Creek, MI 49017-3092

**Fax bids to:**  
**(269) 961-7568**

**Place bids electronically and view bid results at:**

<http://www.drms.dla.mil>

Sales Contracting Officer (SCO) for this sale is:  
**Linda L. Lamphear, (269) 961-7400**

Office Hours: 7:30 a.m. to 4:00 p.m. (EST/EDST)  
Monday - Friday

**PRIOR TO BID OPENING DATE:**

For current and future sales information contact 1-888-352-9333. For How to Bid information contact the  
Contracting Officer at (269) 961-7400

**AFTER BID OPENING DATE:**

For High Bid Information, which will not be furnished to bidders until after awards have been made (see  
paragraph 3, page 3 of Sale by Reference), payments and refunds contact 1-888-352-9333

Unofficial abstracts are available for download/viewing at the DRMS Web site: [www.drms.dla.mil](http://www.drms.dla.mil)

**EXCHANGE SALE:** This property is being offered in accordance with the exchange/sale provisions of Section  
201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

**Payments**

All payments must be made in U.S. currency or guaranteed instrument payable in  
U.S. dollars to the Treasurer of the United States.

For additional information refer to the payment article in the Conditions of Sale in this catalog.  
**Credit cards accepted: VISA, Discover, MasterCard and American Express**

---

## Table of Contents

	Page Number
Item Description Index.....	2
List of Sale Items .....	10
Additional General Information and Instructions (DRMS Form 82-3 May 89 EF) .....	66
Supply Condition Codes/Demilitarization Codes/Requirements.....	68
Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated).....	69
Articles .....	70
Sale of Government Property Item Bid and Award Page .....	72
Credit Card Information .....	74
Ship to Data Form.....	75
End Use Certificate (DLA Form 1822).....	76
Instructions for Completing DLA Form 1822.....	78

## Item Description Index

<u>Description</u>	<u>Item Number</u>
ACTUATOR,ELECTRO-MECHANICAL,ROTARY	84
ACTUATOR,MECHANICAL,LINEAR	101
ADAPTER, MECHANICAL TEST	368
ADAPTER, POLARIZER	307
ADAPTER, STRAIGHT, HOSE TO BOSS	298
ADAPTER, STRIAGHT, HOSE TO GAS FITTING	320
AXLE, VEHICULAR, NONDRIVING	25
AXLE, VEHICULAR, NONDRIVING	29
BASE, MOTOR-GENERATOR	55
BELL CRANK	174
BELLOWS, PRESSURE	87
BLADDER, ACCUMULATOR, HYDRAULIC	183
BLADDER, ACCUMULATOR, HYDRAULIC	184
BLADE SET, STEAM TURBINE	52
BLADE SET, STEAM TURBINE	53
BLADING SET, TURBINE	56
BODY,VALVE	335
BODY,VALVE	336
BODY,VALVE	337
BODY,VALVE	355
BODY,VALVE	356
BODY,VALVE	365
BRACKET, EYE, NONROTATING SHAFT	219
BUSHING, TURBINE	58
CAM, CONTROL	218
CAM,CONTROL	163
CAM,CONTROL	165
CAMSHAFT, ACTUATING, BRAKE SHOE	27
CARTRIDGE, CHECK VALVE	357
CARTRIDGE, CHECK VALVE	358
CLUTCH HALF,POSITIVE,NONVEHICULAR	94
CLUTCH HALF,POSITIVE,NONVEHICULAR	97
CLUTCH HALF,POSITIVE,NONVEHICULAR	99
CLUTCH, HOIST	89
CLUTCH, HOIST	90
CLUTCH,HYDRAULIC	93
CONNECTING LINK,RIGID	162
CONNECTING LINK,RIGID	175
CONNECTING LINK,RIGID	178
CONNECTING LINK,RIGID	179
CONNECTING LINK,RIGID	189
CONNECTING LINK,RIGID	190
CONNECTING LINK,RIGID	191
CONNECTING LINK,RIGID	192
CONNECTING LINK,RIGID	194
CONNECTING LINK,RIGID	208
CONNECTING LINK,RIGID	221
CONNECTING LINK,RIGID	222

---

CONNECTION, SOUND IS	305
CONNECTION, SOUND IS	306
CONNECTOR, FLUID, PUMP	255
COUPLING HALF, QUICK DISCONNECT	299
COUPLING HALF, SELF SEALING	326
COUPLING HALF,QUICK DISCONNECT	310
COUPLING HALF,QUICK DISCONNECT	311
COUPLING HALF,QUICK DISCONNECT	321
COUPLING HALF,QUICK DISCONNECT	322
COUPLING HALF,QUICK DISCONNECT	328
COUPLING, TUBE	325
COUPLING,SHAFT,FLEXIBLE	85
COUPLING,SHAFT,FLEXIBLE	95
COUPLING,SHAFT,FLEXIBLE	98
COVER, TIMING GEAR, INTERNAL COMBUSTION ENGINE	49
COVER, VALVE	346
COVER, VEHICLE WINDOW	45
CYLINDER ASSEMBLY, ACTUATING, LINEAR	169
CYLINDER, HYDRAULIC BRAKE, MASTER	43
DEFLECTOR, DIRT AND LIQUID	230
DESK, SHEAVE ASSEMBLY	1
DETENT PLATE	166
DIAPHRAGM, TURBINE	59
DISK, VALVE	343
ELBOW ASSEMBLY, HYDRAULIC	308
ELBOW ASSEMBLY, HYDRAULIC	309
ELBOW, FLANGE	327
ELBOW, TUBE TO HOSE	323
ELBOW, TUBE TO HOSE	324
ELECTRICAL CONTROL ASSEMBLY	66
EXHAUST PIPE ASSEMBLY	81
EXHAUST PIPE ASSEMBLY	82
EXHAUST PIPE ASSEMBLY	83
EXTENSION SHAFT	177
FILTER ELEMENT, FLUID	257
FILTER ELEMENT,INTAKE AIR CLEANER	76
FILTER ELEMENT,INTAKE AIR CLEANER	77
FILTER, OPAL, GLASS	256
FILTER,FLUID	258
FILTER,FLUID	259
FLANGE,PIPE	300
FLANGE,PIPE	301
FLANGE,PIPE	302
FRAME	367
FRAME ASSEMBLY	8
FRAME, TRAILER, ENGINE	9
GEAR AND CLUTCH ASSEMBLY	111
GEAR AND DISK ASSEMBLY	124
GEAR ASSEMBLY, RIGHT ANGLE	152
GEAR SECTOR,SPUR	110
GEAR SET,HELICAL,MATCHED	109
GEAR SET,WORM AND WORM WHEEL,MATCHED	125

---

---

GEAR, BEVEL	105
GEAR, BEVEL	108
GEAR, BEVEL	143
GEAR, BEVEL	145
GEAR, BEVEL	149
GEAR, HELICAL	123
GEAR, LOW SPEED	132
GEAR, SPUR	136
GEAR, SPUR	137
GEAR, SPUR	138
GEAR,ANTIBACKLASH,SPUR	106
GEAR,BEVEL	114
GEAR,ELLIPTICAL,TRANSFER	127
GEAR,HELICAL	115
GEAR,HELICAL	116
GEAR,INTERNAL	104
GEAR,INTERNAL	119
GEAR,INTERNAL	128
GEAR,INTERNAL	134
GEAR,INTERNAL	135
GEAR,REDUCTION	107
GEAR,SPUR	112
GEAR,SPUR	113
GEAR,SPUR	117
GEAR,SPUR	118
GEAR,SPUR	120
GEAR,SPUR	121
GEAR,SPUR	122
GEAR,SPUR	126
GEAR,SPUR	139
GEAR,SPUR	140
GEAR,SPUR	141
GEAR,SPUR	142
GEAR,SPUR	144
GEAR,SPUR	150
GEAR,SPUR	153
GEAR,SPUR	154
GEAR,SPUR	155
GEAR,SPUR	156
GEARCASE-MOTOR	86
GEARCASE-MOTOR	88
GEARCASE-MOTOR	91
GEARCASE-MOTOR	92
GEARCASE-MOTOR	96
GEARCASE-MOTOR	100
GEARSHAFT	176
GEARSHAFT, BEVEL	212
GEARSHAFT, MULTIPLE GEARS	171
GEARSHAFT, SPUR	168
GEARSHAFT, SPUR	200
GEARSHAFT,SPUR	159
GEARSHAFT,SPUR	160

---

---

GEARSHAFT,SPUR	164
GEARSHAFT,SPUR	170
GEARSHAFT,SPUR	173
GEARSHAFT,SPUR	214
GEARSHAFT,SPUR	217
GOVERNOR, DIESEL ENGINE	79
GUARD, CAN STOWAGE	47
GUARD, SAFETY, TURRET	19
GUARD,MECHANICAL DRIVE	103
GUIDE, VALVE STEM	364
HEAD, HYDRAULIC FUEL	62
HEAD, HYDRAULIC FUEL	63
HEAD, LOWER	227
HOIST,CHAIN	223
HOIST,CHAIN	225
HOSE ASSEMBLY,NONMETALLIC	284
HOSE ASSEMBLY,NONMETALLIC	286
HOSE ASSEMBLY,NONMETALLIC	287
HOSE ASSEMBLY,NONMETALLIC	290
HOSE ASSEMBLY,NONMETALLIC	291
HOSE ASSEMBLY,NONMETALLIC	292
HOSE ASSEMBLY,NONMETALLIC	293
HOSE, AIR DUCT	296
HOSE, NONMETALLIC	288
HOSE, NONMETALLIC	289
HOSE, PREFORMED	294
HOSE, PREFORMED	295
HOUSING	253
HOUSING, LIQUID PUMP	247
HOUSING,MECHANICAL DRIVE	161
HOUSING,MECHANICAL DRIVE	167
HOUSING,MECHANICAL DRIVE	172
HOUSING,MECHANICAL DRIVE	201
HOUSING,MECHANICAL DRIVE	209
HOUSING,MECHANICAL DRIVE	210
HOUSING,MECHANICAL DRIVE	211
HYDRAULIC RAM ASSEMBLY	254
IDLER ASSEMBLY	26
IDLER ASSEMBLY	69
IMPELLER,PUMP,CENTRIFUGAL	228
IMPELLER,PUMP,CENTRIFUGAL	246
IMPELLER,PUMP,CENTRIFUGAL	249
IMPELLER,PUMP,CENTRIFUGAL	251
IMPELLER,PUMP,CENTRIFUGAL	252
KIT	35
LIMITER, PRESSURE	344
MAGNET ASSEMBLY, GENERATOR	68
MANIFOLD	5
MANIFOLD	6
MANIFOLD,INLET	316
MANIFOLD,INLET	319
MANIFOLD,OUTLET	317

---

---

MANIFOLD,OUTLET	318
MUFFLER, EXHAUST	78
MUFFLER, EXHAUST	80
NOZZLE BLOCK, TURBINE	54
NOZZLE, DIAPHRAGM, TURBINE	57
PAD, CUSHIONING	46
PAD, CUSHIONING	48
PARTS KIT, ACTUATING CYLINDER	182
PARTS KIT, HYDRAULIC BRAKE WHEEL	28
PARTS KIT,ENGINE WATER PUMP	70
PAWL	216
PAWL	220
PINION AND SHAFT,GEAR	129
PINION AND SHAFT,GEAR	130
PINION AND SHAFT,GEAR	131
PISTON ACCUMULATOR	3
PISTON PIN FITTING	366
PISTON, INTERNAL COMBUSTION ENGINE	50
PIVOT BAR, BRAKE	38
PIVOT BAR, BRAKE	39
PIVOT BAR, BRAKE	40
PIVOT BAR, BRAKE	41
PIVOT BAR, BRAKE	42
PIVOT, BRAKE CONTROL	30
PIVOT, BRAKE CONTROL	31
PIVOT, BRAKE CONTROL	32
PIVOT, BRAKE CONTROL	33
PLATE, RETAINING, SHAFT	203
PULLEY, PUMP	102
PULLEY, TIMING BELT	133
PUMP UNIT, CENTRIFUGAL	239
PUMP UNIT, CENTRIFUGAL	243
PUMP UNIT, CENTRIFUGAL	244
PUMP UNIT, CENTRIFUGAL	248
PUMP UNIT, ROTARY	231
PUMP UNIT, ROTARY	232
PUMP UNIT, ROTARY	234
PUMP UNIT, ROTARY	235
PUMP UNIT, ROTARY	236
PUMP UNIT, ROTARY	237
PUMP UNIT, ROTARY	238
PUMP, FUEL, METERING AND DISTRIBUTING	65
PUMP, ROTARY	229
PUMP, SUBMERGED, VEHICULAR	64
PUMP,RECIPROCATING	241
PUMP,RECIPROCATING	242
RADIATOR,ENGINE COOLANT	72
RADIATOR,ENGINE COOLANT	74
RADIATOR,ENGINE COOLANT	75
REDUCER, PIPE	312
REDUCER, TUBE	315
REGULATOR, ENGINE GENERATOR	67

---



---

REGULATOR, PNEUMATIC	348
RESTRICTOR, FLUID FLOW	314
RETAINER, GASKET COVER	24
RING, WEARING	245
ROD ASSEMBLY, ACTUATOR	333
ROD, ALIGNING, VEHICULAR AXLE	36
ROD, ALIGNING, VEHICULAR AXLE	37
ROD, VALVE LINKAGE	195
ROD, VALVE LINKAGE	196
ROD, VALVE LINKAGE	197
ROTOR AND SHAFT PUMP ASSEMBLY	250
ROTOR, PUMP	240
RUNNING GEAR ASSEMBLY	7
SEAL ASSEMBLY, SHAFT, SPRING LOADED	71
SEAT, CAM, RETURN, SPR	23
SEAT, VALVE	363
SEPERATOR ASSEMBLY	226
SHAFT, AXLE	22
SHAFT, SHOULDERED	157
SHAFT, SHOULDERED	158
SHAFT, SHOULDERED	185
SHAFT, SHOULDERED	188
SHAFT, SHOULDERED	202
SHAFT, STRAIGHT	180
SHAFT, STRAIGHT	193
SHAFT, TRANSMISSION, PUMP	233
SHAFT, WORM WHEEL	10
SHAFT, LOW SPEED	186
SHAFT, LOW SPEED	187
SHEAVE ASSEMBLY, EXIT	151
SHEAVE ASSEMBLY, LEAD OFF	2
SLEEVE AND SLIDE, DIRECTIONAL CONTROL	340
SLEEVE AND SLIDE, DIRECTIONAL CONTROL	341
SLEEVE AND SLIDE, DIRECTIONAL CONTROL LINEAR VALVE	330
SLEEVE AND SLIDE, DIRECTIONAL CONTROL LINEAR VALVE	331
SLEEVE, COOLING, FUEL INJECTION NOZZLE	61
SPACER, FLEXIBLE, PIPELINE	297
SPROCKET WHEEL	146
SPROCKET WHEEL	147
SPROCKET WHEEL	148
SPROCKET, PLATE	4
STATOR, FAN	73
STRIP, CLAMPING, EXTENSION	44
SUPPORT, BELL CRANK	198
SUPPORT, BELL CRANK	199
TANK, FUEL, ENGINE	60
TEE, TUBE TO HOSE	313
TRANSMISSION	20
TRAP, MOISTURE	303
TRAP, STEAM	304
TUBE ASSEMBLY, COMUSTIO	273
TUBE ASSEMBLY, METAL	265

---

---

TUBE ASSEMBLY,METAL	260
TUBE ASSEMBLY,METAL	261
TUBE ASSEMBLY,METAL	263
TUBE ASSEMBLY,METAL	266
TUBE ASSEMBLY,METAL	267
TUBE ASSEMBLY,METAL	269
TUBE ASSEMBLY,METAL	270
TUBE ASSEMBLY,METAL	271
TUBE ASSEMBLY,METAL	272
TUBE ASSEMBLY,METAL	276
TUBE ASSEMBLY,METAL	277
TUBE ASSEMBLY,METAL	278
TUBE ASSEMBLY,METAL	279
TUBE ASSEMBLY,METAL	280
TUBE ASSEMBLY,METAL	281
TUBE ASSEMBLY,METAL	282
TUBE ASSEMBLY,METAL, BRANCHED	268
TUBE, BENT,METALLIC	274
TUBE, BENT,METALLIC	275
TUBE, WELDING	283
TUBE, X-RAY	264
TUBING, NONMETALLIC	285
VALVE AND HOUSING ASSEMBLY	361
VALVE ASSEMBLY, CABIN MODULATING	349
VALVE ASSEMBLY, TRANSMISSION	21
VALVE, BACK PRESSURE REGULATING	347
VALVE, BALL	329
VALVE, BRAKE PNEUMATIC	34
VALVE, CALIBRATED FLOW	359
VALVE, CALIBRATED FLOW	360
VALVE, FLOW CONTROL	338
VALVE, FLOW CONTROL	339
VALVE, LINEAR, DIRECTIONAL CONTROL	334
VALVE, SAFETY RELIEF	362
VALVE, SOLENOID	332
VALVE,BUTTERFLY	350
VALVE,BUTTERFLY	351
VALVE,BUTTERFLY	352
VALVE,BUTTERFLY	353
VALVE,BUTTERFLY	354
VALVE,GLOBE	342
VALVE,GLOBE	345
WEIGHT, COUNTERBALANCE	181
WINCH, DRUM, HAND OPERATED	224
WINDOW, MARINE	11
WINDOW, MARINE	12
WINDOW, MARINE	13
WINDOW, MARINE	14
WINDOW, MARINE	15
WINDOW, MARINE	16
WINDOW, MARINE	17
WINDOW, MARINE	18

---

---

WITHDRAWN	51
WITHDRAWN	262
WORM SHAFT	204
WORM SHAFT	205
WORM SHAFT	206
WORM SHAFT	207
WORM SHAFT	213
WORM SHAFT	215

---

**IT HAS BEEN DETERMINED THAT THIS PROPERTY IS NO LONGER NEEDED BY THE FEDERAL GOVERNMENT.**

---

**Items 1 – 368 are located in Depots throughout the United States.**

**Item 1. DECK, SHEAVE ASSEMBLY:**

PART NUMBER 52W2252-1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 5 EACH

CAGE CODE: 21439

COMPANY NAME: ENGINEERED ARRESTING SYSTEMS CORPORATION

ADDRESS: 2550 MARKET STREET  
ASHTON, PA 19014-3426

CONDITION CODE: A

LOCATION: AQ5

NSN: 1710-00-021-5163

DEMIL CODE: B

Total Cost - \$31,325.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 2. SHEAVE ASSEMBLY, LEAD OFF:**

PART NUMBER 52E641-1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 21439

COMPANY NAME: ENGINEERED ARRESTING SYSTEMS CORPORATION

ADDRESS: 2550 MARKET STREET  
ASHTON, PA 19014-3426

CONDITION CODE: A

LOCATION: AQ5

NSN: 1710-00-449-8849

DEMIL CODE: B

Total Cost - \$21,600.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 3. PISTON ACCUMULATOR:**

PART NUMBER 54-50464. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 5 EACH

CAGE CODE: 80020

COMPANY NAME: NAVAL AIR WARFARE CENTER – AIRCRAFT DIVISION

ADDRESS: CODE 10.1.6008 NAUKSTIO 12902 ROUTE  
LAKEHURST, NJ 08733-5935

CONDITION CODE: A

LOCATION: AQ5

NSN: 1710-00-628-4426

DEMIL CODE: A

Total Cost - \$12,146.70

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 4. SPROCKET, PLATE:**

PART NUMBER 52D790-1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 21439

COMPANY NAME: ENGINEERED ARRESTING SYSTEMS CORPORATION

ADDRESS: 2550 MARKET STREET  
ASHTON, PA 19014-3426

CONDITION CODE: A

LOCATION: AQ5

NSN: 1710-00-689-8064

DEMIL CODE: B

Total Cost - \$32,352.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 5. MANIFOLD:**

PART NUMBER 56-40691-1L. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 80020

COMPANY NAME: NAVAL AIR WARFARE CENTER – AIRCRAFT DIVISION

ADDRESS: CODE 10.1.6008 NAUKSTIO 12902 ROUTE  
LAKEHURST, NJ 08733-5935

CONDITION CODE: A

LOCATION: NNC

NSN: 1710-00-704-7647

DEMIL CODE: B

Total Cost - \$2,757.83

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 6. MANIFOLD:**

PART NUMBER 56-40691-1L. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 80020

COMPANY NAME: NAVAL AIR WARFARE CENTER – AIRCRAFT DIVISION

ADDRESS: CODE 10.1.6008 NAUKSTIO 12902 ROUTE  
LAKEHURST, NJ 08733-5935

CONDITION CODE: A

LOCATION: AQ5  
NSN: 1710-00-704-7647

DEMIL CODE: B  
Total Cost - \$2,757.83

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 7. RUNNING GEAR ASSEMBLY:**

PART NUMBER 160D997838-3. END ITEM IDENTIFICATION:  
A-10A AIRCRAFT. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 26512

COMPANY NAME: NORTHROP GRUMMAN SYSTEMS  
CORPORATION

ADDRESS: SOUTH OYSTER BAY ROAD  
BETHPAGE, NY 11714-3582

CONDITION CODE: A

LOCATION: AQ5

NSN: 1740-01-096-3910

DEMIL CODE: B

Total Cost - \$28,754.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 8. FRAME ASSEMBLY:**

PART NUMBER 207932. END ITEM IDENTIFICATION:  
AIRCRAFT UNIVERSAL TRUCK, NSN 1740-00-697-2746. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 9 EACH

CAGE CODE: 98897

COMPANY NAME: LOCKHEED MARTIN CORPORATION

ADDRESS: 86 SOUTH COBB DRIVE  
MARIETTA, GA 30063-1000

CONDITION CODE: A

LOCATION: AQ5

NSN: 1740-01-155-9003

DEMIL CODE: B

Total Cost - \$23,652.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO**

**AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 9. FRAME, TRAILER, ENGINE:**

PART NUMBER STC90861-1. GENERAL CHARACTERISTICS:  
COLOR-GREEN 24052 PER FED-STD-595; ALUMINUM. END  
ITEM IDENTIFICATION: ETU111/E ENGINE TRAILER. USED  
TO TRANSPORT KC135R ENGINE. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 07132

COMPANY NAME: SPEC TOOL COMPANY

ADDRESS: 11805 EAST WAKEMAN STREET  
SANTA FE SPRINGS, CA 90670

CONDITION CODE: A

LOCATION: AQ5

NSN: 1740-01-225-8115

DEMIL CODE: B

Total Cost - \$16,078.66

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 10. SHAFT, WORM WHEEL:**

PART NUMBER 347-210. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

CAGE CODE: 81205

COMPANY NAME: THE BOEING COMPANY

ADDRESS: 7755 EAST MARGINAL WAY

PO BOX 3999

SEATTLE, WA 98124-2499

CONDITION CODE: A

LOCATION: AQ5

NSN: 2010-00-966-6187

DEMIL CODE: B

Total Cost - \$9,534.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 11. WINDOW, MARINE:**

WIDTH: 41.938 INCHES NOMINAL. LENGTH: 24.938 INCHES  
NOMINAL. GLASS ONE SIDE FROSTED FEATURE: NOT  
INCLUDED. SCREEN: NOT INCLUDED. ACCESSORY  
COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS  
2. SPECIAL FEATURES: SACRIFICIAL PANEL, PORT  
WINDOW, HEATED AREA.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: UNKNOWN

CONDITION CODE: A

LOCATION: SG2

NSN: 2040-01-315-4537

DEMIL CODE: A

Total Cost - \$5,194.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 12. WINDOW, MARINE:**

WIDTH: 41.938 INCHES NOMINAL. LENGTH: 24.938 INCHES NOMINAL. GLASS ONE SIDE FROSTED FEATURE: NOT INCLUDED. SCREEN: NOT INCLUDED. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: SACRIFICIAL PANEL, PORT WINDOW, HEATED AREA.  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: NDZ  
NSN: 2040-01-315-4537  
DEMIL CODE: A  
Total Cost - \$2,597.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 13. WINDOW, MARINE:**

WIDTH: 20.938 INCHES NOMINAL. LENGTH: 23.668 INCHES NOMINAL. REMOVAL HINGE PIN: NOT INCLUDED. GLASS ONE SIDE FROSTED FEATURE: NOT INCLUDED. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: TRANSPARENT ARMOR STARBOARD WINDOW.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 2040-01-315-4538  
DEMIL CODE: A  
Total Cost - \$10,987.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 14. WINDOW, MARINE:**

WIDTH: 20.938 INCHES NOMINAL. LENGTH: 23.668 INCHES NOMINAL. REMOVAL HINGE PIN: NOT INCLUDED. GLASS ONE SIDE FROSTED FEATURE: NOT INCLUDED. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: TRANSPARENT ARMOR STARBOARD WINDOW.  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2040-01-315-4538  
DEMIL CODE: A  
Total Cost - \$2,197.40

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 15. WINDOW, MARINE:**

WIDTH: 20.938 INCHES NOMINAL. LENGTH: 23.668 INCHES NOMINAL. GLASS ONE SIDE FROSTED FEATURE: NOT INCLUDED. SCREEN: NOT INCLUDED. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: TRANSPARENT ARMOR PORT WINDOW.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: NDZ  
NSN: 2040-01-315-4539  
DEMIL CODE: A  
Total Cost - \$9,345.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 16. WINDOW, MARINE:**

WIDTH: 25.594 INCHES NOMINAL. LENGTH: 26.438 INCHES NOMINAL.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: SRC

NSN: 2040-01-315-5279

DEMIL CODE: A

Total Cost - \$6,908.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 17. WINDOW, MARINE:**

DIAMETER: 27.688 INCHES NOMINAL. WIDTH: 24.938 INCHES NOMINAL. LENGTH: 41.938 INCHES NOMINAL. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: POWER LEADS AND SENSORS ARE LOCATED IN UPPER RIGHT SIDE OF WINDOW.  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 2040-01-316-2691  
DEMIL CODE: A  
Total Cost - \$2,859.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 18. WINDOW, MARINE:**

DIAMETER: 27.688 INCHES NOMINAL. WIDTH: 24.938 INCHES NOMINAL. LENGTH: 41.938 INCHES NOMINAL. ACCESSORY COMPONENTS AND QUANTITY: SENSORS 2; POWER LEADS 2. SPECIAL FEATURES: POWER LEADS AND SENSORS ARE LOCATED IN UPPER RIGHT SIDE OF WINDOW.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: UNKNOWN  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2040-01-316-2691  
DEMIL CODE: A  
Total Cost - \$11,436.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 19. GUARD, SAFETY, TURRET:**

PART NUMBER 11678526. CONSISTS OF THE FOLLOWING: 3 CLIPS, P/N 11617018; 3 HINGES, P/N 11617017; 2 HINGES, P/N 11660808; 2 HINGES, P/N 11677017; 1 HALF HINGE, P/N 11678506; 2 PANELS, P/N 11678526-2; 1 PANEL, P/N 11678526-3; 6 NUTS, P/N MS51922-1; 30 RIVETS, P/N MS20600AD6W8; 30 RIVETS, P/N MS20470ADS-14; 2 SCREWS, P/N MS90725-9; 4 SCREWS, P/N MS90725-8; 3 SPACERS, P/N 11617014; 30 WASHERS, P/N AN970-3; 6 WASHERS, P/N AN970-4; 6 WASHERS, P/N MS27183-10.  
APPROXIMATE QUANTITY: 20 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK AUTOMOTIVE COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE RD  
WARREN MI 48397  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2510-01-022-6080  
DEMIL CODE: B  
Total Cost - \$3,164.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 20. TRANSMISSION:**

PART NUMBER 2830695. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 13 EACH  
CAGE CODE: 86403  
COMPANY NAME: DAIMLER CHRYSLER  
ADDRESS: 26311 LAWRENCE AVENUE  
CENTER LINE, MI 48015

CONDITION CODE: A  
LOCATION: SCC  
NSN: 2520-00-014-1297  
DEMIL CODE: A  
Total Cost - \$5,548.01

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 21. VALVE ASSEMBLY, TRANSMISSION:**

PART NUMBER X215666A. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 61208  
COMPANY NAME: TWIN DISC INC.  
ADDRESS: 1328 RACINE STREET  
RACINE, WI 53408-1758

CONDITION CODE: A  
LOCATION: SNC  
NSN: 2520-00-270-6266  
DEMIL CODE: A  
Total Cost - \$5,439.60

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 22. SHAFT, AXLE:**

PART NUMBER 597 80. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 96606  
COMPANY NAME: METRO CROWN INTERNATIONAL INC.  
NEW AMERICAN COLEMAN DIVISION

ADDRESS: 5654 NW RIVER PARK DRIVE  
KANSAS CITY, MO 64150

CONDITION CODE: A  
LOCATION: SCC  
NSN: 2520-00-470-6324  
DEMIL CODE: A  
Total Cost - \$600.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 23. SEAT, CAM, RETURN, SPR:**

PART NUMBER 7768004. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 30 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK AUTOMOTIVE COMMAND  
AMSTA-IM-MM

ADDRESS: 11 MILE RD  
WARREN MI 48397

CONDITION CODE: A  
LOCATION: SRC  
NSN: 2520-00-776-8004  
DEMIL CODE: A  
Total Cost - \$248.70

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 24. RETAINER, GASKET COVER:**

PART NUMBER 8754850. STEEL; H.R.C.Q.P. ANDO SHEET  
OR STRIP; TEMPER 2 TO 5 SPEC QQ-S-698 0.035 THICK;  
PROTECTIVE FINISH; PRIME PER SPEC TT-P-636; FINAL  
FINISH ENAMEL O.D. PER SPEC TT-E-529.

APPROXIMATE QUANTITY: 98 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK AUTOMOTIVE COMMAND  
AMSTA-IM-MM

ADDRESS: 11 MILE RD  
WARREN MI 48397

CONDITION CODE: A  
LOCATION: SNC  
NSN: 2520-01-122-6020  
DEMIL CODE: A

Total Cost - \$181.30

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 25. AXLE, VEHICULAR, NONDRIVING:**

PART NUMBER 64-7-507-1. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 04984  
COMPANY NAME: CALTECH CORPORATION  
ADDRESS: 1300 TERMINAL DRIVE  
CARLSBAD, NH 88220-9437

CONDITION CODE: A  
LOCATION: SNC  
NSN: 2530-00-140-8773  
DEMIL CODE: A  
Total Cost - \$32,129.96

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 26. IDLER ASSEMBLY:**

PART NUMBER AT 20582. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

CAGE CODE: 06021  
COMPANY NAME: DEERE AND COMPANY  
ADDRESS: 18600 SOUTH JOHN DEERE ROAD  
DUBUQUE, IA 52001-9746

CONDITION CODE: A  
LOCATION: SCC  
NSN: 2530-00-470-4791  
DEMIL CODE: A  
Total Cost - \$323.40

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 27. CAMSHAFT, ACTUATING, BRAKE SHOE:**

PART NUMBER AT 5593449. SHANK LENGTH: 0.688 INCHES  
NOMINAL. MAJOR DIAMETER: 1.466 INCHES NOMINAL. STEP  
LENGTH: 0.125 INCHES NOMINAL. LENGTH: 1.500 INCHES  
NOMINAL. SPLINE QUANTITY: 10. SHAFT DIAMETER: 1.469  
INCHES NOMINAL AND 1.495 INCHES NOMINAL. SHAFT  
LENGTH: 8.0937 INCHES NOMINAL. PLAIN SHANK  
DIAMETER: 1.135 INCHES NOMINAL. CAM WIDTH: 1.750  
INCHES NOMINAL. CAM QUANTITY: 1. MINOR DIAMETER:  
1.145 INCHES NOMINAL. DRIVE TYPE: STRAIGHT SPLINE.  
CAM LOCATION: ON END. CAM SHAPE: S. ROTATION  
DIRECTION FOR WHICH DESIGNED: COUNTERCLOCKWISE.  
CAM OVERALL LENGTH: 4.2187 INCHES NOMINAL. CAM  
CENTER THICKNESS: 1.3750 INCHES NOMINAL. SHAFT  
SHANK TYPE: PLAIN. SPECIAL FEATURES: 0.0725 INCHES  
DEEP BY 0.3750 INCHES WIDE FLATTED PORTION, 5/32  
INCHES FROM END OF SHANK. MATERIAL: STEEL, QQ-S-  
633, COMP.

CAGE CODE: 19204  
COMPANY NAME: ROCK ISLAND ARSENAL  
ADDRESS: ROCK ISLAND, IL 61201  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2530-00-559-3449  
DEMIL CODE: A  
Total Cost - \$225.50

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 28. PARTS KIT, HYDRAULIC BRAKE WHEEL:**

PART NUMBER C606. COMPONENT QUANTITY: 4.  
NONSUPPLY ITEMS AND QUANTITIES: 12204 1263653 CUP 2,  
12204 FC857 CAP 2. END ITEM IDENTIFICATION: MODEL  
D100 TRUCK.  
APPROXIMATE QUANTITY: 112 EACH  
CAGE CODE: 06840

COMPANY NAME: THE BENDIX CORPORATION  
 ADDRESS: SOUTHFIELD, MI 48034  
 CONDITION CODE: A  
 LOCATION: SCC  
 NSN: 2530-00-737-0836  
 DEMIL CODE: A  
 Total Cost - \$365.12

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 29. AXLE, VEHICULAR, NONDRIVING:**

PART NUMBER 11625501. DESIGN TYPE: RIGID SPINDLE.  
 AXLE CONSTRUCTION: TUBULAR. DESIGN FORM:  
 STRAIGHT. YOKE LOCATION: ON SPINDLE. END ITEM  
 IDENTIFICATION: 2330-01-046-2855.  
 APPROXIMATE QUANTITY: 4 EACH  
 CAGE CODE: 19207  
 COMPANY NAME: U S ARMY TANK AUTOMOTIVE COMMAND  
 AMSTA-IM-MM  
 ADDRESS: 11 MILE RD  
 WARREN MI 48397  
 CONDITION CODE: A  
 LOCATION: SNC  
 NSN: 2530-01-058-2672  
 DEMIL CODE: A  
 Total Cost - \$466.28

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 30. PIVOT, BRAKE CONTROL:**

PART NUMBER 87-162167H1. END ITEM IDENTIFICATION:  
 TRACTOR, WHEELED, AIRCRAFT TOWING TYPE MD-3. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 14 EACH  
 CAGE CODE: 55683  
 COMPANY NAME: WHEELER BROTHERS INC.  
 ADDRESS: 384 DRUM AVENUE  
 PO BOX 737  
 SOMERSET, PA 15501-0737  
 CONDITION CODE: A  
 LOCATION: NNC  
 NSN: 2530-01-060-5610  
 DEMIL CODE: B  
 Total Cost - \$1,868.86

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
 PART 05-J: Commerce Control List Items (CCLI)  
 PART 05-K: Munitions List and Commerce Control  
 List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
 COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
 AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
 EXPORT.**

**Item 31. PIVOT, BRAKE CONTROL:**

PART NUMBER 87-162167H1. END ITEM IDENTIFICATION:  
 TRACTOR, WHEELED, AIRCRAFT TOWING TYPE MD-3. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 24 EACH  
 CAGE CODE: 55683  
 COMPANY NAME: WHEELER BROTHERS INC.  
 ADDRESS: 384 DRUM AVENUE  
 PO BOX 737  
 SOMERSET, PA 15501-0737  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 2530-01-060-5610  
 DEMIL CODE: B  
 Total Cost - \$3,203.76

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
 PART 05-J: Commerce Control List Items (CCLI)  
 PART 05-K: Munitions List and Commerce Control  
 List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
 COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
 AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
 EXPORT.**

**Item 32. PIVOT, BRAKE CONTROL:**

PART NUMBER 87-162167H1. END ITEM IDENTIFICATION:  
 TRACTOR, WHEELED, AIRCRAFT TOWING TYPE MD-3. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 55683  
 COMPANY NAME: WHEELER BROTHERS INC.  
 ADDRESS: 384 DRUM AVENUE  
 PO BOX 737  
 SOMERSET, PA 15501-0737  
 CONDITION CODE: A  
 LOCATION: SRC  
 NSN: 2530-01-060-5610  
 DEMIL CODE: B  
 Total Cost - \$266.98

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
 PART 05-J: Commerce Control List Items (CCLI)  
 PART 05-K: Munitions List and Commerce Control  
 List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
 COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
 AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
 EXPORT.**

**Item 33. PIVOT, BRAKE CONTROL:**

PART NUMBER 87-162167H1. END ITEM IDENTIFICATION:  
 TRACTOR, WHEELED, AIRCRAFT TOWING TYPE MD-3. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 17 EACH  
 CAGE CODE: 55683  
 COMPANY NAME: WHEELER BROTHERS INC.  
 ADDRESS: 384 DRUM AVENUE  
 PO BOX 737  
 SOMERSET, PA 15501-0737  
 CONDITION CODE: A  
 LOCATION: PTZ  
 NSN: 2530-01-060-5610  
 DEMIL CODE: B  
 Total Cost - \$2,269.33

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
 PART 05-J: Commerce Control List Items (CCLI)  
 PART 05-K: Munitions List and Commerce Control  
 List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
 COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
 AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
 EXPORT.**

**Item 34. VALVE, BRAKE PNEUMATIC:**

PART NUMBER 707103C91. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.



APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 89346  
 COMPANY NAME: NAVISTAR INTERNATIONAL CORPORATION  
 TRUCK BRANCH OHIO PLANT  
 ADDRESS: 6125 URBANA ROAD  
 SPRINGFIELD, OH 45501  
 CONDITION CODE: A  
 LOCATION: SRC  
 NSN: 2530-01-117-0925  
 DEMIL CODE: A

Total Cost - \$1,285.92

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 35. KIT:**

PART NUMBER 317811C94. END ITEM IDENTIFICATION:  
 INTERNATIONAL HARVESTER CO; TRACTOR, TRUCK,  
 MODEL 2000D. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 11 EACH  
 CAGE CODE: 89346

COMPANY NAME: NAVISTAR INTERNATIONAL CORPORATION  
 TRUCK BRANCH OHIO PLANT  
 ADDRESS: 6125 URBANA ROAD  
 SPRINGFIELD, OH 45501  
 CONDITION CODE: A  
 LOCATION: SNC  
 NSN: 2530-01-193-0867  
 DEMIL CODE: A

Total Cost - \$179.63

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 36. ROD, ALIGNING, VEHICULAR AXLE:**

PART NUMBER 65A81-C181-01. STEEL, C1018-C1020,  
 CONDITION CD, QQ-S-634; CADMIUM PLATE, QQ-P-416,  
 TY2, CL2; ROD 39.250 INCH LENGTH WITH LINKAGE ON  
 EACH END; THREADED EACH END 0.250-20 UNC-2A,  
 THREAD LENGTH 1.000 INCH.

APPROXIMATE QUANTITY: 27 EACH

CAGE CODE: 30003

COMPANY NAME: NAVAL AIR SYSTEMS COMMAND  
 ADDRESS: 47123 BUSE ROAD, SUITE IPT  
 PATUXENT RIVER, MD 20670-1547

CONDITION CODE: A  
 LOCATION: SRC  
 NSN: 2530-01-197-8618  
 DEMIL CODE: A

Total Cost - \$8,775.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 37. ROD, ALIGNING, VEHICULAR AXLE:**

PART NUMBER 65A81 C181 01. STEEL, C1018-C1020,  
 CONDITION CD, QQ-S-634; CADMIUM PLATE, QQ-P-416,  
 TY2, CL2; ROD 39.250 INCH LENGTH WITH LINKAGE ON  
 EACH END; THREADED EACH END 0.250-20 UNC-2A,  
 THREAD LENGTH 1.000 INCH.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 30003

COMPANY NAME: NAVAL AIR SYSTEMS COMMAND  
 ADDRESS: 47123 BUSE ROAD, SUITE IPT  
 PATUXENT RIVER, MD 20670-1547

CONDITION CODE: A  
 LOCATION: PTZ  
 NSN: 2530-01-197-8618  
 DEMIL CODE: A

Total Cost - \$1,300.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 38. PIVOT BAR, BRAKE:**

PART NUMBER 25320-2. GENERAL CHARACTERISTICS:  
 STEEL, ½ INCH WIDE BY 1.00 INCH THICK BY 5.125 INCHES  
 LONG, WITH TWO HOLES 0.500 INCHES IN DIAMETER. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 11 EACH

CAGE CODE: 81381

COMPANY NAME: STEWART & STEVENSON SERVICES INC.  
 ADDRESS: 4516 HARRISBURG BOULEVARD  
 HOUSTON, TX 77011

CONDITION CODE: A

LOCATION: SRC

NSN: 2530-01-259-8042

DEMIL CODE: A

Total Cost - \$864.05

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 39. PIVOT BAR, BRAKE:**

PART NUMBER 25320-2. GENERAL CHARACTERISTICS:  
 STEEL, ½ INCH WIDE BY 1.00 INCH THICK BY 5.125 INCHES  
 LONG, WITH TWO HOLES 0.500 INCHES IN DIAMETER. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 81381

COMPANY NAME: STEWART & STEVENSON SERVICES INC.  
 ADDRESS: 4516 HARRISBURG BOULEVARD  
 HOUSTON, TX 77011

CONDITION CODE: A

LOCATION: AQ5

NSN: 2530-01-259-8042

DEMIL CODE: A

Total Cost - \$314.20

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 40. PIVOT BAR, BRAKE:**

PART NUMBER 25320-2. GENERAL CHARACTERISTICS:  
 STEEL, ½ INCH WIDE BY 1.00 INCH THICK BY 5.125 INCHES  
 LONG, WITH TWO HOLES 0.500 INCHES IN DIAMETER. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 23 EACH

CAGE CODE: 81381

COMPANY NAME: STEWART & STEVENSON SERVICES INC.  
 ADDRESS: 4516 HARRISBURG BOULEVARD  
 HOUSTON, TX 77011

CONDITION CODE: A

LOCATION: NBZ

NSN: 2530-01-259-8042

DEMIL CODE: A

Total Cost - \$1,806.65

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 41. PIVOT BAR, BRAKE:**

PART NUMBER 25320-2. GENERAL CHARACTERISTICS:  
 STEEL, ½ INCH WIDE BY 1.00 INCH THICK BY 5.125 INCHES  
 LONG, WITH TWO HOLES 0.500 INCHES IN DIAMETER. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 23 EACH

CAGE CODE: 81381

COMPANY NAME: STEWART & STEVENSON SERVICES INC.  
 ADDRESS: 4516 HARRISBURG BOULEVARD  
 HOUSTON, TX 77011

CONDITION CODE: A

LOCATION: NNC

NSN: 2530-01-259-8042

DEMIL CODE: A

Total Cost - \$1,806.65

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 42. PIVOT BAR, BRAKE:**

PART NUMBER 25320-2. GENERAL CHARACTERISTICS:  
 STEEL, ½ INCH WIDE BY 1.00 INCH THICK BY 5.125 INCHES

LONG, WITH TWO HOLES 0.500 INCHES IN DIAMETER. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 81381  
COMPANY NAME: STEWART & STEVENSON SERVICES INC.  
ADDRESS: 4516 HARRISBURG BOULEVARD  
HOUSTON, TX 77011  
CONDITION CODE: A  
LOCATION: NDZ  
NSN: 2530-01-259-8042  
DEMIL CODE: A

Total Cost - \$314.20

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 43. CYLINDER, HYDRAULIC BRAKE, MASTER:**

PART NUMBER D105-194. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 3X894  
COMPANY NAME: CONTROL FLOW INC.  
ADDRESS: 9201 FAIRBANKS NORTH HOUSTON ROAD  
HOUSTON, TX 77064-6201  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 2530-01-342-6606  
DEMIL CODE: A

Total Cost - \$10,337.28

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 44. STRIP, CLAMPING, EXTENSION:**

PART NUMBER 10932315. ALUMINUM ALLOY, 8.000-INCH  
LENGTH, 3.188-INCH WIDTH. ITEM HAS TWO MOUNTING  
HOLES SPACED 6.000 INCHES APART.  
APPROXIMATE QUANTITY: 171 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2540-00-933-6945  
DEMIL CODE: A

Total Cost - \$466.83

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 45. COVER, VEHICLE WINDOW:**

PART NUMBER 11644901. OVERALL DEPTH: 0.125 INCHES  
NOMINAL. OVERALL LENGTH: 33.961 INCHES NOMINAL.  
OVERALL WIDTH: 3.984 INCHES MINIMUM AND 4.016  
INCHES MAXIMUM. MATERIAL: STEEL. END ITEM  
IDENTIFICATION: GENERAL MOTORS CORP, LIGHT  
ARMORED VEHICLE, MODEL LAV-25.  
APPROXIMATE QUANTITY: 20 EACH  
CAGE CODE: 19207

COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM

ADDRESS: 11 MILE ROAD  
WARREN, MI 48397

CONDITION CODE: A  
LOCATION: SRC  
NSN: 2540-01-105-9159  
DEMIL CODE: A

Total Cost - \$190.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 46. PAD, CUSHIONING:**

PART NUMBER 7987756. WIDTH: 1.000 INCHES NOMINAL.  
THICKNESS: 0.620 INCHES NOMINAL. LENGTH: 4.000  
INCHES NOMINAL. COVERING MATERIAL: RUBBER, MIL-R-  
3065, TYPE R, CLASS RS, GRADE 409ABFF. CUSHIONING

MATERIAL: FELT, C-F-206, TYPE 1, CLASS 9R4. COVERING  
LOCATION: OUTER.  
APPROXIMATE QUANTITY: 776 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2590-00-781-5611  
DEMIL CODE: A

Total Cost - \$341.44

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 47. GUARD, CAN STOWAGE:**

PART NUMBER 11678522. ALUMINUM IRREGULAR SHAPE,  
WELDED TABS, 25.690 INCHES OVERALL LENGTH, 1.690  
INCHES OVERALL HEIGHT. FSC APPLICATION DATA:  
MISCELLANEOUS VEHICULAR COMPONENTS.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2590-01-021-1200  
DEMIL CODE: A

Total Cost - \$740.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 48. PAD, CUSHIONING:**

PART NUMBER 11678552. WIDTH: 1.970 INCHES MINIMUM  
AND 2.030 INCHES MAXIMUM. THICKNESS: 0.547 INCHES  
MINIMUM AND 0.579 INCHES MAXIMUM. LENGTH: 1.970  
INCHES MINIMUM AND 2.030 INCHES MAXIMUM.  
CUSHIONING MATERIAL: RUBBER, MIL-R-3065, TYPE R,  
CLASS RS, GRADE 415. SUPPORT METHOD: FRAME.  
SUPPORT MATERIAL: ALUMINUM ALLOY, QQ-A-250/6, ALLOY  
5083.  
APPROXIMATE QUANTITY: 156 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2590-01-155-7539  
DEMIL CODE: A

Total Cost - \$195.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 49. COVER, TIMING GEAR, INTERNAL  
COMBUSTION ENGINE:**

PART NUMBER 11610425. IRREGULAR SHAPED ITEM MADE  
OF STEEL CASTING WITH HOLES ON OUTER EDGE FOR  
MOUNTING TO FRONT OF ENGINE WITH BORE FOR  
CRANKSHAFT, CONTAINING TWO SEALS, A THREADED  
HOLE FOR TACHOMETER DRIVE AND A HOLE WITH  
MOUNTING FACILITIES FOR THE POWER STEERING PUMP.  
FSC APPLICATION DATA: ENGINE, DIESEL. END ITEM  
IDENTIFICATION: 2320-832-5619.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397

CONDITION CODE: A  
LOCATION: SNC  
NSN: 2815-00-156-9656  
DEMIL CODE: A  
Total Cost - \$2,173.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 50. PISTON, INTERNAL COMBUSTION ENGINE:**

PART NUMBER 8481488. SURFACE FINISH: FINISHED.  
FINISHED SIZE DESIGNATION: STANDARD. RING:  
INCLUDED. END ITEM IDENTIFICATION: DIESEL ENGINE,  
GENERAL MOTORS, ELECTRO-MOTIVE DIVISION, MODEL  
645E1, E2, E6, E8.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 72915  
COMPANY NAME: GENERAL MOTORS CORP  
ELECTRO-MOTIVE DIVISION  
ADDRESS: 9301 WEST 55<sup>TH</sup> STREET  
LA GRANGE, IL 60525-3214  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 2815-01-019-2961  
DEMIL CODE: A  
Total Cost - \$379.08

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 51. WITHDRAWN:**

**Item 52. BLADE SET, STEAM TURBINE:**

PART NUMBER 111L104G5. END ITEM IDENTIFICATION:  
SHIPS PROPULSION SYSTEM. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 24446  
COMPANY NAME: GENERAL ELECTRIC COMPANY  
ADDRESS: 3135 EASTON TURNPIKE  
FAIRFIELD, CT 06431  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2825-00-333-2249  
DEMIL CODE: B  
Total Cost - \$7,341.04

1 SET

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:  
PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 53. BLADE SET, STEAM TURBINE:**

PART NUMBER 111L104G8. END ITEM IDENTIFICATION:  
SHIPS PROPULSION SYSTEM. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 SETS  
CAGE CODE: 24446  
COMPANY NAME: GENERAL ELECTRIC COMPANY  
ADDRESS: 3135 EASTON TURNPIKE  
FAIRFIELD, CT 06431  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2825-00-333-2250  
DEMIL CODE: B  
Total Cost - \$13,911.36

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 54. NOZZLE BLOCK, TURBINE:**

PART NUMBER UNKNOWN. END ITEM IDENTIFICATION:  
STEAM TURBINE, SHIPS PROPULSION SYSTEM. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: UNKNOWN  
COMPANY NAME: UNKNOWN  
ADDRESS: UNKNOWN  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2825-00-372-9015  
DEMIL CODE: B  
Total Cost - \$5,269.75

1 ASSEMBLY

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 55. BASE, MOTOR-GENERATOR:**

PART NUMBER 60054-1022. MATERIAL: MAGNESIUM.  
SURFACE TREATMENT: ENAMEL. ATTACHMENT TO ITEM  
SUPPORTED METHOD: HOLDS ITEM BY MEANS OF FOUR  
0.223 INCH MAXIMUM, 0.218 INCH MINIMUM DIAMETER  
HOLES ON 2.680 INCHES BY 0.760 INCH MOUNTING  
CENTERS TWO 0.344 INCH DIAMETER MOUNTING HOLES  
SPACED 4.500 INCHES CENTER TO CENTER.  
CAGE CODE: 31435  
COMPANY NAME: LUCAS AEROSPACE POWER EQUIPMENT  
CORPORATION  
ADDRESS: 777 LENA DRIVE  
AURORA, OH 4402-8025  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 2825-00-372-9261  
DEMIL CODE: A  
Total Cost - \$7,206.17

1 ASSEMBLY

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 56. BLADING SET, TURBINE:**

PART NUMBER UNKNOWN. END ITEM IDENTIFICATION:  
STEAM TURBINE, SHIPS PROPULSION SYSTEM. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: UNKNOWN  
COMPANY NAME: UNKNOWN  
ADDRESS: UNKNOWN  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 2825-00-538-2857  
DEMIL CODE: B  
Total Cost - \$12,533.72

1 ASSEMBLY

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:  
PART 05-I: Military Munitions List Items (MLI)

PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 57. NOZZLE DIAPHRAGM, TURBINE:**

PART NUMBER 103D746G1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 ASSEMBLIES  
CAGE CODE: 24446  
COMPANY NAME: GENERAL ELECTRIC COMPANY  
ADDRESS: 3135 EASTON TURNPIKE  
FAIRFIELD, CT 06431  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2825-00-696-0780  
DEMIL CODE: B  
Total Cost - \$22,158.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 58. BUSHING, TURBINE:**

PART NUMBER 652A577PC1. END ITEM IDENTIFICATION: STEM TURBINE, SHIPS PROPULSION SYSTEM. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 01289  
COMPANY NAME: GENERAL ELECTRIC COMPANY DBA  
GE AIRCRAFT ENGINES GEAR PLANT  
DIVISION  
ADDRESS: 1100 WESTERN AVENUE  
LYNN, MA 01905-2655  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2825-00-827-1494  
DEMIL CODE: B  
Total Cost - \$3,013.48

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 59. DIAPHRAGM, TURBINE:**

PART NUMBER GJ52MNUL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 16712  
COMPANY NAME: DEMAG DELAVAL TURBOMACHINERY  
CORPORATION  
ADDRESS: 840 NOTTINGHAM WAY  
TRENTON, NJ 08638-4492

CONDITION CODE: A  
LOCATION: SRC  
NSN: 2825-01-019-0964  
DEMIL CODE: B  
Total Cost - \$9,966.03

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR EXPORT.**

**Item 60. TANK, FUEL, ENGINE:**

PART NUMBER 11609894. FABRICATION METHOD: SOLDERED OR WELDED. WIDTH: 15.940 INCHES MINIMUM AND 16.060 INCHES MAXIMUM. OUTSIDE DIAMETER: 4.250 INCHES NOMINAL. LENGTH: 56.940 INCHES MINIMUM AND 57.060 INCHES MAXIMUM. SELF-SEALING FEATURE: NOT INCLUDED. DRAIN PLUG: INCLUDED. MOUNTING BRACKET: NOT PROVIDED. FILLER CAP: INCLUDED. BAFFLE: PROVIDED QUANTITY: 2. FILLER NECK: INCLUDED. CAP TYPE FOR WHICH FILLER OPENING IS DESIGNED: INSIDE CAM. DRAIN OPENING: INCLUDED. LIQUID QUANTITY TRANSMITTER: INCLUDED. HEIGHT: 14.440 INCHES MINIMUM AND 14.560 INCHES MAXIMUM. MATERIAL: STEEL, SHAPE: RECTANGULAR.  
APPROXIMATE QUANTITY: 13 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2910-01-176-8820  
DEMIL CODE: A  
Total Cost - \$21,346.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 61. SLEEVE, COOLING, FUEL INJECTION NOZZLE:**

PART NUMBER 2537739. ALUMINUM AND STEEL MATERIAL; CYLINDRICAL SHAPE; STEPPED BODY WITH EIGHT THRU HOLES; ONE END THREADED EXTERNALLY AND INTERNALLY; OVERALL DIMENSIONS: 0.500-20 UNF 2A; THREAD LENGTH: 0.500 INCHES; ID 0.312-32 UNEF 2B; OVERALL LENGTH: 2.036 INCHES.  
APPROXIMATE QUANTITY: 318 EACH  
CAGE CODE: 06848  
COMPANY NAME: HONEYWELL INTERNATIONAL DBA  
HONEYWELL AEROSPACE DIVISION  
ADDRESS: 717 NORTH BENDIX DRIVE  
SOUTH BEND, IN 46620-1001  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 2910-00-630-0609  
DEMIL CODE: A  
Total Cost - \$71,499.12

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 62. HEAD, HYDRAULIC FUEL:**

PART NUMBER 11662498. END ITEM IDENTIFICATION: FOR TRUCK PCCN C744AA. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 2910-00-762-4623  
DEMIL CODE: A  
Total Cost - \$2,045.43

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 63. HEAD, HYDRAULIC FUEL:**

PART NUMBER 11662498. END ITEM IDENTIFICATION: FOR TRUCK PCCN C744AA. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: B  
LOCATION: SNC  
NSN: 2910-00-762-4623  
DEMIL CODE: A  
Total Cost - \$2,727.24

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 64. PUMP, SUBMERGED, VEHICULAR:**

PART NUMBER 10947358 6. FABRICATED ASSEMBLY CONSISTS OF A PUMP, BRACKETS, STRAP, TUBE, AND ELECTRICAL CONNECTIONS. END ITEM IDENTIFICATION: 2320-00-089-7264. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 21 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 2910-01-010-3098  
DEMIL CODE: A  
Total Cost - \$2,671.41

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 65. PUMP, FUEL, METERING AND DISTRIBUTING:**

PART NUMBER 1W6741. GENERAL CHARACTERISTICS: USED ON 4-CYLINDER ENGINE. END ITEM IDENTIFICATION: FSCM 11083, DIESEL ENGINE, MODEL 3208, SERIAL NUMBER 2Z UP. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 11083  
COMPANY NAME: CATERPILLAR INC DBA  
DEFENSE AND FEDERAL PRODUCTS DIV  
ADDRESS: 100 NE ADAMS  
PEORIA, IL 61602-1324  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 2910-01-207-2529  
DEMIL CODE: A  
Total Cost - \$5,161.60

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 66. ELECTRICAL CONTROL ASSEMBLY:**

PART NUMBER 37825234. CONSISTS OF BRACKET 379309; 9 SCREWS AN501-10-7; 14 WASHERS AN960-10L; 5 NUTS

MS20364-1032C; HARNESS 693285; BOX ASSEMBLY 375875-60; RELAY 692148; IGNITION UNIT 378640. FSC APPLICATION DATA: ENGINE ELECTRICAL SYSTEM COMPONENTS, NONAIRCRAFT.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 99193  
COMPANY NAME: HONEYWELL INTERNATIONAL DBA  
ENGINE SYSTEMS & SERVICES DIVISION  
ADDRESS: 111 SOUTH 34<sup>TH</sup> STREET  
PHOENIX, AZ 85034-2802  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 2920-00-012-1046  
DEMIL CODE: A  
Total Cost - \$10,232.67

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 67. REGULATOR, ENGINE GENERATOR:**

PART NUMBER 91052. TERMINAL QUANTITY: 3; TERMINAL TYPE: SCREW; MOUNTING HOLE DIAMETER: 0.268 INCHES NOMINAL; MOUNTING STYLE: 2 THREE HOLE TRIANGULAR; DISTANCE BETWEEN HOLES ALONG WIDTH: 1.500 INCHES NOMINAL; SHOCK MOUNT: PROVIDED; RADIO INTERFERENCE SHIELDING: NOT PROVIDED; OUTPUT VOLTAGE RATING IN VOLTS: 14.0 NOMINAL; SYSTEM VOLTAGE RATING: 14.0; SYSTEM GROUND POLARITY: POSITIVE; VOLTAGE REGULATOR UNIT TYPE: CARBON PILE; CURRENT REGULATOR UNIT QUANTITY: 1; OUTPUT CURRENT RATING IN AMPS: 6.0 NOMINAL; CIRCUIT CONTROL DEVICE TYPE: ACTUATING RELAY; CUT-IN VOLTAGE RATING: NOT RATED; CUTOFF VOLTAGE RATING: NOT RATED; CUTOFF CURRENT RATING IN AMPS: NOT RATED; REVERSE CURRENT OVERLOAD CIRCUIT BREAKER: NOT INCLUDED; FIELD RELAY UNIT: INCLUDED; TERMINAL ENCASMENT: NOT ENCASED; CENTER TO CENTER DISTANCE BETWEEN HOLES ALONG WIDTH AND HOLE ALONG LENGTH: 5.062 INCHES NOMINAL.  
APPROXIMATE QUANTITY: 33 EACH  
CAGE CODE: 35510  
COMPANY NAME: PRESTOLITE ELECTRIC INC.  
ADDRESS: ANN ARBOR, MI 48105-2965  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 2920-00-238-5569  
DEMIL CODE: A  
Total Cost - \$1,953.93

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 68. MAGNET ASSEMBLY, GENERATOR:**

PART NUMBER 79354-2. STEEL, 2.714 INCHES MINIMUM AND 2.716 INCHES MAXIMUM OVERALL DIAMETER. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 14 EACH  
CAGE CODE: 02101  
COMPANY NAME: PACIFIC SCIENTIFIC EKD  
ADDRESS: 6382 ROSE LANE  
CARPINTERIA, CA 93013-2922  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 2920-00-625-7404  
DEMIL CODE: A  
Total Cost - \$8,604.96

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 69. IDLER ASSEMBLY:**

PART NUMBER 190-2642-001. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 17 EACH  
CAGE CODE: 75102  
COMPANY NAME: SHUGART CORPORATION  
ADDRESS: 26431 CROWN VALLEY PARKWAY SUITE 200

MISSION VIEJO, CA 92691  
 CONDITION CODE: A  
 LOCATION: SCC  
 NSN: 2920-01-020-5647  
 DEMIL CODE: A  
 Total Cost - \$5,155.93

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 70. PARTS KIT, ENGINE WATER PUMP:**

PART NUMBER 5702786. COMPONENT QUANTITY: 4; END  
 ITEM IDENTIFICATION: 2320-903, 0833; END ITEM NAME:  
 TRUCK, CARGO. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 5 EACH  
 CAGE CODE: 19207  
 COMPANY NAME: U S ARMY TANK COMMAND  
 AMSTA-IM-MM  
 ADDRESS: 11 MILE ROAD  
 WARREN, MI 48397  
 CONDITION CODE: A  
 LOCATION: SNC  
 NSN: 2930-00-134-4542  
 DEMIL CODE: A  
 Total Cost - \$1,522.15

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 71. SEAL ASSEMBLY, SHAFT, SPRING LOADED:**

PART NUMBER B2AZ 8564 D. BRASS RETAINER CUP WITH  
 SPRING AND CARBON SEAL RING; 0.680 INCHES IN DEPTH;  
 1.625 INCHES OVERALL DIAMETER; 1.796 INCHES OVERALL  
 LENGTH.  
 APPROXIMATE QUANTITY: 95 EACH  
 CAGE CODE: 23040  
 COMPANY NAME: FORD MOTOR COMPANY  
 FORD PARTS AND SERVICE DIVISION  
 GOVERNMENT PART SALES  
 ADDRESS: 3000 SCHAEFER ROAD  
 DEARBORN, MI 48121  
 CONDITION CODE: A  
 LOCATION: SCC  
 NSN: 2930-00-890-6345  
 DEMIL CODE: A  
 Total Cost - \$259.35

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 72. RADIATOR, ENGINE COOLANT:**

PART NUMBER C9AZ 8005 A. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 4 EACH  
 CAGE CODE: 23040  
 COMPANY NAME: FORD MOTOR COMPANY  
 FORD PARTS AND SERVICE DIVISION  
 GOVERNMENT PART SALES  
 ADDRESS: 3000 SCHAEFER ROAD  
 DEARBORN, MI 48121  
 CONDITION CODE: A  
 LOCATION: SCC  
 NSN: 2930-01-034-7879  
 DEMIL CODE: A  
 Total Cost - \$187.76

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 73. STATOR, FAN:**

PART NUMBER 3601481-3. ALUMINUM ALLOY PER AMS 4218  
 1.875 INCHES LONG. FIRST END 3.996 INCHES MINIMUM  
 AND 3.998 INCHES MAXIMUM OVERALL DIAMETER. 6 TABS  
 WITH ONE HOLE 0.218-INCH MINIMUM AND 0.226-INCH  
 MAXIMUM DIAMETER EACH TAB. BODY 4.085 INCHES  
 MINIMUM AND 4.115 INCHES MAXIMUM OVERALL  
 DIAMETER. FLANGE 4.26 INCHES MINIMUM AND 4.29

INCHES MAXIMUM OVERALL DIAMETER. BORE 3.520  
 INCHES MINIMUM AND 3.524 INCHES MAXIMUM DIAMETER.  
 APPROXIMATE QUANTITY: 80 EACH  
 CAGE CODE: 99193  
 COMPANY NAME: HONEYWELL INTERNATIONAL DBA  
 ENGINE SYSTEMS & SERVICES DIVISION  
 ADDRESS: 111 SOUTH 34<sup>TH</sup> STREET  
 PHOENIX, AZ 85034-2802  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 2930-01-176-0767  
 DEMIL CODE: A  
 Total Cost - \$16,116.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 74. RADIATOR, ENGINE COOLANT:**

PART NUMBER 10829. OVERALL HEIGHT: 20.750 INCHES  
 NOMINAL. OVERALL WIDTH: 31.000 INCHES NOMINAL.  
 MOUNTING FEATURE: INCLUDED. NO ADDITIONAL  
 DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 23 EACH  
 CAGE CODE: 98921  
 COMPANY NAME: O AND M MFG COMPANY  
 ADDRESS: 8203 MARKET STREET  
 HOUSTON, TX 77029-2415  
 CONDITION CODE: A  
 LOCATION: NNC  
 NSN: 2930-01-219-7469  
 DEMIL CODE: A  
 Total Cost - \$34,592.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 75. RADIATOR, ENGINE COOLANT:**

PART NUMBER 10829. OVERALL HEIGHT: 20.750 INCHES  
 NOMINAL. OVERALL WIDTH: 31.000 INCHES NOMINAL.  
 MOUNTING FEATURE: INCLUDED. NO ADDITIONAL  
 DESCRIPTION INFORMATION AVAILABLE.  
 CAGE CODE: 98921  
 COMPANY NAME: O AND M MFG COMPANY  
 ADDRESS: 8203 MARKET STREET  
 HOUSTON, TX 77029-2415  
 CONDITION CODE: A  
 LOCATION: PTZ  
 NSN: 2930-01-219-7469  
 DEMIL CODE: A  
 Total Cost - \$1,504.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 76. FILTER ELEMENT, INTAKE AIR CLEANER:**

PART NUMBER 701701-56. BODY OVERALL LENGTH: 10.000  
 INCHES NOMINAL. MAXIMUM AIR FLOW RATE: NOT RATED.  
 BODY DIAMETER: 8.000 INCHES NOMINAL. BODY INSIDE  
 DIAMETER: 5.750 INCHES NOMINAL. FILTRATION RATING IN  
 MICRONS: NOT RATED. DESIGN TYPE: LIMITED.  
 TEMPERATURE RATING: NOT RATED. FILTERING MEDIA  
 DESIGN: PLEATED SINGLE FILTERING MEDIA RESPONSE.  
 SPECIAL FEATURES: 12-INCH OVERALL DIAMETER FIBER  
 GASKET, 1 COPPER WASHER, 1 LOCK NUT. MATERIAL:  
 METAL CONTAINER/CARTRIDGE. MATERIAL: PAPER  
 FILTERING MEDIUM. STYLE DESIGNATOR: A10  
 CYLINDRICAL WITH CONTAINER.  
 APPROXIMATE QUANTITY: 6 EACH  
 CAGE CODE: 83179  
 COMPANY NAME: JOY TECHNOLOGIES INC.  
 ADDRESS: 177 THORN HILL ROAD  
 WARRENDALE, PA 15086-7527  
 CONDITION CODE: A  
 LOCATION: SNC  
 NSN: 2940-00-225-4834  
 DEMIL CODE: A  
 Total Cost - \$363.12

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 77. FILTER ELEMENT, INTAKE AIR CLEANER:**

PART NUMBER AF-2218K. MAXIMUM AIR FLOW RATE: NOT RATED. BODY DIAMETER: 5.250 INCHES NOMINAL. BODY INSIDE DIAMETER: 2.620 INCHES NOMINAL. FILTRATION RATING IN MICRONS: NOT RATED. FILTERING SURFACE AREA: ANY ACCEPTABLE. DESIGN TYPE: NONREUSABLE. TEMPERATURE RATING: NOT RATED. FILTERING MEDIA DESIGN: PLEATED SINGLE FILTERING MEDIA RESPONSE. SPECIAL FEATURES: TOP END CAP CENTER HOLE 0.656-INCH DIAMETER; 6.375 INCHES OVERALL DIAMETER OVER FINS. MATERIAL: METAL BODY. STYLE DESIGNATOR: A21 CYLINDRICAL WITH AIR BAFFLES.

APPROXIMATE QUANTITY: 38 EACH

CAGE CODE: 12658

COMPANY NAME: BALDWIN FILTERS INC.

ADDRESS: 4400 EAST HIGHWAY 30  
KEARNEY, NE 68848-6010

CONDITION CODE: A

LOCATION: SNC

NSN: 2940-00-908-4657

DEMIL CODE: A

Total Cost - \$367.08

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 78. MUFFLER, EXHAUST:**

MATERIAL: STEEL, STAINLESS. SURFACE TREATMENT: PASSIVATED. DESIGN TYPE: DRY. COOLANT TYPE: AIR. MUFFLER DESIGN: DIRECTIONAL VANE. BODY SHAPE: ROUND. OVERALL LENGTH: 36.000 INCHES NOMINAL. OVERALL DIAMETER: 0.129 INCHES NOMINAL. OPERATING POSITION: HORIZONTAL. INLET CONNECTION TYPE: UNTHREADED. INLET LOCATION: LOCATED ON HORIZONTAL CENTERLINE 2.900 INCHES FROM END. INLET PROJECTION LENGTH: 3.000 INCHES NOMINAL. INLET OUTSIDE DIAMETER: ANY ACCEPTABLE. INLET INSIDE DIAMETER: 3.015 INCHES NOMINAL. OUTLET CONNECTION TYPE: UNTHREADED. OUTLET LOCATION: LOCATED ON HORIZONTAL CENTERLINE 2.500 INCHES FROM END OPPOSITE INLET OUTLET PROJECTION LENGTH: 1.750 NOMINAL OUTSIDE DIAMETER: 3.000 INCHES NOMINAL. INSIDE DIAMETER: ANY ACCEPTABLE.

APPROXIMATE QUANTITY: 52 EACH

CAGE CODE: UNKNOWN

COMPANY NAME: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: SCC

NSN: 2990-00-104-2135

DEMIL CODE: A

Total Cost - \$14,898.52

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 79. GOVERNOR, DIESEL ENGINE:**

PART NUMBER 3340606. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 55380

COMPANY NAME: HATCH AND KIRK INC.

ADDRESS: 5111 LEARY AVENUE NW  
SEATTLE, WA 98107-4820

CONDITION CODE: A

LOCATION: NNC

NSN: 2990-00-564-6832

DEMIL CODE: A

Total Cost - \$6,184.97

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 80. MUFFLER, EXHAUST:**

MATERIAL: STEEL, STAINLESS. SURFACE TREATMENT: ANY ACCEPTABLE. DESIGN TYPE: DRY. COOLANT TYPE: AIR.

MUFFLER DESIGN: STRAIGHT THROUGH. TUBE QUANTITY: 2. BODY SHAPE: ROUND. OVERALL LENGTH: 16.375 INCHES NOMINAL. OVERALL DIAMETER: 8.125 INCHES NOMINAL. OPERATING POSITION: ANY ACCEPTABLE. INLET CONNECTION TYPE: UNTHREADED. INLET LOCATION: OFFSET IN END SECTION OF BODY 1.312 INCHES CENTER OF INLET TO CENTER LINE OF BODY. INLET PROJECTION LENGTH: 1.375 INCHES NOMINAL. INLET OUTSIDE DIAMETER: ANY ACCEPTABLE. INLET INSIDE DIAMETER: 2.505 INCHES MINIMUM FIRST CONNECTION AND 2.525 INCHES MAXIMUM FIRST CONNECTION. CONNECTION TYPE: UNTHREADED. OUTLET LOCATION: OFFSET IN END SECTION OF BODY 1.312 INCHES CENTER OF OUTLET TO CENTERLINE OF BODY. OUTLET PROJECTION LENGTH: 1.375 INCHES NOMINAL. OUTLET OUTSIDE DIAMETER: ANY ACCEPTABLE. OUTLET INSIDE DIAMETER: 2.505 INCHES MINIMUM FIRST CONNECTION AND 2.525 INCHES MAXIMUM FIRST CONNECTION.

APPROXIMATE QUANTITY: 19 EACH

CAGE CODE: UNKNOWN

COMPANY NAME: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: SRC

NSN: 2990-00-757-5185

DEMIL CODE: A

Total Cost - \$8,341.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 81. EXHAUST PIPE ASSEMBLY:**

PART NUMBER 5SE01163. END ITEM IDENTIFICATION: SPOTTING DOLLY MODEL SD-1E. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 28638

COMPANY NAME: NAVAL AIR ENGINEERING CENTER  
GROUND SUPPORT EQUIPMENT  
DEPARTMENT

ADDRESS: LAKEHURST, NJ 08733

CONDITION CODE: A

LOCATION: NNC

NSN: 2990-01-208-0391

DEMIL CODE: A

Total Cost - \$672.96

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 82. EXHAUST PIPE ASSEMBLY:**

PART NUMBER 5SE01163. END ITEM IDENTIFICATION: SPOTTING DOLLY MODEL SD-1E. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 17 EACH

CAGE CODE: 28638

COMPANY NAME: NAVAL AIR ENGINEERING CENTER  
GROUND SUPPORT EQUIPMENT

DEPARTMENT

ADDRESS: LAKEHURST, NJ 08733

CONDITION CODE: A

LOCATION: NDZ

NSN: 2990-01-208-0391

DEMIL CODE: A

Total Cost - \$3,813.44

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.****Item 83. EXHAUST PIPE ASSEMBLY:**

PART NUMBER 5SE01163. END ITEM IDENTIFICATION: SPOTTING DOLLY MODEL SD-1E. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 20 EACH

CAGE CODE: 28638

COMPANY NAME: NAVAL AIR ENGINEERING CENTER

GROUND SUPPORT EQUIPMENT

DEPARTMENT  
ADDRESS: LAKEHURST, NJ 08733  
CONDITION CODE: A  
LOCATION: PTZ  
NSN: 2990-01-208-0391  
DEMIL CODE: A

Total Cost - \$4,486.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 84. ACTUATOR, ELECTRO-MECHANICAL, ROTARY:**

PART NUMBER 372C24857. CURRENT TYPE: AC. VOLTAGES IN VOLTS: 208.0. FREQUENCY IN HERTZ: 400.0. PHASE: THREE. CURRENT RATING IN AMPS: 2.0. SHAFT ROTATION DIRECTION: CLOCKWISE. DRIVE TYPE: DIRECT. ANGULAR SHAFT ROTATION: UNLIMITED. OUTPUT DRIVE TORQUE RATING: 2.3 INCH-POUNDS. LIMIT SWITCH CONTROL: NOT INCLUDED. MAXIMUM OPERATING ALTITUDE RATING: 60000.0 FEET. MANUAL OVERRIDE: NOT INCLUDED. MOUNTING FACILITY: MOUNTING CLAMPS. APPROXIMATE QUANTITY: 12 EACH  
CAGE CODE: 15280

COMPANY NAME: NORTHROP GRUMMAN SYSTEMS CORPORATION

ADDRESS: 5225 HELLYER AVENUE SUITE 100  
SAN JOSE, CA 95138-1021

CONDITION CODE: A  
LOCATION: FLC  
NSN: 3010-00-142-0456  
DEMIL CODE: A

Total Cost - \$14,328.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 85. COUPLING, SHAFT, FLEXIBLE:**

PART NUMBER GA2377-12. HOLE DIAMETER: 0.257 INCHES NOMINAL BOTH ENDS. OVERALL LENGTH: 1.188 INCHES NOMINAL. OUTSIDE DIAMETER: 0.625 INCHES NOMINAL. THREAD SIZE DESIGNATOR: 3/8-16 BOTH ENDS. BORE DIAMETER: 0.5630 INCHES NOMINAL BOTH ENDS. BORE LENGTH: 0.5000 INCHES NOMINAL BOTH ENDS. BELLOWS MATERIAL: COPPER ALLOY. FURNISHED ITEMS AND QUANTITY: SET SCREWS 4. DESIGN TYPE: BELLOWS. SECURING METHOD: THREADED HOLE FIRST END. THREADED HOLE QUANTITY: 2 BOTH ENDS. THREADED HOLE LOCATION: LOCATED EITHER SIDE BOTH ENDS.  
CAGE CODE: 28528

COMPANY NAME: ITT INDUSTRIES INC  
AEROSPACE/COMMUNICATIONS  
DIVISION EAST

ADDRESS: 100 KINGSLAND ROAD  
CLIFTON, NJ 07014-1904

CONDITION CODE: A  
LOCATION: SCC  
NSN: 3010-00-294-5469  
DEMIL CODE: A

Total Cost - \$100.90

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 86. GEARCASE-MOTOR:**

PART NUMBER 7041ACZ9C210. OVERALL LENGTH: 2.562 INCHES. OVERALL WIDTH: 0.750 INCHES. LENGTH OF SHAFT FROM HOUSING: 0.272 INCHES SINGLE END. MOUNTING METHOD: CLAMP RING. MOUNTING FACILITY TYPE AND QUANTITY: 1 CLAMP COLLAR. CURRENT TYPE: AC INPUT. CURRENT RATING IN AMPS: 110.0 SINGLE OUTPUT. CURRENT RATING METHOD: LOCKED ROTOR. FREQUENCY IN HERTZ: 400.0 INPUT. CONNECTION TYPE AND VOLTAGE RATING IN VOLTS: 26.0 LINE TO NEUTRAL SINGLE INPUT. TORQUE RATING AND TYPE: 0.24 INCH-OUNCES STALLED. DUTY CYCLE: CONTINUOUS.

TEMPERATURE RATING: -55.0 OPERATING DEGREES CELSIUS AND 132.0 OPERATING DEGREES CELSIUS. MAXIMUM OPERATING ALTITUDE RATING: 70000.0 FEET. SHAFT ROTATION DIRECTION: COUNTERCLOCKWISE SINGLE END. GEARED HEAD OUTPUT SHAFT ALIGNMENT POSITION: INLINE WITH ARMATURE SINGLE END. SHAFT END CHARACTERISTIC: A13 SINGLE STYLE SINGLE END. SHAFT DIAMETER: 0.1247 INCHES NOMINAL SINGLE END. APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 99932

COMPANY NAME: LITTON SYSTEMS INC  
ADDRESS: 1213 NORTH MAIN STREET  
BLACKSBURG, VA 24060

CONDITION CODE: A  
LOCATION: FLC  
NSN: 3010-00-400-8759  
DEMIL CODE: A

Total Cost - \$6,210.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 87. BELLOWS, PRESSURE:**

PART NUMBER 1139130-1. COPPER ALLOY BODY. SYNTHETIC RUBBER GASKET. PLASTIC SEAL. 0.685-INCH FREE OVERALL LENGTH. 0.600 IN COMPRESSED LENGTH. RD FLANGE 1.856 INCHES DIAMETER 0.040 INCHES THICK. 1.453 INCHES BELLOWS OVERALL DIAMETER. 0.956 INCHES BELLOWS INTERNAL DIAMETER. SIX CORRUGATIONS. APPROXIMATE QUANTITY: 36 EACH  
CAGE CODE: 98889

COMPANY NAME: TELAIR INTERNATIONAL INC  
ADDRESS: 1950 WILLIAMS DRIVE  
OXNARD, CA 93030-2630

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3010-00-494-1178  
DEMIL CODE: A

Total Cost - \$12,508.56

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 88. GEARCASE-MOTOR:**

PART NUMBER 815794. OVERALL LENGTH: 3.578 INCHES. OVERALL WIDTH: 1.750 INCHES. CURRENT TYPE: AC INPUT. DUTY CYCLE: CONTINUOUS. INCLOSURE FEATURE: TOTALLY INCLOSED. WINDING TYPE: SYNCHRONOUS. MOUNTING METHOD: CLAMP RING. MOUNTING FACILITY TYPE AND QUANTITY: CLAMP COLLAR 1. COOLING METHOD: NONVENTILATED. TORQUE RATING AND TYPE: 3.0 INCH-OUNCES STALLED. INCLOSURE SPECIFICATION: COMMERCIAL. TEMPERATURE RATING: 40.0 OPERATING DEGREES CELSIUS. CONNECTION TYPE AND VOLTAGE RATING IN VOLTS: 115.0 LINE TO NEUTRAL RATING SINGLE INPUT. PHASE: SINGLE INPUT. FREQUENCY IN HERTZ: 400.0 INPUT. TERMINAL TYPE AND QUANTITY: WIRE LEAD 4. APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 10001

COMPANY NAME: NAVAL SURFACE WARFARE CENTER  
ADDRESS: LOUISVILLE, KY 40214-2681

CONDITION CODE: A  
LOCATION: SCC  
NSN: 3010-00-578-5128  
DEMIL CODE: A

Total Cost - \$24,930.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 89. CLUTCH, HOIST:**

PART NUMBER CL41586. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 91422  
COMPANY NAME: WARNER ELECTRIC INC  
ADDRESS: 23601 HOOVER ROAD  
WARREN, MI 48089-1986



CONDITION CODE: A  
LOCATION: NDZ  
NSN: 3010-00-658-3232  
DEMIL CODE: A  
Total Cost - \$1,483.62

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 90. CLUTCH, HOIST:**

PART NUMBER CL41586. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 91422  
COMPANY NAME: WARNER ELECTRIC INC  
ADDRESS: 23601 HOOVER ROAD  
WARREN, MI 48089-1986  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 3010-00-658-3232  
DEMIL CODE: A  
Total Cost - \$7,418.10

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 91. GEARCASE-MOTOR:**

PART NUMBER A11-1-50HP. OVERALL LENGTH: 8.000 INCHES. OVERALL WIDTH: 4.656 INCHES. OVERALL HEIGHT: 6.843 INCHES. LENGTH OF SHAFT FROM HOUSING: 1.000 INCHES SINGLE END. SHAFT CENTER TO MOUNTING SURFACE DISTANCE: 1.531 INCHES SINGLE END. MOUNTING METHOD: FACE. MOUNTING FACILITY TYPE AND QUANTITY: 4 UNTHREADED HOLE. NOMINAL CENTER-TO-CENTER DISTANCE BETWEEN MOUNTING FACILITIES PARALLEL TO LENGTH: 2.750 INCHES. NOMINAL CENTER-TO-CENTER DISTANCE BETWEEN MOUNTING FACILITIES PARALLEL TO WIDTH: 2.875 INCHES. INCLOSURE FEATURE: DUSTPROOF. INCLOSURE SPECIFICATION: COMMERCIAL. CURRENT TYPE: AC INPUT. FREQUENCY IN HERTZ: 60.0. INPUT PHASE: SINGLE INPUT. CONNECTION TYPE AND VOLTAGE RATING IN VOLTS: 115.0 LINE TO NEUTRAL SINGLE INPUT. POWER RATING: 0.0200 HORSEPOWER OUTPUT. TORQUE RATING AND TYPE: 7.0 INCH-POUNDS RUNNING. WINDING TYPE: REPULSION-INDUCTION. DUTY CYCLE: CONTINUOUS. TEMPERATURE RATING: -50.0 OPERATING DEGREES CELSIUS AND 55.0 OPERATING DEGREES CELSIUS. COOLING METHOD: AMBIENT AIR. TERMINAL TYPE AND QUANTITY: 3 WIRE LEAD. SHAFT ROTATION DIRECTION: CLOCKWISE OR COUNTER CLOCKWISE SINGLE END. GEARED HEAD OUTPUT SHAFT SPEED RATING: 133.300 SINGLE REVOLUTIONS PER MINUTE SINGLE END. GEARED HEAD OUTPUT SHAFT ALIGNMENT POSITION: ANGLED TO ARMATURE/ROTOR AXIS SINGLE END. ANGLE OF SHAFT TO MOUNTING BASE: 90.0 DEGREES SINGLE END. SHAFT END CHARACTERISTIC: A5 SINGLE STYLE SINGLE END. SHAFT DIAMETER: 0.5000 INCHES NOMINAL SINGLE END. FLATTED PORTION LENGTH: 0.8750 INCHES NOMINAL SINGLE END. FLAT DEPTH: 0.400 INCHES NOMINAL SINGLE END. FEATURES PROVIDED: VERTICAL MOUNTING POSITION AND HORIZONTAL MOUNTING POSITION. FSC APPLICATION DATA: GEARCASE-MOTOR, MULTIAPPLICATION.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 19070  
COMPANY NAME: EASTERN AIR DEVICES INC  
ADDRESS: 1 PROGRESS DRIVE  
DOVER, NH 03820-5450  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3010-00-944-2788  
DEMIL CODE: A  
Total Cost - \$11,203.20

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 92. GEARCASE-MOTOR:**

PART NUMBER A11-1-50HP. OVERALL LENGTH: 8.000 INCHES. OVERALL WIDTH: 4.656 INCHES. OVERALL HEIGHT: 6.843 INCHES. LENGTH OF SHAFT FROM HOUSING: 1.000 INCHES SINGLE END. SHAFT CENTER TO MOUNTING SURFACE DISTANCE: 1.531 INCHES SINGLE END. MOUNTING METHOD: FACE. MOUNTING FACILITY TYPE AND QUANTITY: 4 UNTHREADED HOLE. NOMINAL CENTER-TO-CENTER DISTANCE BETWEEN MOUNTING FACILITIES PARALLEL TO LENGTH: 2.750 INCHES. NOMINAL CENTER-TO-CENTER DISTANCE BETWEEN MOUNTING FACILITIES PARALLEL TO WIDTH: 2.875 INCHES. INCLOSURE FEATURE: DUSTPROOF. INCLOSURE SPECIFICATION: COMMERCIAL. CURRENT TYPE: AC INPUT. FREQUENCY IN HERTZ: 60.0. INPUT PHASE: SINGLE INPUT. CONNECTION TYPE AND VOLTAGE RATING IN VOLTS: 115.0 LINE TO NEUTRAL SINGLE INPUT. POWER RATING: 0.0200 HORSEPOWER OUTPUT. TORQUE RATING AND TYPE: 7.0 INCH-POUNDS RUNNING. WINDING TYPE: REPULSION-INDUCTION. DUTY CYCLE: CONTINUOUS. TEMPERATURE RATING: -50.0 OPERATING DEGREES CELSIUS AND 55.0 OPERATING DEGREES CELSIUS. COOLING METHOD: AMBIENT AIR. TERMINAL TYPE AND QUANTITY: 3 WIRE LEAD. SHAFT ROTATION DIRECTION: CLOCKWISE OR COUNTER CLOCKWISE SINGLE END. GEARED HEAD OUTPUT SHAFT SPEED RATING: 133.300 SINGLE REVOLUTIONS PER MINUTE SINGLE END. GEARED HEAD OUTPUT SHAFT ALIGNMENT POSITION: ANGLED TO ARMATURE/ROTOR AXIS SINGLE END. ANGLE OF SHAFT TO MOUNTING BASE: 90.0 DEGREES SINGLE END. SHAFT END CHARACTERISTIC: A5 SINGLE STYLE SINGLE END. SHAFT DIAMETER: 0.5000 INCHES NOMINAL SINGLE END. FLATTED PORTION LENGTH: 0.8750 INCHES NOMINAL SINGLE END. FLAT DEPTH: 0.400 INCHES NOMINAL SINGLE END. FEATURES PROVIDED: VERTICAL MOUNTING POSITION AND HORIZONTAL MOUNTING POSITION. FSC APPLICATION DATA: GEARCASE-MOTOR, MULTIAPPLICATION.  
CAGE CODE: 19070  
COMPANY NAME: EASTERN AIR DEVICES INC  
ADDRESS: 1 PROGRESS DRIVE  
DOVER, NH 03820-5450  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3010-00-944-2788  
DEMIL CODE: A  
Total Cost - \$5,601.60

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 93. CLUTCH, HYDRAULIC:**

PART NUMBER 836-9905666. GENERAL CHARACTERISTICS ITEM DESCRIPTION: ACTIVATED, WITH INTERNAL FLANGE CUP PART NUMBER D9182. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 17 EACH  
CAGE CODE: 55683  
COMPANY NAME: WHEELER BROTHERS INC  
ADDRESS: 384 DRUM AVENUE  
PO BOX 737  
SOMERSET, PA 15501-0737  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3010-01-007-0912  
DEMIL CODE: A  
Total Cost - \$18,886.49

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 94. CLUTCH HALF, POSITIVE, NONVEHICULAR:**

PART NUMBER 716299. BORE SHAPE: INVOLUTE SPLINE. SPLINE QUANTITY: 34. SPLINE MAJOR DIAMETER: 1.650 INCHES NOMINAL. FEATURES PROVIDED: CASEHARDENED.  
APPROXIMATE QUANTITY: 16 EACH  
CAGE CODE: 99167

COMPANY NAME: DRAW FORM INC  
ADDRESS: 300 NORTH CENTENNIAL AVENUE  
ZEELAND, MI 49464  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3010-01-111-6381  
DEMIL CODE: A

Total Cost - \$18,542.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 95. COUPLING, SHAFT, FLEXIBLE:**

PART NUMBER 5052246-1. DESIGN TYPE: INSERT. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 19207  
COMPANY NAME: U S ARMY TANK COMMAND  
AMSTA-IM-MM

ADDRESS: 11 MILE ROAD  
WARREN, MI 48397

CONDITION CODE: A

LOCATION: SNC

NSN: 3010-01-158-4032

DEMIL CODE: A

Total Cost - \$637.80

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 96. GEARCASE-MOTOR:**

PART NUMBER 874045-01. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 51290

COMPANY NAME: L3 COMMUNICATIONS CORPORATION

ADDRESS: 900 ENCHANTED WAY  
SIMI VALLEY, CA 93065

CONDITION CODE: A

LOCATION: AQ5

NSN: 3010-01-194-9736

DEMIL CODE: A

Total Cost - \$5,079.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 97. CLUTCH HALF, POSITIVE, NONVEHICULAR:**

PART NUMBER 4390206. STYLE DESIGNATOR: A1 SLIDING  
JAW. GROOVE DIAMETER: 1.100 INCHES NOMINAL.

OVERALL LENGTH: 0.780 INCHES NOMINAL. FLANGE

THICKNESS: 0.040 INCHES NOMINAL. FLANGE OUTSIDE

DIAMETER: 1.230 INCHES NOMINAL. JAW CIRCLE OUTSIDE

DIAMETER: 1.310 INCHES NOMINAL. JAW CIRCLE INSIDE

DIAMETER: 0.750 INCHES NOMINAL. BORE SHAPE:

STRAIGHT. FEATURES PROVIDED: CASEHARDENED.

APPROXIMATE QUANTITY: 29 EACH

CAGE CODE: 81039

COMPANY NAME: SMITHS AEROSPACE INC

ADDRESS: 1100 ALGONQUIN PARKWAY  
WHIPPANY, NJ 07981-1640

CONDITION CODE: A

LOCATION: AQ5

NSN: 3010-01-211-4008

DEMIL CODE: A

Total Cost - \$7,987.18

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 98. COUPLING, SHAFT, FLEXIBLE:**

PART NUMBER 79728-002. DESIGN TYPE: INSERT. OVERALL  
LENGTH: 9.000 INCHES NOMINAL. OUTSIDE DIAMETER:

8.000 INCHES NOMINAL. INSERT MATERIAL: RUBBER

SYNTHETIC. BORE SHAPE: STRAIGHT FIRST END, TAPERED

SECOND END. BORE DIAMETER: 2.8750 INCHES NOMINAL

FIRST END. BORE LENGTH: 3.2500 INCHES NOMINAL FIRST

END. 4.1250 INCHES NOMINAL SECOND END. TAPER

MINOR DIAMETER: 1.5240 INCHES NOMINAL SECOND END.

TAPER LARGEST DIAMETER: 1.8620 INCHES NOMINAL  
SECOND END. KEYING FACILITY QUANTITY: 1 BOTH ENDS.  
KEYING FACILITY TYPE: KEYWAY BOTH ENDS. KEYWAY  
WIDTH: 0.750 INCHES NOMINAL FIRST END, 0.500 INCHES  
NOMINAL SECOND END. KEYWAY DEPTH: 0.3750 INCHES  
NOMINAL FIRST END, 0.1250 INCHES NOMINAL SECOND  
END. COUNTERBORE DIAMETER: 2.7500 INCHES NOMINAL  
SECOND END. COUNTERBORE DEPTH: 0.8750 INCHES  
NOMINAL SECOND END. FEATURES PROVIDED: KEYWAY,  
COUNTERBORE, AND EXPOSED COUPLING BOLT TYPE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 64392

COMPANY NAME: WEIL PUMP COMPANY INC

ADDRESS: 6337 WESTERN ROAD

PO BOX 887

CEDARBURG, WI 53012-0887

CONDITION CODE: A

LOCATION: SRC

NSN: 3010-01-221-8822

DEMIL CODE: A

Total Cost - \$11,399.97

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 99. CLUTCH HALF, POSITIVE, NONVEHICULAR:**

PART NUMBER 4730468. END ITEM IDENTIFICATION: FLIGHT  
CONTROL B1 BOMBER. NO ADDITIONAL DESCRIPTION

INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 20 EACH

CAGE CODE: 81039

COMPANY NAME: SMITHS AEROSPACE INC

ADDRESS: 1100 ALGONQUIN PARKWAY

WHIPPANY, NJ 07981-1640

CONDITION CODE: A

LOCATION: AQ5

NSN: 3010-01-322-5408

DEMIL CODE: A

Total Cost - \$9,132.80

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 100. GEARCASE-MOTOR:**

PART NUMBER 396945. POWER RATING: 55.000

HORSEPOWER OUTPUT. NO ADDITIONAL DESCRIPTION

INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 80256

COMPANY NAME: EVINRUDE MOTORS PRODUCT GROUP

OF OUTBOARD MARINE CORPORATION

ADDRESS: 200 SEA HORSE DRIVE

WAUKEGAN, IL 60085

CONDITION CODE: A

LOCATION: AQ5

NSN: 3010-01-324-0255

DEMIL CODE: A

Total Cost - \$5,542.65

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 101. ACTUATOR, MECHANICAL, LINEAR:**

PART NUMBER 0101297400. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 94189

COMPANY NAME: DICO INC

ADDRESS: 200 SW 16<sup>TH</sup> STREET

PO BOX 1344

DES MOINES, IA 50305-1344

CONDITION CODE: A

LOCATION: AQ5

NSN: 3010-01-325-0157

DEMIL CODE: A

Total Cost - \$54,536.76

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 102. PULLEY, PUMP:**

PART NUMBER ANM88969. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: U1476

COMPANY NAME: PAXMAN DIESELS LTD

ADDRESS: PO BOX 8

COLCHESTER, UK C01 2HW

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-00-018-5450

DEMIL CODE: A

Total Cost - \$10,404.63

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 103. GUARD, MECHANICAL DRIVE:**

PART NUMBER 153257. ENGINE DESIGN CONTROL

ACTIVITY: 64959. SPECIAL FEATURES: TWO IN-LINE HOLES, 0.190 INCH DIAMETER ONE HOLE, 0.062 INCH DIAMETER

ONE HOLE. MATERIAL: STEEL. NO ADDITIONAL

DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 96 EACH

CAGE CODE: 57712

COMPANY NAME: TELEMCHANICS INC

ADDRESS: 1636 5<sup>TH</sup> AVENUE

BAY SHORE, NY 11706-3425

CONDITION CODE: A

LOCATION: SRC

NSN: 3020-00-091-9586

DEMIL CODE: A

Total Cost - \$509.76

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 104. GEAR, INTERNAL:**

PART NUMBER 42132R645. TEETH QUANTITY: 72. FEATURES

PROVIDED: CASE HARDENED. PRESSURE ANGLE: 20.0000

DEGREES. MATERIAL: STEEL OVERALL. MATERIAL

DOCUMENT AND CLASSIFICATION: MIL-S-7493, COMP 4620

MIL SPEC SINGLE MATERIAL RESPONSE OVERALL.

PROPRIETARY CHARACTERISTICS: ALL PACS.

APPROXIMATE QUANTITY: 7 EACH

CAGE CODE: 98897

COMPANY NAME: LUCAS WESTERN INC DBA

TRW AERONAUTICAL SYSTEMS

ADDRESS: 1550 SOUTH VALLEY VISTA DRIVE

DIAMOND BAR, CA 91765-3929

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-00-171-3072

DEMIL CODE: A

Total Cost - \$15,141.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 105. GEAR, BEVEL:**

MATERIAL: STEEL COMP 8620 OVERALL. SURFACE

TREATMENT: CADMIUM OVERALL. HARDNESS RATING: 21.0

ROCKWELL C NOMINAL HUB, 80.0 ROCKWELL A NOMINAL

TEETH. TEETH QUANTITY: 27. TEETH TYPE: STRAIGHT.

PRESSURE ANGLE: 20.0000 DEGREES. PITCH ANGLE:

63.0000 DEGREES. STYLE DESIGNATOR: 39 PERIPHERAL

FACE, BACK HUB PROTRUDING. PITCH DIAMETER: 3.6000

INCHES NOMINAL. NOMINAL OVERALL LENGTH: 2.750

INCHES. NOMINAL OUTSIDE DIAMETER: 3.678 INCHES.

FACE NOMINAL WIDTH: 0.600 INCHES. NOMINAL DISTANCE

BETWEEN BODY FACE AND PROTRUDING HUB END: 2.210

INCHES SECOND END. BODY RECESS NOMINAL DEPTH:

0.088 INCHES FIRST END. BORE STYLE: 16 WITH COUNTER

BORE BOTH ENDS. BORE NOMINAL DIAMETER: 1.810

INCHES BOTH ENDS. COUNTER BORE NOMINAL DEPTH:

0.1400 INCHES SECOND END. COUNTER BORE NOMINAL

DIAMETER: 1.835 INCHES SECOND END. HUB STYLE

DESIGNATOR: 40 2 STOPS FIRST END. END NOMINAL

LENGTH: 1.190 INCHES FIRST END. END NOMINAL

DIAMETER: 2.062 INCHES FIRST END. FIRST STEP NOMINAL

LENGTH: 0.420 INCHES FIRST END. FIRST STEP NOMINAL

DIAMETER: 2.062 INCHES FIRST END. SECOND STEP

NOMINAL LENGTH: 0.690 INCHES. SECOND STEP NOMINAL

DIAMETER: 2.260 INCHES. BODY STYLE: 1 PLAIN, SOLID.

APPROXIMATE QUANTITY: 28 EACH

CAGE CODE: UNKNOWN

COMPANY NAME: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: SNC

NSN: 3020-00-216-7308

DEMIL CODE: A

Total Cost - \$8,400.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 106. GEAR, ANTIBACKLASH, SPUR:**

PART NUMBER 44A238112-21-11. STYLE DESIGNATOR: 5

ONE-PROTRUDING HUB, ONE FLUSH HUB. BORE STYLE: 1

PLAIN BOTH ENDS. HUB STYLE DESIGNATOR: 2 SPLIT

FIRST END. ATTACHMENT METHOD: CLAMP.

APPROXIMATE QUANTITY: 18 EACH

CAGE CODE: 98738

COMPANY NAME: HERLEY INDUSTRIES INC

ADDRESS: 1117 ENTRY DRIVE

BENSENVILLE, IL 60106-3738

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-00-237-1066

DEMIL CODE: A

Total Cost - \$15,709.50

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 107. GEAR, REDUCTION:**

PART NUMBER 318798. NO ADDITIONAL DESCRIPTION

INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 10001

COMPANY NAME: NAVAL SURFACE WARFARE CENTER

ADDRESS: LOUISVILLE, KY 40214-2681

CONDITION CODE: A

LOCATION: P64

NSN: 3020-00-330-0732

DEMIL CODE: A

Total Cost - \$9,653.19

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 108. GEAR, BEVEL:**

MATERIAL: STEEL, OVERALL. HARDNESS RATING: 80.0

ROCKWELL A NOMINAL TEETH. TEETH QUANTITY: 27.

TEETH TYPE: STRAIGHT. PRESSURE ANGLE: 20.0000

DEGREES. PITCH ANGLE: 58.0000 DEGREES. STYLE

DESIGNATOR: 39 PERIPHERAL FACE, BACK HUB

PROTRUDING. PITCH DIAMETER: 3.6000 INCHES NOMINAL.

NOMINAL OVERALL LENGTH: 0.850 INCHES. NOMINAL

OUTSIDE DIAMETER: 3.694 INCHES. FACE NOMINAL WIDTH:

0.600 INCHES. NOMINAL DISTANCE BETWEEN BODY FACE

AND PROTRUDING HUB END: 0.350 INCHES SECOND END.

BORE STYLE: 6 INVOLUTE SPLINE BOTH ENDS. BORE

NOMINAL DIAMETER: 1.547 INCHES BOTH ENDS. SPLINE

QUANTITY: 49 BOTH ENDS. SPLINE PITCH DIAMETER:

1.5313 INCHES NOMINAL BOTH ENDS. COUNTER BORE

NOMINAL DEPTH: 0.247 INCHES SECOND END. COUNTER

BORE NOMINAL DIAMETER: 1.927 INCHES SECOND END.

HUB STYLE DESIGNATOR: 1 PLAIN FIRST END. HUB

NOMINAL DIAMETER: 1.938 INCHES SECOND END. BODY

STYLE: 1 PLAIN, SOLID

APPROXIMATE QUANTITY: 85 EACH

CAGE CODE: UNKNOWN  
COMPANY NAME: UNKNOWN  
ADDRESS: UNKNOWN  
CONDITION CODE: A  
LOCATION: FHC  
NSN: 3020-00-339-7099  
DEMIL CODE: A

Total Cost - \$29,495.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 109. GEAR SET, HELICAL, MATCHED:**

PART NUMBER SMD414849. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 80063

COMPANY NAME: US ARMY COMMUNICATIONS AND  
ELECTRONICS MATERIEL READINESS  
COMMAND

ADDRESS: 12WD BLDG 601 MCAFEE CENTER  
FORT MONMOUTH, NJ 77703

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-00-369-9172

DEMIL CODE: A

Total Cost - \$5,100.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 110. GEAR SECTOR, SPUR:**

PART NUMBER 7128041-1. MATERIAL: STEEL CORROSION  
RESISTING OVERALL. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 18 EACH

CAGE CODE: 96214

COMPANY NAME: RAYTHEON COMPANY

ADDRESS: 2501 WEST UNIVERSITY DRIVE M/S 8064  
MCKINNEY, TX 75070-0801

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-00-416-3555

DEMIL CODE: A

Total Cost - \$16,200.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 111. GEAR AND CLUTCH ASSEMBLY:**

PART NUMBER C200027033. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 79 EACH

CAGE CODE: 88818

COMPANY NAME: KEARFOTT GUIDANCE AND NAVIGATION  
CORPORATION

ADDRESS: 150 TOTOWA ROAD  
WAYNE, NJ 07474-0946

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-00-488-9654

DEMIL CODE: A

Total Cost - \$2,912.73

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 112. GEAR, SPUR:**

PART NUMBER 247458. MATERIAL: STEEL COMP E9310  
OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION:  
AMS 6260 ASSN STD SINGLE MATERIAL RESPONSE  
OVERALL. HARDNESS RATING: 30.0 ROCKWELL C MINIMUM  
AND 40.0 ROCKWELL C MAXIMUM BODY, 81.0 ROCKWELL A  
MINIMUM AND 85.0 ROCKWELL A MAXIMUM TEETH. TEETH  
QUANTITY: 62. TOOTH FORM: STANDARD. PRESSURE  
ANGLE: 22.5000 DEGREES. STYLE DESIGNATOR: 4  
PROTRUDING HUBS. PITCH DIAMETER: 6.2000 INCHES  
NOMINAL. NOMINAL OVERALL LENGTH: 1.475 INCHES. FACE  
NOMINAL WIDTH: 0.480 INCHES. NOMINAL DISTANCE

BETWEEN BODY FACE AND PROTRUDING HUB END: 0.790  
INCHES FIRST END, 0.205 INCHES SECOND END. BORE  
STYLE: 8 SERRATED BOTH ENDS. SERRATION QUANTITY:  
80 BOTH ENDS. SERRATION PITCH DIAMETER: 5.0000  
INCHES NOMINAL BOTH ENDS. HUB STYLE DESIGNATOR: 1  
PLAIN BOTH ENDS. HUB NOMINAL DIAMETER: 5.500 INCHES  
FIRST END, 5.560 INCHES SECOND END. BODY STYLE: 1  
PLAIN, SOLID.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 77445

COMPANY NAME: UNITED TECHNOLOGIES CORPORATION

ADDRESS: 400 MAIN STREET  
EAST HARTFORD, CT 06108-0968

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-00-505-9312

DEMIL CODE: A

Total Cost - \$1,256.20

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 113. GEAR, SPUR:**

PART NUMBER 247458. MATERIAL: STEEL COMP E9310  
OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION:  
AMS 6260 ASSN STD SINGLE MATERIAL RESPONSE  
OVERALL. HARDNESS RATING: 30.0 ROCKWELL C MINIMUM  
AND 40.0 ROCKWELL C MAXIMUM BODY, 81.0 ROCKWELL A  
MINIMUM AND 85.0 ROCKWELL A MAXIMUM TEETH. TEETH  
QUANTITY: 62. TOOTH FORM: STANDARD. PRESSURE  
ANGLE: 22.5000 DEGREES. STYLE DESIGNATOR: 4  
PROTRUDING HUBS. PITCH DIAMETER: 6.2000 INCHES  
NOMINAL. NOMINAL OVERALL LENGTH: 1.475 INCHES. FACE  
NOMINAL WIDTH: 0.480 INCHES. NOMINAL DISTANCE  
BETWEEN BODY FACE AND PROTRUDING HUB END: 0.790  
INCHES FIRST END, 0.205 INCHES SECOND END. BORE  
STYLE: 8 SERRATED BOTH ENDS. SERRATION QUANTITY:  
80 BOTH ENDS. SERRATION PITCH DIAMETER: 5.0000  
INCHES NOMINAL BOTH ENDS. HUB STYLE DESIGNATOR: 1  
PLAIN BOTH ENDS. HUB NOMINAL DIAMETER: 5.500 INCHES  
FIRST END, 5.560 INCHES SECOND END. BODY STYLE: 1  
PLAIN, SOLID.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 77445

COMPANY NAME: UNITED TECHNOLOGIES CORPORATION

ADDRESS: 400 MAIN STREET  
EAST HARTFORD, CT 06108-0968

CONDITION CODE: A

LOCATION: FGC

NSN: 3020-00-505-9312

DEMIL CODE: A

Total Cost - \$3,768.60

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 114. GEAR, BEVEL:**

PART NUMBER 234933. MATERIAL: STEEL OVERALL.  
MATERIAL DOCUMENT AND CLASSIFICATION: AMS 6260  
ASSN STD SINGLE MATERIAL RESPONSE OVERALL. TEETH  
QUANTITY: 18. TEETH TYPE: ZEROL. TOOTH DIRECTION:  
RIGHT. PRESSURE ANGLE: 22.4999 DEGREES. PITCH  
ANGLE: 41.1208 DEGREES. STYLE DESIGNATOR: 39  
PERIPHERAL FACE, BACK HUB PROTRUDING. NOMINAL  
OUTSIDE DIAMETER: 1.608 INCHES. NOMINAL DISTANCE  
BETWEEN BODY FACE AND PROTRUDING HUB END: 1.340  
INCHES SECOND END. BORE STYLE: 6 INVOLUTE SPLINE  
BOTH ENDS. BORE NOMINAL DIAMETER: 0.435 INCHES  
BOTH ENDS. SPLINE QUANTITY: 12 BOTH ENDS. SPLINE  
PITCH DIAMETER: 0.3750 INCHES NOMINAL BOTH ENDS.  
HUB STYLE DESIGNATOR: 4A 1 STEP SECOND END. END  
NOMINAL LENGTH: 1.170 INCHES SECOND END. END  
NOMINAL DIAMETER: 0.669 INCHES SECOND END. FIRST  
STEP NOMINAL LENGTH: 0.160 INCHES SECOND END.  
FIRST STEP NOMINAL DIAMETER: 0.810 INCHES SECOND  
END. BODY STYLE: 1 PLAIN, SOLID. SPECIAL FEATURES:

COUNTERBORE BOTH ENDS, DIAMETER 0.470 INCHES,  
DEPTH 0.671 INCHES.  
APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 77445  
COMPANY NAME: UNITED TECHNOLOGIES CORPORATION  
ADDRESS: 400 MAIN STREET  
EAST HARTFORD, CT 06108-0968  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3020-00-509-6009  
DEMIL CODE: A

Total Cost - \$22,365.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 115. GEAR, HELICAL:**

PART NUMBER 1809. ATTACHMENT METHOD: MOUNTING  
HOLE. PITCH DIAMETER: 23.7610 INCHES NOMINAL. TEETH  
QUANTITY: 69. NOMINAL OUTSIDE DIAMETER: 24.2610  
INCHES. TEETH TYPE: SINGLE HELIX. TOOTH FORM:  
STANDARD. TOOTH DIRECTION: LEFT. PRESSURE ANGLE:  
20.0000 DEGREES. FACE NOMINAL WIDTH: 4.375 INCHES.  
KEYWAY NOMINAL WIDTH: 1.250 INCHES BOTH ENDS. HUB  
STYLE DESIGNATOR: 1 PLAIN BOTH ENDS. MOUNTING  
HOLE NOMINAL DIAMETER: 0.750 INCHES TRANSVERSELY  
THROUGH HUB, FIRST END. MATERIAL: STEEL COMP 90-60  
OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION:  
MIL-S-15083, GRADE 90-60, MIL SPEC SINGLE MATERIAL  
RESPONSE OVERALL. STYLE DESIGNATOR: 6 FLUSH HUBS.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 58265  
COMPANY NAME: STRUTHERS WELLS CORPORATION  
ADDRESS: 1003 PENNSYLVANIA AVENUE WEST  
WARREN, PA 16365-1837  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 3020-00-517-3264  
DEMIL CODE: A

Total Cost - \$14,306.37

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 116. GEAR, HELICAL:**

PART NUMBER 1819. MATERIAL: STEEL OVERALL.  
MATERIAL DOCUMENT AND CLASSIFICATION: MIL-S-890  
ALLOY NO. 2 MIL SPEC SINGLE MATERIAL RESPONSE  
OVERALL. TEETH QUANTITY: 26. TEETH TYPE: SINGLE  
HELIX. TOOTH DIRECTION: LEFT. PRESSURE ANGLE:  
20.0000 DEGREES. STYLE DESIGNATOR: 4 PROTRUDING  
HUBS. PITCH DIAMETER: 18.3100 INCHES NOMINAL.  
NOMINAL OVERALL LENGTH: 13.375 INCHES. NOMINAL  
OUTSIDE DIAMETER: 19.4530 INCHES. FACE NOMINAL  
WIDTH: 10.500 INCHES. BORE NOMINAL DIAMETER: 4.001  
INCHES BOTH ENDS. FIRST STEP NOMINAL DIAMETER:  
6.5000 INCHES SECOND END.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 58265  
COMPANY NAME: STRUTHERS WELLS CORPORATION  
ADDRESS: 1003 PENNSYLVANIA AVENUE WEST  
WARREN, PA 16365-1837  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 3020-00-517-3277  
DEMIL CODE: A

Total Cost - \$5,260.11

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 117. GEAR, SPUR:**

PART NUMBER 600189PCALL. HARDNESS RATING: 65.0  
ROCKWELL C NOMINAL TEETH. TEETH QUANTITY: 76.  
TOOTH FORM: STANDARD. PRESSURE ANGLE: 20.0000  
DEGREES. STYLE DESIGNATOR: 4 PROTRUDING HUBS.  
PITCH DIAMETER: 12.4660 INCHES NOMINAL. NOMINAL

OVERALL LENGTH: 5.688 INCHES. FACE NOMINAL WIDTH:  
1.125 INCHES. HUB STYLE DESIGNATOR: 1 PLAIN BOTH  
ENDS. BODY STYLE: 1 PLAIN, SOLID.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 70487  
COMPANY NAME: AMERIDRIVES INTERNATIONAL  
ADDRESS: 1802 PITTSBURGH AVENUE  
ERIE, PA 16512-4000  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-00-620-2858  
DEMIL CODE: A

Total Cost - \$7,514.46

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 118. GEAR, SPUR:**

PART NUMBER 40097-1. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 70487  
COMPANY NAME: AMERIDRIVES INTERNATIONAL  
ADDRESS: 1802 PITTSBURGH AVENUE  
ERIE, PA 16512-4000  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 3020-00-620-2859  
DEMIL CODE: A

Total Cost - \$5,838.16

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 119. GEAR, INTERNAL:**

PART NUMBER 400095-1. MATERIAL: PLASTIC OVERALL. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 70487  
COMPANY NAME: AMERIDRIVES INTERNATIONAL  
ADDRESS: 1802 PITTSBURGH AVENUE  
ERIE, PA 16512-4000  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 3020-00-620-2860  
DEMIL CODE: A

Total Cost - \$6,319.84

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 120. GEAR, SPUR:**

PART NUMBER 530958-1. BODY STYLE: 1, PLAIN, SOLID.  
ATTACHMENT METHOD: MOUNTING HOLE. PITCH  
DIAMETER: 2.1458 INCHES NOMINAL. TEETH QUANTITY:  
103. BORE STYLE: 1 PLAIN BOTH ENDS. MOUNTING HOLE  
TYPE AND QUANTITY: 3 PLAIN AXIALLY THROUGH BODY  
FIRST END. NOMINAL OUTSIDE DIAMETER: 2.191 INCHES.  
TOOTH FORM: STANDARD. PRESSURE ANGLE: 20.0000  
DEGREES. FACE NOMINAL WIDTH: 0.213 INCHES. BORE  
NOMINAL DIAMETER: 0.875 INCHES BOTH ENDS. MOUNTING  
HOLE NOMINAL DIAMETER: 0.200 INCHES AXIALLY  
THROUGH BODY, FIRST END. MATERIAL: STEEL UNS  
K24065 OVERALL. MATERIAL DOCUMENT AND  
CLASSIFICATION: MIL-S-6709 MIL SPEC SINGLE MATERIAL  
RESPONSE OVERALL. STYLE DESIGNATOR: 1 HUBLESS.  
BOLT HOLE CIRCLE NOMINAL DIAMETER: 0.712 INCHES  
AXIALLY THROUGH BODY, FIRST END.  
APPROXIMATE QUANTITY: 43 EACH  
CAGE CODE: 70210  
COMPANY NAME: HONEYWELL INTERNATIONAL  
INCORPORATED AIRFRAME SYSTEMS DIV  
DBA ENGINE SYSTEMS AND SERVICE  
ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002  
CONDITION CODE: A  
LOCATION: AQ5

NSN: 3020-00-862-8519

DEMIL CODE: A

Total Cost - \$8,514.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 121. GEAR, SPUR:**

PART NUMBER 530958 1. BODY STYLE: 1, PLAIN, SOLID. ATTACHMENT METHOD: MOUNTING HOLE. PITCH DIAMETER: 2.1458 INCHES NOMINAL. TEETH QUANTITY: 103. BORE STYLE: 1 PLAIN BOTH ENDS. MOUNTING HOLE TYPE AND QUANTITY: 3 PLAIN AXIALLY THROUGH BODY FIRST END. NOMINAL OUTSIDE DIAMETER: 2.191 INCHES. TOOTH FORM: STANDARD. PRESSURE ANGLE: 20.0000 DEGREES. FACE NOMINAL WIDTH: 0.213 INCHES. BORE NOMINAL DIAMETER: 0.875 INCHES BOTH ENDS. MOUNTING HOLE NOMINAL DIAMETER: -.200 INCHES AXIALLY THROUGH BODY, FIRST END. MATERIAL: STEEL UNS K24065 OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION: MIL-S-6709 MIL SPEC SINGLE MATERIAL RESPONSE OVERALL. STYLE DESIGNATOR: 1 HUBLESS. BOLT HOLE CIRCLE NOMINAL DIAMETER: 0.712 INCHES AXIALLY THROUGH BODY, FIRST END. APPROXIMATE QUANTITY: 52 EACH

CAGE CODE: 70210

COMPANY NAME: HONEYWELL INTERNATIONAL  
INCORPORATED AIRFRAME SYSTEMS DIV  
DBA ENGINE SYSTEMS AND SERVICE

ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002

CONDITION CODE: A

LOCATION: SG2

NSN: 3020-00-862-8519

DEMIL CODE: A

Total Cost - \$10,296.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 122. GEAR, SPUR:**

PART NUMBER 95959. BODY STYLE: 1, PLAIN, SOLID. ATTACHMENT METHOD: MOUNTING HOLE. PITCH DIAMETER: 3.0000 INCHES NOMINAL. TEETH QUANTITY: 30. BORE STYLE: 10A WITH KEYWAY BOTH ENDS. MOUNTING HOLE THREAD SERIES DESIGNATOR: UNF TRANSVERSELY THROUGH HUB, FIRST END. MOUNTING HOLE NOMINAL THREAD SIZE: 0.250 INCHES TRANSVERSELY THROUGH HUB, FIRST END. NOMINAL MOUNTING HOLE TYPE AND QUANTITY: 2 THREADED TRANSVERSELY THROUGH HUB, FIRST END. NOMINAL OUTSIDE DIAMETER: 3.200 INCHES. TOOTH FORM: STANDARD. PRESSURE ANGLE: 14.5000 DEGREES. NOMINAL DISTANCE BETWEEN BODY FACE AND PROTRUDING HUB END: 0.750 INCHES FIRST END. FACE NOMINAL WIDTH: 1.000 INCHES. BORE NOMINAL DIAMETER: 1.181 INCHES BOTH ENDS. KEYWAY NOMINAL WIDTH: 0.375 INCHES BOTH ENDS. NOMINAL DISTANCE FROM BORE CENTER TO KEYWAY BOTTOM: 0.789 INCHES BOTH ENDS. HUB STYLE DESIGNATOR: 1 PLAIN FIRST END. HUB NOMINAL DIAMETER: 2.250 INCHES FIRST END. MATERIAL: STEEL COMP 4340 OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION: MIL-S-5000 MIL SPEC SINGLE MATERIAL RESPONSE OVERALL. STYLE DESIGNATOR: 2 PROTRUDING HUB.

APPROXIMATE QUANTITY: 40 EACH

CAGE CODE: 24930

COMPANY NAME: ITT INDUSTRIES INC

ITT GILFILLAN  
ADDRESS: 7821 ORION AVENUE  
VAN NUYS, CA 91406-2085

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-00-875-2829

DEMIL CODE: A

Total Cost - \$6,000.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 123. GEAR, HELICAL:**

SURFACE TREATMENT: PASSIVATE OVERALL. TEETH QUANTITY: 25. TEETH TYPE: SINGLE HELIX. TOOTH FORM: STANDARD. TOOTH DIRECTION: RIGHT. PRESSURE ANGLE: 20.0000 DEGREES. HELIX ANGLE: 45.0000 DEGREES. STYLE DESIGNATOR: 2 PROTRUDING HUB. PITCH DIAMETER: 0.7356 INCHES MINIMUM AND 0.7366 INCHES MAXIMUM. BORE NOMINAL DIAMETER: 0.250 INCHES BOTH ENDS. BODY STYLE: 1 PLAIN, SOLID.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: UNKNOWN

COMPANY NAME: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: NNC

NSN: 3020-01-026-1922

DEMIL CODE: A

Total Cost - \$11,388.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 124. GEAR AND DISK ASSEMBLY:**

PART NUMBER 2TC19. GENERAL CHARACTERISTICS: COMPLETE ASSEMBLY LEFT HAND. INCLUDES GEARS, SHAFTS, BEARINGS, BRACKET AND MISCELLANEOUS HARDWARE.

APPROXIMATE QUANTITY: 14 EACH

CAGE CODE: 07666

COMPANY NAME: TOKHEIM CORPORATION  
SMALL PUMPS DIVISION

ADDRESS: JASPER, TN 37347

CONDITION CODE: A

LOCATION: SCC

NSN: 3020-01-079-9144

DEMIL CODE: A

Total Cost - \$34,943.86

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 125. GEAR SET, WORM AND WORM WHEEL, MATCHED:**

PART NUMBER 12S1762 803. END ITEM IDENTIFICATION: F-111F. END ITEM SOURCE: 14170. END ITEM NAME: AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 81755

COMPANY NAME: LOCKHEED MARTIN CORPORATION DBA  
LOCKHEED MARTIN AERONAUTICS  
COMPANY

ADDRESS: LOCKHEED BOULEVARD

PO BOX 748

FORT WORTH, TX 76101-0748

CONDITION CODE: A

LOCATION: SNC

NSN: 3020-01-080-8595

DEMIL CODE: A

Total Cost - \$10,426.50

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 126. GEAR, SPUR:**

PART NUMBER 3500435-1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 16 EACH

CAGE CODE: 59364

COMPANY NAME: HONEYWELL INTERNATIONAL INC

ADDRESS: 1300 WEST WARNER ROAD

TEMPE, AZ 85285-2986

CONDITION CODE: A

LOCATION: SRC

NSN: 3020-01-107-4095

DEMIL CODE: A

Total Cost - \$7,647.84

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 127. GEAR, ELLIPTICAL, TRANSFER:**

PART NUMBER 142D6175. STEEL ALLOY 4140, RC 33-38, PHOSPHATE COATED. ONE HUB, FLANGED, WEBBED BODY WITH 4 LIGHTENING HOLES. FACE 0.380 INCHES, OVERALL WIDTH 0.500 INCHES. HUB OUTSIDE DIAMETER 1.300 INCHES. INVOLUTE SPLINED BORE, 31 TEETH, PITCH DIAMETER 0.9688 INCHES. PRESSURE ANGLE 30 DEGREES, MINOR DIAMETER 0.938 INCHES, MAJOR DIAMETER 1.038 INCHES. PITCH DIAMETER 0.500. GEAR HAS 75 TEETH AND IS STAR SHAPED. END ITEM IDENTIFICATION: GPU-5/A 30MM GUN POD.

APPROXIMATE QUANTITY: 28 EACH

CAGE CODE: 05605

COMPANY NAME: GENERAL DYNAMICS ARMAMENT AND TECHNICAL PRODUCTS INC

ADDRESS: 128 LAKESIDE

BURLINGTON, VT 05401-4985

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-01-120-2150

DEMIL CODE: A

Total Cost - \$26,265.68

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 128. GEAR, INTERNAL:**

PART NUMBER 181947-1. PITCH DIAMETER: 2.1250 INCHES NOMINAL. TEETH QUANTITY: 54. BORE STYLE: 14 WITH COUNTERBORE BOTH ENDS. NOMINAL OUTSIDE DIAMETER: 2.517 INCHES. NOMINAL OVERALL LENGTH: 1.260 INCHES. TEETH TYPE: SPUR. TOOTH FORM: STANDARD. PRESSURE ANGLE: 25.0000 DEGREES. FACE NOMINAL WIDTH: 0.741 INCHES. COUNTERBORE NOMINAL DEPTH: 0.519 INCHES BOTH ENDS. COUNTERBORE NOMINAL DIAMETER: 2.370 INCHES BOTH ENDS. HUB STYLE DESIGNATOR: 8 EXTERNALLY SPLINED, INVOLUTE SPLINES FIRST END. HUB SPLINE QUANTITY: 101 FIRST END. MATERIAL: STEEL OVERALL.

APPROXIMATE QUANTITY: 5 EACH

CAGE CODE: 71791

COMPANY NAME: CURTISS-WRIGHT FLIGHT SYSTEMS INC

ADDRESS: 10 CHAPIN ROAD BUILDING C

PINE BROOK, NJ 07058-9777

CONDITION CODE: A

LOCATION: NDZ

NSN: 3020-01-128-1688

DEMIL CODE: A

Total Cost - \$10,030.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 129. PINION AND SHAFT, GEAR:**

PART NUMBER 03-114-0099-4-12. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 17454

COMPANY NAME: PHILADELPHIA GEAR CORPORATION

ADDRESS: ONE MONTGOMERY PLAZA SUITE 700

SWEDE AND AIRY STREETS

NORRISTOWN, PA 19401-4814

CONDITION CODE: A

LOCATION: SCC

NSN: 3020-01-136-8486

DEMIL CODE: A

Total Cost - \$2,568.99

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 130. PINION AND SHAFT, GEAR:**

PART NUMBER 03-114-0099-4-12. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 17454

COMPANY NAME: PHILADELPHIA GEAR CORPORATION

ADDRESS: ONE MONTGOMERY PLAZA SUITE 700

SWEDE AND AIRY STREETS

NORRISTOWN, PA 19401-4814

CONDITION CODE: A

LOCATION: SRC

NSN: 3020-01-136-8486

DEMIL CODE: A

Total Cost - \$2,568.99

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 131. PINION AND SHAFT, GEAR:**

PART NUMBER 03-114-0099-4-14. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 ASSY

CAGE CODE: 17454

COMPANY NAME: PHILADELPHIA GEAR CORPORATION

ADDRESS: ONE MONTGOMERY PLAZA SUITE 700

SWEDE AND AIRY STREETS

NORRISTOWN, PA 19401-4814

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-01-136-8499

DEMIL CODE: A

Total Cost - \$8,814.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 132. GEAR, LOW SPEED:**

PART NUMBER 03-114-0099-4-17. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 17454

COMPANY NAME: PHILADELPHIA GEAR CORPORATION

ADDRESS: ONE MONTGOMERY PLAZA SUITE 700

SWEDE AND AIRY STREETS

NORRISTOWN, PA 19401-4814

CONDITION CODE: A

LOCATION: SRC

NSN: 3020-01-136-8501

DEMIL CODE: A

Total Cost - \$14,912.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 133. PULLEY, TIMING BELT:**

PART NUMBER 1264 819. OVERALL LENGTH: 0.437 INCHES NOMINAL. BORE DIAMETER: 0.170 INCHES NOMINAL. FACE TYPE: SINGLE ROW SPROCKET TEETH. FACE WIDTH: 0.437 INCHES NOMINAL. BORE TYPE: SPECIFIED. FACE GROOVE/TOOTH QUANTITY: 16. MATERIAL: ALUMINUM ALLOY 2024. MATERIAL DOCUMENT AND CLASSIFICATION: QQ-A-225/6, T4 FED SPEC SINGLE MATERIAL RESPONSE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 72314

COMPANY NAME: BAE SYSTEMS INFORMATION &

ELECTRONIC SYSTEMS INTEGRATION INC.

ADDRESS: 450 PULASKI ROAD

GREENLAWN, NY 11740-1606

CONDITION CODE: A

LOCATION: SCC

NSN: 3020-01-144-5859

DEMIL CODE: A

Total Cost - \$313.98

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 134. GEAR, INTERNAL:**

PART NUMBER 2045709-2. TEETH QUANTITY: 70. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 11 EACH

CAGE CODE: 70210

COMPANY NAME: HONEYWELL INTERNATIONAL INC

ADDRESS: 2525 WEST 190<sup>TH</sup> STREET

TORRANCE, CA 90504-6002

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-200-5486  
DEMIL CODE: A  
Total Cost - \$17,566.01

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 135. GEAR, INTERNAL:**

PART NUMBER 2045708-2. TEETH QUANTITY: 62. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 26 EACH  
CAGE CODE: 70210  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-200-5487  
DEMIL CODE: A  
Total Cost - \$21,071.18

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 136. GEAR, SPUR:**

MATERIAL: STEEL COMP E9310 OVERALL. SURFACE  
TREATMENT: OXIDE OVERALL. HARDNESS RATING: 90.0  
ROCKWELL C MINIMUM AND 91.5 ROCKWELL C MAXIMUM  
TEETH. TEETH QUANTITY: 28. TOOTH FORM: STANDARD.  
PRESSURE ANGLE: 20.0000 DEGREES. STYLE  
DESIGNATOR: 5 ONE-PROTRUDING HUB, ONE FLUSH END.  
PITCH DIAMETER: 2.0000 INCHES NOMINAL. NOMINAL  
OVERALL LENGTH: 0.688 INCHES. NOMINAL OUTSIDE  
DIAMETER: 2.140 INCHES. FACE NOMINAL WIDTH: 0.250  
INCHES. NOMINAL DISTANCE BETWEEN BODY FACE AND  
PROTRUDING HUB END: 0.438 INCHES FIRST END. BORE  
STYLE: 1 PLAIN BOTH ENDS. BORE NOMINAL DIAMETER:  
0.590 INCHES BOTH ENDS. HUB STYLE DESIGNATOR: 1  
PLAIN BOTH ENDS. HUB NOMINAL DIAMETER: 0.900 INCHES  
FIRST END. BODY STYLE: 3A WEBBED SOLID.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: NO INFORMATION AVAILABLE  
COMPANY NAME: NO INFORMATION AVAILABLE  
ADDRESS: NO INFORMATION AVAILABLE  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-202-0485  
DEMIL CODE: A

Total Cost - \$16,4530.90

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 137. GEAR, SPUR:**

END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 8 EACH  
CAGE CODE: NO INFORMATION AVAILABLE  
COMPANY NAME: NO INFORMATION AVAILABLE  
ADDRESS: NO INFORMATION AVAILABLE  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-202-0488  
DEMIL CODE: A

Total Cost - \$15,155.36

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 138. GEAR, SPUR:**

END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 29 EACH  
CAGE CODE: NO INFORMATION AVAILABLE  
COMPANY NAME: NO INFORMATION AVAILABLE  
ADDRESS: NO INFORMATION AVAILABLE  
CONDITION CODE: A

LOCATION: AQ5  
NSN: 3020-01-202-0490  
DEMIL CODE: A  
Total Cost - \$72,497.10

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 139. GEAR, SPUR:**

PART NUMBER 3620345-1. TEETH QUANTITY: 38. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 13 EACH  
CAGE CODE: 99193  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 111 SOUTH 24<sup>TH</sup> STREET  
PHOENIX, AZ 85034-2802

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-204-1613  
DEMIL CODE: A  
Total Cost - \$25,720.76

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 140. GEAR, SPUR:**

PART NUMBER 3620523-2. TEETH QUANTITY: 29. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 99193  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 111 SOUTH 24<sup>TH</sup> STREET  
PHOENIX, AZ 85034-2802

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-204-2461  
DEMIL CODE: A  
Total Cost - \$13,329.80

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 141. GEAR, SPUR:**

PART NUMBER 3620523-2. TEETH QUANTITY: 29. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 18 EACH  
CAGE CODE: 99193  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 111 SOUTH 24<sup>TH</sup> STREET  
PHOENIX, AZ 85034-2802

CONDITION CODE: A  
LOCATION: SG2  
NSN: 3020-01-204-2461  
DEMIL CODE: A  
Total Cost - \$23,993.64

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 142. GEAR, SPUR:**

PART NUMBER 3620564-2. END ITEM IDENTIFICATION: B-1B  
AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION  
AVAILABLE.  
APPROXIMATE QUANTITY: 7 EACH  
CAGE CODE: 99193  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 111 SOUTH 24<sup>TH</sup> STREET  
PHOENIX, AZ 85034-2802

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3020-01-204-7593  
DEMIL CODE: A  
Total Cost - \$24,274.11

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 143. GEAR, BEVEL:**

NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: NO INFORMATION AVAILABLE



COMPANY NAME: NO INFORMATION AVAILABLE  
 ADDRESS: NO INFORMATION AVAILABLE  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-208-2767  
 DEMIL CODE: A  
 Total Cost - \$16,402.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 144. GEAR, SPUR:**

PART NUMBER 3620527-3. MATERIAL: STEEL OVERALL.  
 MATERIAL DOCUMENT AND CLASSIFICATION: AMS6265  
 ASSN STD SINGLE MATERIAL RESPONSE OVERALL. TEETH  
 QUANTITY: 30. TOOTH FORM: STANDARD. PRESSURE  
 ANGLE: 25.0000 DEGREES. STYLE DESIGNATOR: 4  
 PROTRUDING HUBS. PITCH DIAMETER: 2.7273 INCHES  
 NOMINAL. NOMINAL OUTSIDE DIAMETER: 2.955 INCHES.  
 FACE NOMINAL WIDTH: 0.500 INCHES. NOMINAL DISTANCE  
 BETWEEN BODY FACE AND PROTRUDING HUB END: 0.897  
 INCHES BOTH ENDS. BORE STYLE: 1 PLAIN BOTH ENDS.  
 BORE NOMINAL DIAMETER: 0.620 INCHES BOTH ENDS. HUB  
 STYLE DESIGNATOR: 1 PLAIN BOTH ENDS. HUB NOMINAL  
 DIAMETER: 0.899 INCHES BOTH ENDS. BODY STYLE: 3A  
 WEBBED, SOLID.  
 APPROXIMATE QUANTITY: 18 EACH  
 CAGE CODE: 99193  
 COMPANY NAME: HONEYWELL INTERNATIONAL INC  
 ADDRESS: 111 SOUTH 24<sup>TH</sup> STREET  
 PHOENIX, AZ 85034-2802  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-209-3683  
 DEMIL CODE: A  
 Total Cost - \$8,640.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 145. GEAR, BEVEL:**

NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 14 EACH  
 CAGE CODE: NO INFORMATION AVAILABLE  
 COMPANY NAME: NO INFORMATION AVAILABLE  
 ADDRESS: NO INFORMATION AVAILABLE  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-210-6565  
 DEMIL CODE: A  
 Total Cost - \$17,436.86

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 146. SPROCKET WHEEL:**

PART NUMBER 131407-1. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 29 EACH  
 CAGE CODE: 56672  
 COMPANY NAME: SYN-TECH SYSTEMS INCS INC  
 ADDRESS: 100 FOUR POINTS WAY  
 TALLAHASSEE, FL 32310-7091  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-223-3875  
 DEMIL CODE: A  
 Total Cost - \$26,941.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 147. SPROCKET WHEEL:**

PART NUMBER 089524-1. NO ADDITIONAL DESCRIPTION  
 INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 56672  
 COMPANY NAME: SYN-TECH SYSTEMS INCS INC  
 ADDRESS: 100 FOUR POINTS WAY

TALLAHASSEE, FL 32310-7091  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-223-5719  
 DEMIL CODE: A  
 Total Cost - \$23,100.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 148. SPROCKET WHEEL:**

PART NUMBER 090379-1. STYLE DESIGNATOR: A3 PLAIN.  
 OVERALL LENGTH: 14.5430 INCHES NOMINAL. DESIGN  
 FORM: PLAIN. LIGHTENING HOLE: NOT INCLUDED TEETH  
 ROW QUANTITY: 2.  
 APPROXIMATE QUANTITY: 28 EACH  
 CAGE CODE: 56672  
 COMPANY NAME: SYN-TECH SYSTEMS INCS INC  
 ADDRESS: 100 FOUR POINTS WAY  
 TALLAHASSEE, FL 32310-7091  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-224-9036  
 DEMIL CODE: A  
 Total Cost - \$26,628.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 149. GEAR, BEVEL:**

NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 13 EACH  
 CAGE CODE: NO INFORMATION AVAILABLE  
 COMPANY NAME: NO INFORMATION AVAILABLE  
 ADDRESS: NO INFORMATION AVAILABLE  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-232-4086  
 DEMIL CODE: A  
 Total Cost - \$36,700.04

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 150. GEAR, SPUR:**

PART NUMBER 42420-104. STEEL OVERALL. TEETH  
 QUANTITY: 33. TOOTH FORM: STANDARD. STYLE  
 DESIGNATOR: 5 ONE-PROTRUDING HUB, ONE FLUSH HUB.  
 NOMINAL OUTSIDE DIAMETER: 7.150 INCHES. FACE  
 NOMINAL WIDTH: 0.325 INCHES. BORE STYLE: 15 WITH  
 STEPPED COUNTERBORE FIRST END. BORE NOMINAL  
 DIAMETER: 1.002 INCHES SECOND END. COUNTERBORE  
 NOMINAL DIAMETER: 1.192 INCHES FIRST END. HUB STYLE  
 DESIGNATOR: 4B 2 STEPS FIRST END. FIRST STEP  
 NOMINAL DIAMETER: 1.503 INCHES FIRST END. BODY  
 STYLE: 5A SPOKED. END ITEM IDENTIFICATION: C5B  
 AIRCRAFT.  
 APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 00462  
 COMPANY NAME: LUCAS WESTERN INC  
 ADDRESS: 1550 SOUTH VALLEY VISTA DRIVE  
 DIAMOND BAR, CA 91765-3929  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 3020-01-235-1880  
 DEMIL CODE: A  
 Total Cost - \$22,176.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 151. SHEAVE ASSEMBLY, EXIT:**

PART NUMBER 42420-90. END ITEM IDENTIFICATION: C-5A  
 AIRCRAFT. USED ON PART NUMBER 42420-1. NO  
 ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
 APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 00462  
 COMPANY NAME: LUCAS WESTERN INC  
 ADDRESS: 1550 SOUTH VALLEY VISTA DRIVE

DIAMOND BAR, CA 91765-3929

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-01-236-3490

DEMIL CODE: A

Total Cost - \$20,944.24

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 152. GEAR ASSEMBLY, RIGHT ANGLE:**

PART NUMBER 257-3527-832A. END ITEM IDENTIFICATION: B52G/H STRAT RADAR. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 19710

COMPANY NAME: MPC PRODUCTS CORPORATION

ADDRESS: 7426 LINDER AVENUE

SKOKIE, IL 60077

CONDITION CODE: A

LOCATION: FLC

NSN: 3020-01-241-2223

DEMIL CODE: A

Total Cost - \$16,968.18

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 153. GEAR, SPUR:**

PART NUMBER 223-4514-700M. END ITEM IDENTIFICATION: FLIGHT CONTROL B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 392 EACH

CAGE CODE: 19710

COMPANY NAME: MPC PRODUCTS CORPORATION

ADDRESS: 7426 LINDER AVENUE

SKOKIE, IL 60077

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-01-285-9750

DEMIL CODE: A

Total Cost - \$8,232.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 154. GEAR, SPUR:**

PART NUMBER 223-4514-701M. END ITEM IDENTIFICATION: FLIGHT CONTROL B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 5 EACH

CAGE CODE: 19710

COMPANY NAME: MPC PRODUCTS CORPORATION

ADDRESS: 7426 LINDER AVENUE

SKOKIE, IL 60077

CONDITION CODE: A

LOCATION: FGC

NSN: 3020-01-285-9751

DEMIL CODE: A

Total Cost - \$437.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 155. GEAR, SPUR:**

PART NUMBER 223-4514-701M. END ITEM IDENTIFICATION: FLIGHT CONTROL B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 92 EACH

CAGE CODE: 19710

COMPANY NAME: MPC PRODUCTS CORPORATION

ADDRESS: 7426 LINDER AVENUE

SKOKIE, IL 60077

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-01-285-9751

DEMIL CODE: A

Total Cost - \$8,048.16

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 156. GEAR, SPUR:**

PART NUMBER 221668-1. MATERIAL: COPPER ALLOY OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION: QQ-A-613, COMP 24 FED SPEC SINGLE ITEM MATERIAL RESPONSE OVERALL. TEETH QUANTITY: 56. PRESSURE ANGLE: 20.0000 DEGREES. BORE NOMINAL DIAMETER: 0.250 INCHES BOTH ENDS. BODY STYLE: 2 PLAIN, WITH LIGHTENING HOLES. ATTACHMENT METHOD: MOUNTING HOLE. MOUNTING HOLE TYPE AND QUANTITY: 2 COUNTERSUNK AXIALLY THROUGH BODY, FIRST END. MOUNTING HOLE NOMINAL DIAMETER: 0.038 INCHES AXIALLY THROUGH BODY, FIRST END. PRECISION CLASSIFICATION: QUALITY NUMBER 8. STYLE DESIGNATOR: 1 HUBLESS. PITCH DIAMETER: 0.7000 INCHES NOMINAL. FACE NOMINAL WIDTH: 0.032 INCHES. BORE STYLE: 1 PLAIN, BOTH ENDS. BORE NOMINAL DIAMETER: 0.250 INCHES BOTH ENDS. APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 55972

COMPANY NAME: HONEYWELL INTERNATIONAL INC

ADDRESS: 699 US HIGHWAY 46

TETERBORO, NJ 07608-1173

CONDITION CODE: A

LOCATION: AQ5

NSN: 3020-01-299-7102

DEMIL CODE: A

Total Cost - \$15,186.42

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 157. SHAFT, SHOULDERED:**

PART NUMBER X12HM10X1-414HT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 88032

COMPANY NAME: FLOWSERVE U.S. INC. DIVISION

ADDRESS: 942 MEMORIAL PARKWAY

PHILLIPSBURG, NJ 08865-2741

CONDITION CODE: A

LOCATION: NNC

NSN: 3040-00-034-5040

DEMIL CODE: A

Total Cost - \$3,059.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 158. SHAFT, SHOULDERED:**

PART NUMBER X12HM10X1-414HT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 88032

COMPANY NAME: FLOWSERVE U.S. INC. DIVISION

ADDRESS: 942 MEMORIAL PARKWAY

PHILLIPSBURG, NJ 08865-2741

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-034-5040

DEMIL CODE: A

Total Cost - \$3,059.00

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 159. GEARSHAFT, SPUR:**

PART NUMBER P5HW643. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 16962

COMPANY NAME: FULTON ROBERT COMPANY

ADDRESS: 18 PLATTS HILL ROAD

NEWTOWN, CT 06470

CONDITION CODE: A

LOCATION: SRC

NSN: 3040-00-058-4467

DEMIL CODE: A

Total Cost - \$3,201.27

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 160. GEARSHAFT, SPUR:**

PART NUMBER P5HW643. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 16962

COMPANY NAME: FULTON ROBERT COMPANY

ADDRESS: 18 PLATTS HILL ROAD  
NEWTOWN, CT 06470

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-058-4467

DEMIL CODE: A

Total Cost - \$12,805.08

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 161. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 2P8776. SPECIAL FEATURES: C/O BALL 1, BEARING 5, BLOCK 1, BOLT 14, CAP 7, DOWEL 8, PLUG 5, STUD 1, WASHER 14. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 5 EACH

CAGE CODE: 11083

COMPANY NAME: CATERPILLAR INC

ADDRESS: 100 NORTH ADAMS  
PEORIA, IL 61602-1324

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-084-3027

DEMIL CODE: A

Total Cost - \$18,771.05

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 162. CONNECTING LINK, RIGID:**

PART NUMBER 12C962 805. LINK STYLE: A40 SOLID SHANK. BODY CONSTRUCTION: TUBULAR. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 22 EACH

CAGE CODE: 81755

COMPANY NAME: LOCKHEED MARTIN CORPORATION DBA  
LOCKHEED MARTIN AERONAUTICS CO

ADDRESS: LOCKHEED BOULEVARD  
PO BOX 748  
FORT WORTH, TX 76101-0748

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-086-0208

DEMIL CODE: A

Total Cost - \$9,680.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 163. CAM, CONTROL:**

PART NUMBER 532255-1. END ITEM IDENTIFICATION: AIRCRAFT ACCESSORY EQUIPMENT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 70210

COMPANY NAME: HONEYWELL INTERNATIONAL INC

ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-133-2166

DEMIL CODE: A

Total Cost - \$7,363.08

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 164. GEARSHAFT, SPUR:**

PART NUMBER 81258. SHAFT MATERIAL: STEEL. GEAR MATERIAL: STEEL. TEETH QUANTITY: 9. GEAR OUTSIDE DIAMETER: 0.468 INCHES NOMINAL. FACE WIDTH: 0.156

INCHES NOMINAL. OVERALL LENGTH: 1.875 INCHES  
NOMINAL. SHAFT TYPE: STRAIGHT. SHAFT DIAMETER: 0.125  
INCHES NOMINAL.

APPROXIMATE QUANTITY: 30 EACH

CAGE CODE: 32042

COMPANY NAME: MICROPUMP CORPORATION

ADDRESS: 1402 NE 136<sup>TH</sup> AVENUE  
VANCOUVER, WA 98684-0818

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-195-6152

DEMIL CODE: A

Total Cost - \$5,111.10

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 165. CAM, CONTROL:**

PART NUMBER W88241060. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 99595

COMPANY NAME: IMO INDUSTRIES INC

DELROYD WORM GEAR DIVISION

ADDRESS: TRENTON, NJ 08650

CONDITION CODE: A

LOCATION: SRC

NSN: 3040-00-225-5423

DEMIL CODE: A

Total Cost - \$427.72

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 166. DETENT PLATE:**

PART NUMBER SM B 148547. SPECIAL FEATURES: TELETYPE AND FACSIMILE EQUIPMENT. MATERIAL: STEEL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 289 EACH

CAGE CODE: 80063

COMPANY NAME: U.S. ARMY COMMUNICATIONS AND  
ELECTRONICS MATERIEL READINESS  
COMMAND

ADDRESS: 12 W BLDG 601 MCAFEE CENTER  
FORT MONMOUTH, NJ 07703

CONDITION CODE: A

LOCATION: SRC

NSN: 3040-00-392-7830

DEMIL CODE: A

Total Cost - \$687.82

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 167. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 711210. END ITEM IDENTIFICATION: ENGINE, AIRCRAFT, J69-T-25 (T-37B). NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 03104

COMPANY NAME: TELEDYNE TECHNOLOGIES INC

ADDRESS: 1330 WEST LASKEY ROAD  
TOLEDO, OH 43612-0971

CONDITION CODE: A

LOCATION: SNC

NSN: 3040-00-406-2403

DEMIL CODE: A

Total Cost - \$5,388.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 168. GEARSHAFT, SPUR:**

NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: NO INFORMATION AVAILABLE

COMPANY NAME: NO INFORMATION AVAILABLE

ADDRESS: NO INFORMATION AVAILABLE

CONDITION CODE: A

LOCATION: AQ5  
NSN: 3040-00-463-0920  
DEMIL CODE: A  
Total Cost - \$14,904.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 169. CYLINDER ASSEMBLY, ACTUATING, LINEAR:**

PART NUMBER G34308. DESIGN CHARACTERISTICS: SINGLE ACTING SINGLE CYLINDER. INTEGRAL VALVE OPERATION METHOD: HYDRAULIC. OVERALL WIDTH: 7.760 INCHES NOMINAL. OVERALL HEIGHT: 5.500 INCHES NOMINAL. OVERALL DIAMETER: 5.750 INCHES NOMINAL. EXTENDED LENGTH: 92.000 INCHES NOMINAL. COMPRESSED LENGTH: 57.750 INCHES NOMINAL. BODY OUTSIDE DIAMETER: 5.500 INCHES NOMINAL. BODY MATERIAL: STEEL BORE DIAMETER: 5.000 INCHES NOMINAL. FIRST PISTON ROD END STYLE: 4 FORK TYPE. FIRST END HOLE DIAMETER: 2.500 INCHES NOMINAL. FIRST END LARGEST INSIDE DIAMETER: 2.500 INCHES NOMINAL. FIRST END FORK WIDTH: 3.500 INCHES NOMINAL. FIRST END FORK DEPTH: 3.250 INCHES NOMINAL. FIRST END FORK SPAN WIDTH: 3.760 INCHES NOMINAL. FIRST PISTON ROD END LUBRICATION FACILITY: NOT INCLUDED. PISTON ROD END SIMILARITY: IDENTICAL. SECOND PISTON ROD END LUBRICATION FACILITY: NOT INCLUDED. MOUNTING TYPE AND LOCATION: TONGUE CYLINDER HEAD END. MOUNTING PROVISION: PIN. MOUNTING FACILITY DIAMETER: 3.000 INCHES NOMINAL. MOUNTING FACILITY LENGTH: 50.500 INCHES NOMINAL. PORT LOCATION AND QUANTITY: 2 CYLINDER HEAD END. PORT STYLE: 5 GASKET SEAL. PORT THREAD SERIES DESIGNATOR: UNF. PORT THREAD DIAMETER: 1.062 INCHES NOMINAL. PORT THREAD QUANTITY PER INCH: 12. PORT THREAD CLASS: 2B. SEAT ANGLE IN DEGREES: 37.5. TEMPERATURE RATING: NOT RATED. PRESSURE RATING: NOT RATED. FEATURES PROVIDED: CUSHIONED STROKE. APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 10988  
COMPANY NAME: CASE CORPORATION  
ADDRESS: 700 STATE STREET  
RACINE, WI 53404-3343  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-00-480-2287  
DEMIL CODE: A  
Total Cost - \$6,116.95

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 170. GEARSHAFT, SPUR:**

PART NUMBER 532316-1. SHAFT MATERIAL: STEEL COMP 4130. GEAR MATERIAL: STEEL COMP 4130. PRESSURE ANGLE: 20.0000 DEGREES. TEETH QUANTITY: 20. GEAR OUTSIDE DIAMETER: 0.802 INCHES NOMINAL. DIAMETRAL PITCH: 10. OVERALL LENGTH: 2.220 INCHES NOMINAL. APPROXIMATE QUANTITY: 15 EACH  
CAGE CODE: 70210  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-00-531-5889  
DEMIL CODE: A  
Total Cost - \$5,249.55

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 171. GEARSHAFT, MULTIPLE GEARS:**

PART NUMBER 9084559. TEETH QUANTITY: 114 FIRST GEAR, 42 SECOND GEAR. DIAMETRAL PITCH: 20 FIRST GEAR, 24 SECOND GEAR. GEAR TYPE: BEVEL FIRST GEAR,

SPUR SECOND GEAR. GEAR QUANTITY: 2. MATERIAL: STEEL OVERALL. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 18876  
COMPANY NAME: US ARMY AVIATION AND MISSILE COMMAND  
ADDRESS: AMSAM-RD-SE-TD-SA-M REDSTONE ARSENAL  
HUNTSVILLE, AL 35898-5000  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 3040-00-648-2071  
DEMIL CODE: A  
Total Cost - \$482.58

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 172. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 7111730. SPECIAL FEATURES: INCLUDES CAP PART NUMBER 6171074 AND BUSHING (2) PART NUMBER 5186272. END ITEM IDENTIFICATION: 155MM M1A1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 19204  
COMPANY NAME: ROCK ISLAND ARSENAL  
ADDRESS: ROCK ISLAND, IL 61201  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 3040-00-711-1730  
DEMIL CODE: A  
Total Cost - \$1,097.70

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 173. GEARSHAFT, SPUR:**

PART NUMBER 526809. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 21 EACH  
CAGE CODE: 70210  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-00-856-5341  
DEMIL CODE: A  
Total Cost - \$6,447.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 174. BELL CRANK:**

PART NUMBER 300-521021-11. STYLE DESIGNATOR: A26 RAISED FACE PIVOT HOLE, CLEVIS BOTH ENDS. CENTER-TO-CENTER DISTANCE BETWEEN FULCRUM AND ARM END HOLE/SLOT/BALL: 1.656 INCHES NOMINAL FIRST END, 3.780 INCHES NOMINAL SECOND END. END HOLE/BALL DIAMETER: 0.250 INCHES NOMINAL FIRST END, 0.250 INCHES NOMINAL SECOND END. SLOT WIDTH: 0.437 INCHES NOMINAL FIRST END, 0.593 INCHES NOMINAL SECOND END. BORE LENGTH: 1.453 INCHES NOMINAL. BORE DIAMETER: 0.625 INCHES NOMINAL. COUNTERBORE DIAMETER: 0.750 INCHES NOMINAL. COUNTERBORE DEPTH: 0.310 INCHES NOMINAL. FSC APPLICATION DATA: AIRCRAFT CONTROL STICK. APPROXIMATE QUANTITY: 11 EACH  
CAGE CODE: 89372  
COMPANY NAME: ROCKWELL INTERNATIONAL CORP  
ADDRESS: 100 NORTH SEPULVEDA BOULEVARD  
EL SEGUNDO, CA 90245-3531  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-00-870-2153  
DEMIL CODE: A  
Total Cost - \$17,919.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 175. CONNECTING LINK, RIGID:**

PART NUMBER 4C63120-101A. BODY CONSTRUCTION: SOLID. MATERIAL: STEEL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 98897

COMPANY NAME: LOCKHEED MARTIN CORPORATION

ADDRESS: 86 SOUTH COBB DRIVE  
MARIETTA, GA 30063-1000

CONDITION CODE: A

LOCATION: FLC

NSN: 3040-00-871-5039

DEMIL CODE: A

Total Cost - \$6,096.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 176. GEARSHAFT:**

PART NUMBER C310086323. END ITEM IDENTIFICATION: USED ON NO-C01996006A TEST SET HEADING VE. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 88818

COMPANY NAME: KEARFOTT GUIDANCE & NAVIGATION CORPORATION

ADDRESS: 150 TOTOWA ROAD  
WAYNE, NJ 07474-0946

CONDITION CODE: A

LOCATION: FGC

NSN: 3040-00-876-7430

DEMIL CODE: A

Total Cost - \$193.44

1 EACH

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 177. EXTENSION SHAFT:**

PART NUMBER 11010931. SHAFT END DESIGN: MALE AND FEMALE. SHAFT END CONFIGURATION: ROUND. END TYPE: PROCESSED END. FSC APPLICATION: AIRCRAFT GUN MOUNTING ADAPTERS THROUGH 30MM.

APPROXIMATE QUANTITY: 18 EACH

CAGE CODE: 05606

COMPANY NAME: GENERAL DYNAMICS ARMAMENT AND TECHNICAL PRODUCTS INC

ADDRESS: 128 LAKESIDE AVENUE  
BURLINGTON, VA 05401-4985

CONDITION CODE: A

LOCATION: FLC

NSN: 3040-00-906-6583

DEMIL CODE: A

Total Cost - \$10,778.40

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 178. CONNECTING LINK, RIGID:**

PART NUMBER 12C960 833. LINK STYLE: A40 SOLID SHANK. BODY CONSTRUCTION: TUBULAR. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 81755

COMPANY NAME: LOCKHEED MARTIN CORPORATION DBA LOCKHEED MARTIN AERONAUTICS CO

ADDRESS: LOCKHEED BOULEVARD  
PO BOX 748  
FORT WORTH, TX 76101-0748

CONDITION CODE: A

LOCATION: SG2

NSN: 3040-00-957-1301

DEMIL CODE: A

Total Cost - \$8,160.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 179. CONNECTING LINK, RIGID:**

PART NUMBER 12C960 845. LINK STYLE: A40 SOLID SHANK. BODY CONSTRUCTION: TUBULAR. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 81755

COMPANY NAME: LOCKHEED MARTIN AEROPARTS INC

ADDRESS: 221 INDUSTRIAL PARK ROAD  
JOHNSTOWN, PA 15904-1961

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-00-997-3559

DEMIL CODE: A

Total Cost - \$10,239.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 180. SHAFT, STRAIGHT:**

PART NUMBER 575643 1. FIRST END STYLE: 1 PLAIN. END SIMILARITY: NOT IDENTICAL. SECOND END STYLE: 23 UNTHREADED CROSS-DRILLED. OVERALL LENGTH: 1.000 INCHES NOMINAL. FIRST END DIAMETER: 0.3060 INCHES MINIMUM AND 0.3090 INCHES MAXIMUM. SECOND END DIAMETER: 0.3070 INCHES MINIMUM AND 0.3090 INCHES MAXIMUM. SECOND END HOLE DIAMETER: 0.0980 INCHES MINIMUM AND 0.1000 INCHES MAXIMUM. SECOND END DISTANCE FROM HOLE CENTER TO END: 0.500 INCHES NOMINAL. SURFACE FINISH: 63.0 MICROINCHES. MATERIAL: STEEL CORROSION RESISTING.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 3B150

COMPANY NAME: RAYTHEON TECHNICAL SERVICES CO

ADDRESS: 7201 MONTANA AVENUE  
EL PASO, TX 79925-2399

CONDITION CODE: A

LOCATION: SCC

NSN: 3040-01-032-5988

DEMIL CODE: A

Total Cost - \$191.30

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 181. WEIGHT, COUNTERBALANCE:**

PART NUMBER 160D145212-7. END ITEM IDENTIFICATION: A-10A AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 26512

COMPANY NAME: NORTHROP GRUMMAN SYSTEMS CORP

ADDRESS: SOUTH OYSTER BAY ROAD  
BETHPAGE, NY 11714-3582

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-033-2905

DEMIL CODE: A

Total Cost - \$22,458.75

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 182. PARTS KIT, LINEAR ACTUATING CYLINDER:**

PART NUMBER H-140-HXC5INBORE2INRODD1A.

COMPONENT QUANTITY: 7. NONSUPPLY ITEMS AND

QUANTITIES: PACKING PREFORMED 6; BUSHING AND SEAL ASSEMBLY 1.

CAGE CODE: 15877

COMPANY NAME: HENNELLS INC SUBDIVISION OF SMILLIE C M AND COMPANY

ADDRESS: 1200 WOODWARD HEIGHTS BOULEVARD  
FERNDAL, MI 48220-1406

CONDITION CODE: A

LOCATION: SCC

NSN: 3040-01-045-7480

DEMIL CODE: A

Total Cost - \$201.48

1 KIT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 183. BLADDER, ACCUMULATOR, HYDRAULIC:**

PART NUMBER 602-069. GENERAL CHARACTERISTICS ITEM  
DESCRIPTION: BUNA-N MATERIAL; 3000 PSI WORKING  
PRESSURE HYDRAULIC DESURGER 26337; JPART NO.  
833010 END CONNECTION THD W/THE FEMALE; MALE  
THREAD DATA: 2.000-12 UN; 2A RH; 1.000 IN. THREAD  
LENGTH. FEMALE THREAD DATA: 0.750-16 UNF; 2B RH;  
1.000 IN. THREAD DEPTH. END ITEM IDENTIFICATION:  
HYDRAULIC DESURGER, 26337, PART NO. 833010.  
APPROXIMATE QUANTITY: 34 EACH  
CAGE CODE: 26337  
COMPANY NAME: PARKER HANNIFIN CORPORATION  
ADDRESS: 10711 NORTH SECOND STREET  
MACHESNEY PARK, IL 61115  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-058-2420  
DEMIL CODE: A  
Total Cost - \$9,690.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item**

**Item 184. BLADDER, ACCUMULATOR, HYDRAULIC:**

PART NUMBER 602-069. GENERAL CHARACTERISTICS ITEM  
DESCRIPTION: BUNA-N MATERIAL; 3000 PSI WORKING  
PRESSURE HYDRAULIC DESURGER 26337; JPART NO.  
833010 END CONNECTION THD W/THE FEMALE; MALE  
THREAD DATA: 2.000-12 UN; 2A RH; 1.000 IN. THREAD  
LENGTH. FEMALE THREAD DATA: 0.750-16 UNF; 2B RH;  
1.000 IN. THREAD DEPTH. END ITEM IDENTIFICATION:  
HYDRAULIC DESURGER, 26337, PART NO. 833010.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 26337  
COMPANY NAME: PARKER HANNIFIN CORPORATION  
ADDRESS: 10711 NORTH SECOND STREET  
MACHESNEY PARK, IL 61115  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 3040-01-058-2420  
DEMIL CODE: A  
Total Cost - \$570.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 185. SHAFT, SHOULDERED:**

PART NUMBER 01 011103. FIRST END STYLE: 10 SLOTTED.  
END SIMILARITY: NOT IDENTICAL. SECOND END STYLE: 10  
SLOTTED. OVERALL LENGTH 2.580 INCHES NOMINAL. FIRST  
END SLOT WIDTH: 0.047 INCHES NOMINAL. SECOND END  
SLOT WIDTH: 0.023 INCHES NOMINAL. FIRST END  
DIAMETER: 0.1980 INCHES NOMINAL. FIRST END SLOT  
DEPTH: 0.055 INCHES NOMINAL. SECOND END DIAMETER:  
0.1560 INCHES NOMINAL. SECOND END SLOT DEPTH: 0.725  
INCHES NOMINAL. STEP QUANTITY: 12. LARGEST STEP  
DIAMETER: 0.198 INCHES NOMINAL. SPECIAL FEATURES:  
FIRST END HAS THREAD CROSS DRILLED THRU HOLE 0.160  
INCHES DISTANCE FROM CENTER TO END; FIRST END  
BORED 0.050 INCHES DIAMETER 0.240 INCHES DEEP,  
COUNTER BORED 0.109 INCHES DIAMETER 0.090 INCHES  
DEEP; FIRST END HAS TWO CAM LOBES EACH 0.070  
INCHES WIDE, EACH CAM LOBE HAS A THREAD CROSS  
DRILLED THRU HOLE 0.300 INCHES DISTANCE FROM  
THREAD HOLE CENTER TO END 0.135 INCHES DISTANCE  
BETWEEN THREAD HOLE CENTER. MATERIAL: STEEL  
COMP 17-4PH.  
CAGE CODE: 81982  
COMPANY: HYDRO-AIRE INC. DBA  
CRANE HYDRO-AIRE  
ADDRESS: 3000 WINONA AVENUE  
BURBANK, CA 91504-2540  
CONDITION CODE: A

LOCATION: SCC  
NSN: 3040-01-119-0601  
DEMIL CODE: A

Total Cost - \$400.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 186. SHAFT, LOW SPEED:**

PART NUMBER 03-114-0099-4-18. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 17454  
COMPANY: PHILADELPHIA GEAR COMPANY  
ADDRESS: ONE MONTGOMERY PLAZA SUITE 700 SWEDE  
NORRISTOWN, PA 19401-4814  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3040-01-136-8502  
DEMIL CODE: A  
Total Cost - \$3,440.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 187. SHAFT, LOW SPEED:**

PART NUMBER 03-114-0099-4-18. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 17454  
COMPANY: PHILADELPHIA GEAR COMPANY  
ADDRESS: ONE MONTGOMERY PLAZA SUITE 700 SWEDE  
NORRISTOWN, PA 19401-4814  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 3040-01-136-8502  
DEMIL CODE: A  
Total Cost - \$3,440.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 188. SHAFT, SHOULDERED:**

PART NUMBER L5231011-003. MATERIAL: STEEL COMP 17-  
4PH. MATERIAL DOCUMENT AND CLASSIFICATION:  
AMS5643 ASSN STD SINGLE MATERIAL RESPONSE. FIRST  
END STYLE: 1 PLAIN. FIRST END DIAMETER: 0.8800 INCHES  
NOMINAL. END SIMILARITY: NOT IDENTICAL. SECOND END  
STYLE: 30 CIRCULAR GROOVED AND EXTERNALLY  
THREADED. SECOND END GROOVE WIDTH: 0.1100 INCHES  
NOMINAL. SECOND END GROOVE DIAMETER: 0.4260  
INCHES NOMINAL. SECOND END DISTANCE FROM END TO  
GROOVE: 0.483 INCHES NOMINAL. SECOND END DIAMETER:  
0.5000 INCHES NOMINAL. SECOND END EXTERNAL THREAD  
LENGTH: 0.433 INCHES NOMINAL. LARGEST STEP  
DIAMETER: 0.880 INCHES NOMINAL. OVERALL LENGTH:  
6.062 INCHES NOMINAL. STEP QUANTITY: 2. END ITEM  
IDENTIFICATION: B-1B AIRCRAFT. FSC APPLICATION DATA:  
ROLL CONTROL DISENGAGE MECHANISM.  
APPROXIMATE QUANTITY: 23 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-157-5901  
DEMIL CODE: A  
Total Cost - \$28,108.99

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 189. CONNECTING LINK, RIGID:**

PART NUMBER L6312217-005. BODY CONSTRUCTION:  
SOLID. OVERALL LENGTH: 6.900 INCHES NOMINAL. LINK  
STYLE: A12 CLEVIS END. END ITEM IDENTIFICATION: B-1B  
AIRCRAFT. MATERIAL: AL ALLOY COMP 6 COND A 6AL-4V.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION

ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-166-2570  
DEMIL CODE: A  
Total Cost - \$23,227.05

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 190. CONNECTING LINK, RIGID:**

PART NUMBER L6312217-003. BODY CONSTRUCTION:  
SOLID. OVERALL LENGTH: 6.380 INCHES NOMINAL. LINK  
STYLE: A12 CLEVIS ENDS. END ITEM IDENTIFICATION: B-1B  
AIRCRAFT. MATERIAL: AL ALLOY COMP 6 COND A 6AL-4V.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-166-2571  
DEMIL CODE: A  
Total Cost - \$23,227.05

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 191. CONNECTING LINK, RIGID:**

PART NUMBER L6312213-001. BODY CONSTRUCTION:  
SOLID. OVERALL LENGTH: 4.500 INCHES NOMINAL. END  
ITEM IDENTIFICATION: B-1B AIRCRAFT. MATERIAL: AL  
ALLOY COMP 6 COND A 6AL-4V, MIL-T-9047.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-166-4269  
DEMIL CODE: A  
Total Cost - \$41,412.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 192. CONNECTING LINK, RIGID:**

PART NUMBER L6312216-003. BODY CONSTRUCTION:  
SOLID. OVERALL LENGTH: 2.871 INCHES NOMINAL. LINK  
STYLE: A12 CLEVIS END. END ITEM IDENTIFICATION: B-1B  
AIRCRAFT. MATERIAL: AL ALLOY COMP 6 COND A 6AL-4V,  
MIL-T-9047.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-166-4270  
DEMIL CODE: A  
Total Cost - \$18,025.83

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 193. SHAFT, STRAIGHT:**

PART NUMBER L5340088-003. MATERIAL: STEEL  
CORROSION RESISTING. MATERIAL DOCUMENT AND  
CLASSIFICATION: ST0160LB0013; PH-13-8MO, CONDA,  
43999, MFR REF SINGLE MATERIAL RESPONSE. SURFACE  
FINISH: 32.0 MICROINCHES. FIRST END STYLE: 23  
UNTHREADED CROSS-DRILLED. FIRST END DIAMETER:  
0.7455 INCHES MINIMUM AND 0.7470 INCHES MAXIMUM.  
FIRST END HOLE DIAMETER: 0.2500 INCHES NOMINAL.  
FIRST END DISTANCE FROM HOLE CENTER TO END: 1.1500

INCHES NOMINAL. END SIMILARITY: NOT IDENTICAL.  
SECOND END STYLE: 23 UNTHREADED CROSS-DRILLED.  
SECOND END DIAMETER: 0.7470 INCHES NOMINAL.  
SECOND END HOLE DIAMETER: 0.2495 INCHES MINIMUM  
AND 0.2505 INCHES MAXIMUM. SECOND END DISTANCE  
FROM HOLE CENTER TO END: 2.6500 INCHES NOMINAL.  
OVERALL LENGTH: 7.3000 INCHES NOMINAL. SPECIAL  
FEATURES: INTERNAL HOLE 0.375 INCHES DIAMETER  
THROUGH; BOTH ENDS CHAMFERED 0.06 INCHES BY 45  
DEGREES.  
APPROXIMATE QUANTITY: 11 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-167-8028  
DEMIL CODE: A  
Total Cost - \$23,608.42

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 194. CONNECTING LINK, RIGID:**

PART NUMBER L6312215-001. BODY CONSTRUCTION:  
SOLID. LINK STYLE: A6 90 DEGREE OFFSET HOLES.  
OVERALL LENGTH: 17.848 INCHES NOMINAL. BODY WIDTH:  
1.000 INCHES NOMINAL. BODY THICKNESS: 0.125 INCHES  
NOMINAL. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
MATERIAL: AL ALLOY COMP 6 COND A 5AL-4V.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-167-8037  
DEMIL CODE: A  
Total Cost - \$60,459.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 195. ROD, VALVE LINKAGE:**

PART NUMBER L5873411-003. GENERAL  
CHARACTERISTICS: CRES ALLOY COND A; 3.008 INCHES  
LENGTH OVERALL BY 0.485 INCH BODY DIAMETER; LEFT  
END 0.563 INCH HEX BY 0.312 IN HEX THK BY 0.375-22  
UNJS-SE3B THD BY 0.508 IN DP; TWO 0.465 INCH DIAMETER  
HOLES THRU; RIGHT END 0.560 INCH DIAMETER BY 0.850  
INCH LENGTH BY 0.377 INCH ID. END ITEM IDENTIFICATION:  
B-1B AIRCRAFT. FSC APPLICATION DATA: FLIGHT  
CONTROLS.  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: FGC  
NSN: 3040-01-182-6248  
DEMIL CODE: A  
Total Cost - \$1,778.08

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 196. ROD, VALVE LINKAGE:**

PART NUMBER L5873411-003. GENERAL  
CHARACTERISTICS: CRES ALLOY COND A; 3.008 INCHES  
LENGTH OVERALL BY 0.485 INCH BODY DIAMETER; LEFT  
END 0.563 INCH HEX BY 0.312 IN HEX THK BY 0.375-22  
UNJS-SE3B THD BY 0.508 IN DP; TWO 0.465 INCH DIAMETER  
HOLES THRU; RIGHT END 0.560 INCH DIAMETER BY 0.850  
INCH LENGTH BY 0.377 INCH ID. END ITEM IDENTIFICATION:

B-1B AIRCRAFT. FSC APPLICATION DATA: FLIGHT CONTROLS.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: SG2  
NSN: 3040-01-182-6248  
DEMIL CODE: A

Total Cost - \$3,556.16

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 197. ROD, VALVE LINKAGE:**

PART NUMBER L5873411-003. GENERAL CHARACTERISTICS: CRES ALLOY COND A; 3.008 INCHES LENGTH OVERALL BY 0.485 INCH BODY DIAMETER; LEFT END 0.563 INCH HEX BY 0.312 IN HEX THK BY 0.375-22 UNJS-SE3B THD BY 0.508 IN DP; TWO 0.465 INCH DIAMETER HOLES THRU; RIGHT END 0.560 INCH DIAMETER BY 0.850 INCH LENGTH BY 0.377 INCH ID. END ITEM IDENTIFICATION: B-1B AIRCRAFT. FSC APPLICATION DATA: FLIGHT CONTROLS.  
APPROXIMATE QUANTITY: 7 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-182-6248  
DEMIL CODE: A

Total Cost - \$12,446.56

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 198. SUPPORT, BELL CRANK:**

PART NUMBER L5235149-003. MATERIAL: ALUMINUM ALLOY. OVERALL LENGTH: 3.000 INCHES NOMINAL. OVERALL WIDTH: 2.380 INCHES NOMINAL. OVERALL THICKNESS: 0.125 INCHES NOMINAL.  
APPROXIMATE QUANTITY: 33 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-182-6257  
DEMIL CODE: A

Total Cost - \$14,256.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 199. SUPPORT, BELL CRANK:**

PART NUMBER L5235150-003. MATERIAL: ALUMINUM ALLOY. OVERALL LENGTH: 3.310 INCHES NOMINAL. OVERALL WIDTH: 2.520 INCHES NOMINAL. OVERALL THICKNESS: 0.125 INCHES NOMINAL. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
APPROXIMATE QUANTITY: 18 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-182-6258  
DEMIL CODE: A

Total Cost - \$15,023.16

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 200. GEARSHAFT, SPUR:**

PART NUMBER EP2747-335. SPECIAL FEATURES: SHAFT HAS TWO SPLINED ADAPTERS; TWO BEARING SPACERS; BALL BEARINGS, FOUR. END ITEM IDENTIFICATION: TEST STAND ACCESSORY DR. GEARBOX.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 99167  
COMPANY: HAMILTON SUNDSTRAND CORPORATION  
ADDRESS: 4747 HARRISON AVENUE  
ROCKFORD, IL 61125-7002  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-188-0189  
DEMIL CODE: A

Total Cost - \$36,320.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 201. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 10133-1. END ITEM IDENTIFICATION: GEARCASE LIGHT LANDING AIRCRAFT, NSN 6620-00-902-3692. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 107 EACH  
CAGE CODE: 72914  
COMPANY: GRIMES AEROSPACE COMPANY  
ADDRESS: 550 STATE ROUTE 55  
URBANA, OH 43078-1948  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-195-1140  
DEMIL CODE: A

Total Cost - \$16,039.30

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 202. SHAFT, SHOULDERED:**

END ITEM APPLICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 7 EACH  
CAGE CODE: UNKNOWN  
COMPANY: UNKNOWN  
ADDRESS: UNKNOWN  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-201-8501  
DEMIL CODE: A

Total Cost - \$9,308.81

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 203. PLATE, RETAINING, SHAFT:**

PART NUMBER 218F426. MATERIAL: STEEL. SHAPE: ROUND. OUTSIDE DIAMETER: 8.865 INCHES NOMINAL. THICKNESS: 4.770 INCHES NOMINAL. APERTURE DIAMETER: 8.550 INCHES NOMINAL. MOUNTING HOLE QUANTITY: 4. MOUNTING HOLE DIAMETER: 0.424 INCHES NOMINAL. SPECIAL FEATURES: MOUNTING HOLES SPACING IRREGULAR. END ITEM IDENTIFICATION: GPU-5/A.  
APPROXIMATE QUANTITY: 12 EACH  
CAGE CODE: 05606  
COMPANY: GENERAL DYNAMICS ARMAMENT AND TECHNICAL PRODUCTS INC  
ADDRESS: 128 LAKESIDE AVENUE  
BURLINGTON, VT 05401-4985  
CONDITION CODE: A  
LOCATION: FLC  
NSN: 3040-01-206-9829  
DEMIL CODE: A

Total Cost - \$26,571.48

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 204. WORM SHAFT:**



PART NUMBER 5704406. END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 0A335  
COMPANY: OBL SRL  
ADDRESS: VIA J.F. KENNEDY 12  
SEGRATE (MILANO) ITALY 20096  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-207-3372  
DEMIL CODE: A  
Total Cost - \$24,751.10

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 205. WORM SHAFT:**

PART NUMBER 5704371. END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 0A335  
COMPANY: OBL SRL  
ADDRESS: VIA J.F. KENNEDY 12  
SEGRATE (MILANO) ITALY 20096  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-207-3373  
DEMIL CODE: A  
Total Cost - \$23,703.10

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 206. WORM SHAFT:**

PART NUMBER 5704411. END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 0A335  
COMPANY: OBL SRL  
ADDRESS: VIA J.F. KENNEDY 12  
SEGRATE (MILANO) ITALY 20096  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-207-3374  
DEMIL CODE: A  
Total Cost - \$28,324.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 207. WORM SHAFT:**

PART NUMBER 5704413. END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 0A335  
COMPANY: OBL SRL  
ADDRESS: VIA J.F. KENNEDY 12  
SEGRATE (MILANO) ITALY 20096  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-207-5479  
DEMIL CODE: A  
Total Cost - \$25,863.70

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 208. CONNECTING LINK, RIGID:**

PART NUMBER L5842105-011. SPECIAL FEATURES: END ATTACHMENT INCLUDED. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD

LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-207-7186  
DEMIL CODE: A  
Total Cost - \$12,754.02

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 209. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 5050535. SPECIAL FEATURES: ALUMINUM ALLOY QQ-A-601, 355-T6; 2.060-INCH LENGTH; 2.060-INCH WIDTH. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 81039  
COMPANY: SMITHS AEROSPACE INC ACTUATION SYSTEMS  
WHIPPANY DBA SMITHS AEROSPACE  
ADDRESS: 110 ALGONQUIN PARKWAY  
WHIPPANY, NJ 07981-1640  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 3040-01-218-2701  
DEMIL CODE: A  
Total Cost - \$227.71

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 210. HOUSING, MECHANICAL DRIVE:**

PART NUMBER 089656-1. END ITEM IDENTIFICATION: 1730-01-168-9317. OVERALL WIDTH: 3.330 INCHES NOMINAL. OVERALL HEIGHT: 7.705 INCHES NOMINAL. SPECIAL FEATURES: FORTY-EIGHT HOLES 0.169-INCH DIAMETER, TWO HOLES 0.272-INCH DIAMETER, ONE HOLE 0.203-INCH DIAMETER.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 56672  
COMPANY: SYN-TECH SYSTEMS INC  
ADDRESS: 100 FOUR POINTS WAY  
TALLAHASSEE, FL 32310-7091  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-223-5816  
DEMIL CODE: A  
Total Cost - \$18,660.32

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 211. CONNECTING LINK, RIGID:**

PART NUMBER 2552067-56. SPECIAL FEATURES: FOR USE WITH PWA 50004 TEST STAND. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 65 EACH  
CAGE CODE: 06848  
COMPANY: HONEYWELL INTERNATIONAL INC  
ADDRESS: 717 NORTH BENDIX DRIVE  
SOUTH BEND, IN  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-225-1886  
DEMIL CODE: A  
Total Cost - \$20,879.30

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 212. GEARSHAFT, BEVEL:**

OVERALL LENGTH: 3.170 INCHES. BEVEL GEAR DATA: 26 TEETH. PRESSURE ANGLE: 25 DEGREE. END ITEM APPLICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 8 EACH  
CAGE CODE: UNKNOWN  
COMPANY: UNKNOWN  
ADDRESS: UNKNOWN  
CONDITION CODE: A  
LOCATION: AQ5

NSN: 3040-01-232-1974

DEMIL CODE: A

Total Cost - \$27,237.68

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 213. WORM SHAFT:**

PART NUMBER 5704376. END ITEM IDENTIFICATION: B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 0A335

COMPANY: OBL SRL

ADDRESS: VIA J.F. KENNEDY 12

SEGRATE (MILANO) ITALY 20096

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-232-6204

DEMIL CODE: A

Total Cost - \$18,720.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 214. GEARSHAFT, SPUR:**

PART NUMBER 2046165-2. SPECIAL FEATURES: OVERALL LENGTH 3.675 INCHES MINIMUM TO 3.685 INCHES MAXIMUM; MATERIAL: STEEL, AMS 6265; SPUR GEAR DATA: 12 TEETH, DIAMETRAL PITCH 24. END ITEM IDENTIFICATION: B-1B AIRCRAFT.

APPROXIMATE QUANTITY: 64 EACH

CAGE CODE: 70210

COMPANY NAME: HONEYWELL INTERNATIONAL INC

ADDRESS: 2525 WEST 190<sup>TH</sup> STREET

TORRANCE, CA 90504-6002

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-232-7379

DEMIL CODE: A

Total Cost - \$16,256.00

1 LOT

**NOTE: Add \$36.00 to your bid for shipping this item.**

**Item 215. WORM SHAFT:**

PART NUMBER 5704375. END ITEM IDENTIFICATION: B-1B AIRCRAFT, FLIGHT CONTROLS. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 18 EACH

CAGE CODE: 0A335

COMPANY: OBL SRL

ADDRESS: VIA J.F. KENNEDY 12

SEGRATE (MILANO) ITALY 20096

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-249-7199

DEMIL CODE: A

Total Cost - \$27,360.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 216. PAWL:**

PART NUMBER 2873226. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 10001

COMPANY: NAVAL SURFACE WARFARE CENTER

ADDRESS: LOUISVILLE, KY 40214-2681

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-276-3892

DEMIL CODE: A

Total Cost - \$11,074.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 217. GEARSHAFT, SPUR:**

PART NUMBER 1091351. SPECIAL FEATURES: MATERIAL: 4340 STEEL; SPEC AMS6417; OVERALL LENGTH 4.874

INCHES; 1<sup>ST</sup> END GEARSHAFT DATA: OVERALL DIAMETER 1.792 INCHES; PITCH DIAMETER 1.7500; WIDTH 0.125 INCHES; 84 TEETH; PRESSURE ANGLE 20.0000; 4 LIGHTENING HOLES; DIAMETER 0.5937 THRU; HUB STYLE 2 STEPPED; 1<sup>ST</sup> STEP DIAMETER 0.1875; 2<sup>ND</sup> STEP DIAMETER 0.240; 1<sup>ST</sup> STEP LENGTH 0.185; 2<sup>ND</sup> STEP LENGTH 0.055; 2<sup>ND</sup> END GEARSHAFT DATA: OVERALL DIAMETER 0.484; WIDTH 0.730; PRESSURE ANGLES 20.0000; 13 TEETH; HUB STYLE STEPPED AND SPLINED; SPLINE DATA: DIAMETER 0.208; LENGTH 0.620; 19 TEETH; PRESSURE ANGLE 30.0000; PITCH DIAMETER 0.1875; 1<sup>ST</sup> STEP DIAMETER 0.250; LENGTH OF STEP 0.201; DIAMETER OF SHAFT BETWEEN GEARS 0.312 INCHES. END ITEM IDENTIFICATION: B-1B AIRCRAFT FLIGHT CONTROL.

APPROXIMATE QUANTITY: 15 EACH

CAGE CODE: 81039

COMPANY: SMITHS AEROSPACE INC

ADDRESS: 1100 ALGONQUIN PARKWAY

WHIPPANY, NJ 07981-1640

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-294-2739

DEMIL CODE: A

Total Cost - \$17,100.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 218. CAM, CONTROL:**

PART NUMBER 7543162. END ITEM IDENTIFICATION: VALVE, SAFETY RELIEF P/N 473001 FOR THE B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 191 EACH

CAGE CODE: 05228

COMPANY: PTI TECHNOLOGIES INC

ADDRESS: 501 DEL NORTE BOULEVARD

OXNARD, CA 93030-7983

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-303-5851

DEMIL CODE: A

Total Cost - \$22,673.61

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 219. BRACKET, EYE, NONROTATING SHAFT:**

PART NUMBER 4F43611-104B. MATERIAL: STEEL, AMS5629 ASSN STD SINGLE MATERIAL RESPONSE. OVERALL LENGTH: 2.780 INCHES NOMINAL. OVERALL HEIGHT: 1.780 INCHES NOMINAL. BOLT HOLE QUANTITY: 4. CENTER-TO-CENTER DISTANCE BETWEEN BOLT HOLES: 0.900 BETWEEN CENTERS. END ITEM IDENTIFICATION: SPACE CARGOMODS C-5A.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 98897

COMPANY: LOCKHEED MARTIN CORPORATION

ADDRESS: 86 SOUTH COBB DRIVE

MARIETTA, GA 30063-1000

CONDITION CODE: A

LOCATION: AQ5

NSN: 3040-01-315-5151

DEMIL CODE: A

Total Cost - \$25,719.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 220. PAWL:**

PART NUMBER 2046218-2. STYLE DESIGNATOR: A6 CRESCENT, CENTER PIVOT. OVERALL LENGTH: 1.195 INCHES NOMINAL. PIVOT PIN HOLE DIAMETER: 0.3752 INCHES NOMINAL. LENGTH FROM PIVOT PINHOLE CENTERLINE TO POINT OF ENGAGEMENT: 0.605 INCHES NOMINAL. MATERIAL THICKNESS: 0.600 INCHES NOMINAL. MATERIAL DOCUMENT AND CLASSIFICATION: STEEL COMP 4340. DEPTH FROM PIVOT PINHOLE CENTERLINE TO PONT

OF ENGAGEMENT: 0.4075 INCHES NOMINAL. END ITEM IDENTIFICATION: PANEL LOCKOUT RIGHT, B-1B AIRCRAFT. APPROXIMATE QUANTITY: 30 EACH  
CAGE CODE: 70210  
COMPANY NAME: HONEYWELL INTERNATIONAL INC  
ADDRESS: 2525 WEST 190<sup>TH</sup> STREET  
TORRANCE, CA 90504-6002  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-330-0018  
DEMIL CODE: A

Total Cost - \$20,525.40

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 221. CONNECTING LINK, RIGID:**

PART NUMBER L6317221-009. BODY CONSTRUCTION: SOLID. OVERALL LENGTH: 7.025 INCHES NOMINAL. BODY WIDTH: 1.250 INCHES NOMINAL. BODY THICKNESS: 1.000 INCHES NOMINAL. SPECIAL FEATURES: TONGUE END HAS SECOND HOLE, 0.500-INCH DIAMETER, CENTERED 4.500 INCHES FROM OPPOSITE END HOLE. MATERIAL: STEEL, AMS 5643, 17-4PH.  
APPROXIMATE QUANTITY: 7 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-365-3046  
DEMIL CODE: A

Total Cost - \$16,555.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 222. CONNECTING LINK, RIGID:**

PART NUMBER L6317221-017. BODY CONSTRUCTION: SOLID. OVERALL LENGTH: 7.103 INCHES NOMINAL. BODY WIDTH: 1.250 INCHES NOMINAL. BODY THICKNESS: 1.000 INCHES NOMINAL. MATERIAL: STEEL, AMS 5643, 17-4PH.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3040-01-366-7308  
DEMIL CODE: A

Total Cost - \$7,689.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 223. HOIST, CHAIN:**

PART NUMBER 1TONLOADKING. OPERATION METHOD: HAND. MECHANICAL ADVANTAGE METHOD: SPUR GEAR. BRAKING METHOD: ELECTRIC. HOOK QUANTITY: 1. LOAD ELEMENT QUANTITY PER HOOK: 4. CHAIN TYPE: PROOF COIL. CHAIN MATERIAL DIAMETER: ANY ACCEPTABLE. SUSPENSION MOUNTING METHOD: TROLLEY. TROLLEY SUSPENSION STYLE: 1 PLAIN, STANDARD I BEAM, WHEELS VERTICAL. FLANGE WIDTH: 3.333 INCHES NOMINAL. TRACK HEIGHT: ANY ACCEPTABLE. TRACK UNDERSIDE DISTANCE TO LOAD HOOK BEARING SURFACE IN FULLY RAISED POSITION: 6.000 INCHES NOMINAL. WHEEL CENTER-TO-CENTER DISTANCE: ANY ACCEPTABLE. TROLLEY TYPE: PLAIN. MAXIMUM LIFT HEIGHT: 8.0 FEET. MAXIMUM LOAD RATING: 2000.0 POUNDS. MOUNTING POSITION: RIGHT ANGLE. SPECIAL FEATURES: HOOKS WITH SAFETY LATCHES; MINIMUM CURVE OF I BEAM TRACK 21.000 INCH RADIUS; TROLLEY TRACK CLAMPS; PULL TO @TRAVERSE TROLLEY 37.0 POUNDS; ORDNANCE AND NUCLEAR COMPONENTS HANDLING.

APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 08722  
COMPANY: DUFF-NORTON COMPANY INC  
ADDRESS: HIGHWAY 1 NORTH  
PO BOX 1000  
FORREST CITY, AR 72335-9559

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 3950-00-889-8729  
DEMIL CODE: A

Total Cost - \$8,418.92

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 224. WINCH, DRUM, HAND OPERATED:**

PART NUMBER 12333537. FURNISHED ITEMS AND QUANTITY: 1 FRAME AND 1 MOUNTING BASE, AND 1 PULLEY. END ITEM IDENTIFICATION: USED ON 2350-01-110-4660 CARRIER AMMUNITION. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 11 EACH  
CAGE CODE: 19207  
COMPANY: US ARMY TANK AUTOMOTIVE COMMAND  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 3950-01-198-4504  
DEMIL CODE: A

Total Cost - \$20,101.07

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 225. HOIST, CHAIN:**

PART NUMBER 87-30359-001. OPERATION METHOD: HAND. BRAKING METHOD: MANUAL. SUSPENSION MOUNTING METHOD: TROLLEY. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 33875  
COMPANY: RAYTHEON COMPANY  
ADDRESS: 1301 EAST COLLINS BOULEVARD  
RICHARDSON, TX 75081-2404  
CONDITION CODE: A  
LOCATION: FLC  
NSN: 3950-01-312-6665  
DEMIL CODE: A

Total Cost - \$59,967.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 226. SEPARATOR ASSEMBLY:**

PART NUMBER 183078-3015. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 ASSEMBLIES  
CAGE CODE: 0AT62  
COMPANY: DRESSER-RAND COMPANY  
ADDRESS: 100 CHEMUNG STREET  
PAINTED POST, NY 14870-1352  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 4310-00-936-8691  
DEMIL CODE: A

Total Cost - \$5,549.14

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 227. HEAD, LOWER:**

PART NUMBER C-431. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 01293  
COMPANY: DURIRON COMPANY INC  
ADDRESS: 900 LOUIS DRIVE  
WARMINSTER, PA 18974-2841

CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4310-01-220-5336  
DEMIL CODE: A  
Total Cost - \$6,268.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 228. IMPELLER, PUMP, CENTRIFUGAL:**

PART NUMBER X3HA3AX1376USN. END ITEM  
IDENTIFICATION: POWER AND HAND PUMPS. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 88032  
COMPANY: FLOWSERVE U.S. INC  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 4320-00-078-4644  
DEMIL CODE: A  
Total Cost - \$5,722.53

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 229. PUMP, ROTARY:**

PART NUMBER 2520VQ17A12-11BA20L. MAXIMUM  
DISCHARGE FLOW RATE: 17.0 GALLONS PER MINUTE.  
OPERATING SPEED AT RATED CAPACITY: 1200.0  
REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED:  
HYDROCARBON FUELS AND OILS. PUMP ROTATION  
DIRECTION: COUNTERCLOCKWISE. ROTARY PUMP  
DESIGN: VANE. OPERATION METHOD: POWERED. INTAKE  
CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE:  
ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1.  
DISCHARGE CONNECTION TYPE: ROUND FLANGE. DRIVE  
SHAFT TYPE: KEY TYPE, INTERNAL. DRIVE SHAFT END  
DIAMETER: 0.875 INCHES NOMINAL. DRIVE SHAFT LENGTH:  
1.937 INCHES NOMINAL. INTEGRAL RELIEF VALVE:  
INCLUDED.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 62983  
COMPANY: EATON AEROSPACE LLC  
ADDRESS: 5353 HIGHLAND DRIVE  
JACKSON, MS 39206-3449  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4320-00-081-9588  
DEMIL CODE: A  
Total Cost - \$6,712.20

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 230. DEFLECTOR, DIRT AND LIQUID:**

PART NUMBER U4280. MATERIAL: STEEL, FED STD 66,  
AIS/SAE 1020. FSC APPLICATION DATA: TEST STAND,  
AIRCRAFT GENERATOR. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 99551  
COMPANY: GOODRICH CORPORATION  
ADDRESS: 104 OTIS STREET  
ROME, NY 13441-4714  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4320-00-105-4333  
DEMIL CODE: A  
Total Cost - \$2,164.55

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 231. PUMP, UNIT, ROTARY:**

PART NUMBER SG3374. MAXIMUM DISCHARGE FLOW RATE:  
25.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 50.0  
POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT

RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT  
RATED CAPACITY: 1750.0 REVOLUTIONS PER MINUTE.  
MEDIA FOR WHICH DESIGNED: HYDROCARBON FUELS AND  
OILS. PUMPING ELEMENT OPERATING POSITION:  
VERTICAL. ROTARY PUMP DESIGN: SCREW. PUMP  
QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE  
CONNECTION TYPE: ROUND FLANGE. DISCHARGE  
CONNECTION QUANTITY: 1. DISCHARGE CONNECTION  
TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC  
MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME  
MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN  
VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE.  
CURRENT RATING IN AMPS: 3.3. ENVIRONMENTAL  
PROTECTION: SPLASHTIGHT. INCLOSURE TYPE: FULLY  
INCLOSED. COOLING METHOD: SELF-VENTILATED.  
CAGE CODE: 59180  
COMPANY: IMO INDUSTRIES INC  
ADDRESS: 1710 AIRPORT ROAD  
MONROE, NC 28110-5020  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4320-00-202-9659  
DEMIL CODE: A  
Total Cost - \$6,907.51

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 232. PUMP UNIT, ROTARY:**

PART NUMBER 4320. MAXIMUM DISCHARGE FLOW RATE:  
20.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 70.0  
POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT  
RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT  
RATED CAPACITY: 3500.0 REVOLUTIONS PER MINUTE.  
MEDIA FOR WHICH DESIGNED: OIL. PUMPING ELEMENT  
OPERATING POSITION: VERTICAL. ROTARY PUMP DESIGN:  
SCREW. PUMP QUANTITY: 1. INTAKE CONNECTION  
QUANTITY: 1. INTAKE CONNECTION TYPE: ROUND FLANGE.  
DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE  
CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE:  
ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR.  
PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE  
IN VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE:  
THREE. CURRENT RATING IN AMPS: 3.3. ENVIRONMENTAL  
PROTECTION: SPLASHTIGHT. INCLOSURE TYPE: FULLY  
INCLOSED. COOLING METHOD: SELF-VENTILATED.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 59180  
COMPANY: IMO INDUSTRIES INC  
ADDRESS: 1710 AIRPORT ROAD  
MONROE, NC 28110-5020  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4320-00-214-0145  
DEMIL CODE: A  
Total Cost - \$5,337.18

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 233. SHAFT, TRANSMISSION, PUMP:**

PART NUMBER SL6049PC12. PUMP TYPE FOR WHICH  
DESIGNED: CENTRIFUGAL. SPECIAL FEATURES: 40.0 GPM.  
NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 93232  
COMPANY: FLOWSERVE U.S. INC  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-00-218-3488  
DEMIL CODE: A  
Total Cost - \$8,676.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 234. PUMP UNIT, ROTARY:**

PART NUMBER SG3363. MAXIMUM DISCHARGE FLOW RATE: 225.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 100.0 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 870.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: HYDROCARBON FUELS AND OILS. PUMPING ELEMENT OPERATING POSITION: VERTICAL. ROTARY PUMP DESIGN: SCREW. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE; ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE. CURRENT RATING IN AMPS: 32.5. INCLOSURE TYPE: FULLY INCLOSED. ENVIRONMENTAL PROTECTION: DRIP PROOF. MOUNTING TYPE: BASE. COOLING METHOD: SELF-VENTILATED.

CAGE CODE: 59180

COMPANY: IMO INDUSTRIES INC

ADDRESS: 1710 AIRPORT ROAD  
MONROE, NC 28110-5020

CONDITION CODE: A

LOCATION: SNC

NSN: 4320-00-237-4850

DEMIL CODE: A

Total Cost - \$9,903.66

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 235. PUMP UNIT, ROTARY:**

PART NUMBER G10863. MAXIMUM DISCHARGE FLOW RATE: 26.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 350.0 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1550.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: HYDROCARBON FUELS AND OILS. PUMPING ELEMENT OPERATING POSITION: VERTICAL. ROTARY PUMP DESIGN: SCREW. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE; ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: STEAM TURBINE. PRIME MOVER QUANTITY: 1. POWER DRIVE OPERATING PRESSURE: 400.0 POUNDS PER SQUARE INCH GAGE. EXHAUST PRESSURE: 15.0 POUNDS PER SQUARE INCH GAGE. MOUNTING TYPE: ANY ACCEPTABLE. STEAM TEMPERATURE RATING: 519.0 DEGREES FAHRENHEIT.

CAGE CODE: 59180

COMPANY: IMO INDUSTRIES INC

ADDRESS: 1710 AIRPORT ROAD  
MONROE, NC 28110-5020

CONDITION CODE: A

LOCATION: SNC

NSN: 4320-00-241-9725

DEMIL CODE: A

Total Cost - \$35,635.84

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 236. PUMP UNIT, ROTARY:**

PART NUMBER SG2640. MAXIMUM DISCHARGE FLOW RATE: 225.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 50.0 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1750.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: OIL. PUMPING ELEMENT OPERATING POSITION: VERTICAL. ROTARY PUMP DESIGN: SCREW. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE; ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE:

ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE. CURRENT RATING IN AMPS: 26.0. ENVIRONMENTAL PROTECTION: SPLASHTIGHT. INCLOSURE TYPE: FULLY INCLOSED. COOLING METHOD: SELF-VENTILATED.

CAGE CODE: 59180

COMPANY: IMO INDUSTRIES INC

ADDRESS: 1710 AIRPORT ROAD  
MONROE, NC 28110-5020

CONDITION CODE: A

LOCATION: SNC

NSN: 4320-00-267-5051

DEMIL CODE: A

Total Cost - \$9,364.16

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 237. PUMP UNIT, ROTARY:**

PART NUMBER E362. MAXIMUM DISCHARGE FLOW RATE: 500.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 70.0 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 720.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: OIL. PUMPING ELEMENT OPERATING POSITION: VERTICAL. ROTARY PUMP DESIGN: GEAR. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE; ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: DC. VOLTAGE IN VOLTS: 230.0. CURRENT RATING IN AMPS: 146.0. ENVIRONMENTAL PROTECTION: DRIP PROOF. INCLOSURE TYPE: PARTIALLY INCLOSED. COOLING METHOD: SELF-VENTILATED. MOUNTING TYPE: BASE.

CAGE CODE: 63857

COMPANY: DIABLO VALLEY ENTERPRISES INC

ADDRESS: 126 SOUTH BUCHANAN CIRCLE  
MARTINEZ, CA 94553-5118

CONDITION CODE: A

LOCATION: SNC

NSN: 4320-00-269-1031

DEMIL CODE: A

Total Cost - \$15,549.13

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 238. PUMP UNIT, ROTARY:**

PART NUMBER E1738. MAXIMUM DISCHARGE FLOW RATE: 15.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 50.0 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1750.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: HYDROCARBON FUELS AND OILS. PUMPING ELEMENT OPERATING POSITION: HORIZONTAL. ROTARY PUMP DESIGN: VANE. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: THREADED INTERNAL. INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 1.250—11-1/2 NPT. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: THREADED INTERNAL. DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 1.250-11-1/2 NPT. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: DC. VOLTAGE IN VOLTS: 115.0. CURRENT RATING IN AMPS: 12.6. ENVIRONMENTAL PROTECTION: DRIP PROOF. INCLOSURE TYPE: PARTIALLY INCLOSED. COOLING METHOD: SELF-VENTILATED. MOUNTING TYPE: BASE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 03950

COMPANY: NAVAL INVENTORY CONTROL POINT

ADDRESS: 5450 CARLISLE PIKE  
PO BOX 2020  
MECHANICSBURG, PA 17055-0788  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4320-00-274-6639  
DEMIL CODE: A  
Total Cost - \$7,572.24

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 239. PUMP UNIT, CENTRIFUGAL:**

PART NUMBER RW110687. MAXIMUM DISCHARGE FLOW RATE: 1150.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: NOT RATED. TOTAL HEAD: 19.000 FEET. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1200.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: SALT WATER. PUMPING ELEMENT OPERATING POSITION: VERTICAL. CENTRIFUGAL PUMP DESIGN: RADIAL FLOW. CENTRIFUGAL PUMP IMPELLER QUANTITY: 1. CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: DOUBLE. STAGE QUANTITY: 1. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE. CURRENT RATING IN AMPS: 14.0. ENVIRONMENTAL PROTECTION: DRIP PROOF. INCLOSURE TYPE: PARTIALLY INCLOSED. COOLING METHOD: SELF-VENTILATED. SELF-PRIMING FEATURE: NOT INCLUDED.  
CAGE CODE: 93232  
COMPANY: FLOWSERVE U.S. INC  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4320-00-289-9410  
DEMIL CODE: A  
Total Cost - \$8,834.30

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 240. ROTOR, PUMP:**

PART NUMBER 93F054217669SS. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 ASSEMBLIES  
CAGE CODE: 52081  
COMPANY: AURORA PUMP A DIVISION OF  
GENERAL SIGNAL CORPORATION  
ADDRESS: 800 AIRPORT ROAD  
NORTH AURORA, IL 60542-1403  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4320-00-304-3891  
DEMIL CODE: A  
Total Cost - \$12,078.40

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 241. PUMP, RECIPROCATING:**

PART NUMBER 15S1. CYLINDER QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: THREADED INTERNAL. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: THREADED INTERNAL. DRIVE CONNECTION TYPE: CLOSE COUPLED. MEDIA FOR WHICH DESIGNED: WATER, FRESH. PUMPING ELEMENT TYPE: PISTON. MAXIMUM DISCHARGE FLOW RATE: NOT RATED. DISCHARGE PRESSURE GAGE: 1330.0 POUNDS PER SQUARE INCH. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: NOT RATED. PUMPING ELEMENT OPERATING

POSITION: VERTICAL. PUMP RECIPROCATING DESIGN: SINGLE ACTING. RECIPROCATING STROKE TYPE: VARIABLE. OPERATION METHOD: MANUAL. DRIVE SHAFT TYPE: THREADED. DRIVE SHAFT LENGTH: 4.000 INCHES NOMINAL. DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 0.750-14 NPT. INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 0.750-14 NPT. SPECIAL FEATURES: FURNISHED WITH TWO ¾ INCH CLOSE NIPPLES, TWO 1" X ¾" SIZE REDUCER BUSHING, TWO 1" SIZE CHECK VALVES, ONE 3½" DIAL GAUGE, TWO 1" CLOSE NIPPLES.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 18712  
COMPANY: DUDGEON RICHARD INC  
ADDRESS: 1565 RAILROAD AVENUE  
BRIDGEPORT, CT 06605  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4320-00-343-6429  
DEMIL CODE: A  
Total Cost - \$986.52

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 242. PUMP, RECIPROCATING:**

PART NUMBER 15S1. CYLINDER QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: THREADED INTERNAL. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: THREADED INTERNAL DRIVE CONNECTION TYPE: CLOSE COUPLED. MEDIA FOR WHICH DESIGNED: WATER, FRESH. PUMPING ELEMENT TYPE: PISTON. MAXIMUM DISCHARGE FLOW RATE: NOT RATED. DISCHARGE PRESSURE GAGE: 1330.0 POUNDS PER SQUARE INCH. TOTAL HEAD: NOT RATED. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: NOT RATED. PUMPING ELEMENT OPERATING POSITION: VERTICAL. PUMP RECIPROCATING DESIGN: SINGLE ACTING. RECIPROCATING STROKE TYPE: VARIABLE. OPERATION METHOD: MANUAL. DRIVE SHAFT TYPE: THREADED. DRIVE SHAFT LENGTH: 4.000 INCHES NOMINAL. DISCHARGE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 0.750-14 NPT. INTAKE CONNECTION THREAD SIZE AND SERIES/TYPE DESIGNATOR: 0.750-14 NPT. SPECIAL FEATURES: FURNISHED WITH TWO ¾ INCH CLOSE NIPPLES, TWO 1" X ¾" CLOSE NIPPLES, TWO 1" BY ¾" REDUCER BUSHING, TWO 1" SIZE CHECK VALVES, ONE 3½" DIAL GAUGE, TWO 1" CLOSE NIPPLES.  
CAGE CODE: 18712  
COMPANY: DUDGEON RICHARD INC  
ADDRESS: 1565 RAILROAD AVENUE  
BRIDGEPORT, CT 06605  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4320-00-343-6429  
DEMIL CODE: A  
Total Cost - \$493.26

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 243. PUMP UNIT, CENTRIFUGAL:**

PART NUMBER 27479D. MAXIMUM DISCHARGE FLOW RATE: 20.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: NOT RATED. TOTAL HEAD: 51.000 FEET. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 3500.00 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: WATER, FRESH. PUMPING ELEMENT OPERATING POSITION: HORIZONTAL. CENTRIFUGAL PUMP DESIGN: RADIAL FLOW. CENTRIFUGAL PUMP IMPELLER QUANTITY: 1. CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE. STAGE QUANTITY: 1. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME

MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 220.0 AND 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE. CURRENT RATING IN AMPS: 1.8. INCLOSURE TYPE: FULLY INCLOSED. ENVIRONMENTAL PROTECTION: SPLASH PROOF. COOLING METHOD: SELF-VENTILATED. SELF-PRIMING FEATURE: NOT INCLUDED. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 23515  
COMPANY: FREDERICK CUSTOM MACHINING  
ADDRESS: 230 EAST 8<sup>TH</sup> STREET  
PO BOX 111  
FREDERICK, MD 21701-0111  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-00-540-6162  
DEMIL CODE: A  
Total Cost - \$11,963.34

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 244. PUMP UNIT, CENTRIFUGAL:**

PART NUMBER CA8907. MAXIMUM DISCHARGE FLOW RATE: 480.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: 67.5 POUNDS PER SQUARE INCH GAGE. TOTAL HEAD: 150.000 FEET. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1170.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: WATER, FRESH. PUMPING ELEMENT OPERATING POSITION: VERTICAL. CENTRIFUGAL PUMP DESIGN: RADIAL FLOW. CENTRIFUGAL PUMP IMPELLER QUANTITY: 2. CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE. STAGE QUANTITY: 2. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 440.0. FREQUENCY IN HERTZ: 60.0. PHASE: THREE. ENVIRONMENTAL PROTECTION: DRIP PROOF. INCLOSURE TYPE: PARTIALLY INCLOSED. SELF-PRIMING FEATURE: NOT INCLUDED. CAGE CODE: 09519  
COMPANY: NEW PHILADELPHIA FAN COMPANY  
BUFFALO FORGE MARINE FANS  
ADDRESS: NEW PHILADELPHIA, PA 44663  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-00-585-2063  
DEMIL CODE: A  
Total Cost - \$14,094.73

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 245. RING, WEARING:**

PART NUMBER Y512D6CX4. BODY STYLE: 1 PLAIN. CHAMFER LENGTH: 0.062 INCHES NOMINAL OUTSIDE RIGHT CORNER. OVERALL LENGTH: 0.875 INCHES NOMINAL. BODY OUTSIDE DIAMETER: 5.629 INCHES NOMINAL. BODY INSIDE DIAMETER: 5.110 INCHES NOMINAL. CORNER SHAPE: SQUARE INSIDE LEFT CORNER, SQUARE INSIDE RIGHT CORNER, SQUARE OUTSIDE LEFT CORNER, CHAMFERED OUTSIDE RIGHT CORNER. SURFACE FINISH: 125.0 MICROINCHES ALL SURFACES. CHAMFER ANGLE: 45.0 DEGREES NOMINAL OUTSIDE RIGHT CORNER. SPECIAL FEATURES: ONE GROOVE 0.156 INCHES DEEP 0.312 INCH LENGTH ON 0.625 INCH RADIUS ON OD OPPOSITE CHAMFERED END. MATERIAL: STEEL. APPROXIMATE QUANTITY: 7 EACH  
CAGE CODE: 88032  
COMPANY: INGERSOLL RAND COMPANY  
ADDRESS: 200 CHESTNUT RIDGE ROAD  
WESTWOOD, NJ 07675-7703  
CONDITION CODE: A  
LOCATION: SRC

NSN: 4320-00-618-0631  
DEMIL CODE: A  
Total Cost - \$341.95

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 246. IMPELLER, PUMP, CENTRIFUGAL:**

PART NUMBER W14HM3AX1-253. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 88032  
COMPANY: FLOWSERVE U.S. INC  
GOVERNMENT MARINE BUSINESS UNIT DIV  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 4320-00-647-2255  
DEMIL CODE: A  
Total Cost - \$7,090.56

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 247. HOUSING, LIQUID PUMP:**

PART NUMBER 5-2RCN. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 04579  
COMPANY: AURORA PUMP A DIVISION OF  
GENERAL SIGNAL CORPORATION  
ADDRESS: 800 AIRPORT ROAD  
NORTH AURORA, IL 60542-1403  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4320-00-774-9687  
DEMIL CODE: A  
Total Cost - \$692.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 248. PUMP UNIT, CENTRIFUGAL:**

PART NUMBER 4539. MAXIMUM DISCHARGE FLOW RATE: 5.0 GALLONS PER MINUTE. DISCHARGE PRESSURE: NOT RATED. TOTAL HEAD: 12.000 FEET. SUCTION LIFT: NOT RATED. OPERATING SPEED AT RATED CAPACITY: 1725.0 REVOLUTIONS PER MINUTE. MEDIA FOR WHICH DESIGNED: WATER, FRESH. PUMPING ELEMENT OPERATING POSITION: VERTICAL. CENTRIFUGAL PUMP DESIGN: RADIAL FLOW. CENTRIFUGAL PUMP IMPELLER QUANTITY: 1. CENTRIFUGAL PUMP IMPELLER SUCTION TYPE: SINGLE. STAGE QUANTITY: 1. PUMP QUANTITY: 1. INTAKE CONNECTION QUANTITY: 1. INTAKE CONNECTION TYPE: ROUND FLANGE. DISCHARGE CONNECTION QUANTITY: 1. DISCHARGE CONNECTION TYPE: ROUND FLANGE. PRIME MOVER TYPE: ELECTRIC MOTOR. PRIME MOVER COOLING MEDIUM: AIR. PRIME MOVER QUANTITY: 1. CURRENT TYPE: AC. VOLTAGE IN VOLTS: 115.0. FREQUENCY IN HERTZ: 60.0. PHASE: SINGLE. CURRENT RATING IN AMPS: 4.6. ENVIRONMENTAL PROTECTION: SPLASHTIGHT. INCLOSURE TYPE: FULLY INCLOSED. COOLING METHOD: SELF-VENTILATED. SELF-PRIMING FEATURE: INCLUDED. APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 78086  
COMPANY: SCHLEYER E C PUMP COMPANY INC  
ADDRESS: 501 SYCAMORE STREET  
ANDERSON, IN 46016-1046  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 4320-00-816-4339  
DEMIL CODE: A  
Total Cost - \$6,748.75

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 249. IMPELLER, PUMP, CENTRIFUGAL:**

PART NUMBER 17590P. END ITEM IDENTIFICATION:  
CENTRIFUGAL PUMP 4900 GPM. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
CAGE CODE: 93232  
COMPANY: FLOWSERVE U.S. INC  
GOVERNMENT MARINE BUSINESS UNIT DIV  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-00-860-0679  
DEMIL CODE: A  
Total Cost - \$14,000.00

1ASSEMBLY

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 250. ROTOR AND SHAFT PUMP ASSEMBLY:**

PART NUMBER 55-22246-100-1. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 52081  
COMPANY: RAM CENTRIFUGAL PRODUCTS  
ADDRESS: 2746 VIA ORANGE WAY  
SPRING VALLEY, CA 91978-1744  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4320-00-883-7653  
DEMIL CODE: A  
Total Cost - \$16,375.94

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 251. IMPELLER, PUMP, CENTRIFUGAL:**

PART NUMBER 1A236E. END ITEM IDENTIFICATION:  
CENTRIFUGAL PUMP. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 63857  
COMPANY: WARREN PUMPS INC  
ADDRESS: 82 BRIDGES AVENUE  
PO BOX 969  
WARREN, MA 01083-0969  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-00-893-0580  
DEMIL CODE: A  
Total Cost - \$9,228.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 252. IMPELLER, PUMP, CENTRIFUGAL:**

PART NUMBER 958700. MATERIAL: STEEL, WORTHITE.  
DESIGN TYPE: DOUBLE WIDTH. ROTATION DIRECTION FOR  
WHICH DESIGNED: CLOCKWISE. HUB QUANTITY: 2. HUB  
LOCATION: BACK SIDE, FRONT SIDE. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 93232  
COMPANY: FLOWSERVE U.S. INC  
GOVERNMENT MARINE BUSINESS UNIT DIV  
ADDRESS: 942 MEMORIAL PARKWAY  
PHILLIPSBURG, NJ 08865-2741  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-01-038-9187  
DEMIL CODE: A  
Total Cost - \$16,234.26

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 253. HOUSING:**

PART NUMBER 832178. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 5 EACH  
CAGE CODE: 05172

COMPANY: AAI/ACL TECHNOLOGIES INC  
ADDRESS: 3200 ENTERPRISE  
BREA, CA 92821-6238  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4320-01-120-5914  
DEMIL CODE: A  
Total Cost - \$15,554.20

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 254. HYDRAULIC RAM ASSEMBLY:**

PART NUMBER 112776-102. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 82152  
COMPANY: THE TITAN CORPORATION DBA  
DIV DATRON ADVANCED TECHNOLOGIES DIV  
ADDRESS: 200 WEST LOS ANGELES AVENUE  
SIMI VALLEY, CA 93065-1650  
CONDITION CODE: A  
LOCATION: FLC  
NSN: 4320-01-123-7010  
DEMIL CODE: A  
Total Cost - \$24,075.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 255. CONNECTOR, FLUID, PUMP:**

PART NUMBER 540336. CONNECTION TYPE: FLANGE.  
CONNECTION SIZE: 0.277 INCHES. SPECIAL FEATURES:  
PREBENT, 0.495 INCHES OD 1<sup>ST</sup> END; 0.512 INCHES OD 2<sup>ND</sup>  
END.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 73030  
COMPANY: HAMILTON SUNDSTRAND CORPORATION  
ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4320-01-367-7511  
DEMIL CODE: A  
Total Cost - \$9,559.32

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 256. FILTER, OPAL, GLASS:**

PART NUMBER 196-503. END ITEM IDENTIFICATION:  
GROUND TEST EQUIPMENT, F-111 AIRCRAFT. NO  
ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 18 EACH  
CAGE CODE: 06481  
COMPANY: LITTON SYSTEMS INC  
DIV NAVIGATION SYSTEMS DIV  
ADDRESS: 21240 BURBANK BOULEVARD  
WOODLAND HILLS, CA 91367-6675  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4330-00-426-5561  
DEMIL CODE: A  
Total Cost - \$4,256.46

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 257. FILTER ELEMENT, FLUID:**

PART NUMBER WR1-G10-12. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 05CK7  
COMPANY: WINTEC LLC  
ADDRESS: 1681 MCGAW AVENUE  
IRVINE, CA 92614-5631  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4330-01-180-8470



DEMIL CODE: A

Total Cost - \$6,360.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 258. FILTER, FLUID:**

PART NUMBER 30106-4S35-4FK1. STYLE DESIGNATOR: C52 LEG MOUNTED BODY AND COVER ASSEMBLY. BODY OUTSIDE DIAMETER: 20.062 INCHES NOMINAL. BODY HEIGHT: 67.938 INCHES NOMINAL. DISTANCE FROM BOTTOM OF BODY TO CENTER OF INLET: 31.000 INCHES NOMINAL. CENTER-TO-CENTER DISTANCE BETWEEN CONNECTIONS: 14.500 INCHES NOMINAL. MATERIAL: STEEL CORROSION RESISTING BODY, FIBER SYNTHETIC AND RESIN SYNTHETIC FILTERING MEDIUM, RUBBER BUNA N SEAL. FILTERING MEDIA DESIGN: WOVEN SINGLE FILTERING MEDIA RESPONSE. DESIGN TYPE: REUSABLE. FILTERING ELEMENT QUANTITY: 105. FILTRATION RATING IN MICRONS: 10.0 NOMINAL. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. MAXIMUM OPERATING PRESSURE: 150.0 POUNDS PER SQUARE INCH. DROP PRESSURE: NOT RATED. DIFFERENTIAL PRESSURE: NOT RATED. FIRST INTAKE CONNECTION TYPE: RAISED FACE FLANGE SIDE NEAR TOP. FIRST INTAKE FLANGE SHAPE STYLE: 2 ROUND WITH UNTHREADED BOLT HOLES. FIRST INTAKE FLANGE OUTSIDE DIAMETER: 9.000 INCHES NOMINAL. FIRST INTAKE FLANGE THICKNESS: 0.938 INCHES NOMINAL. FIRST INTAKE FLANGE FACE STYLE: 4 RAISED. FIRST INTAKE FLANGE RAISED FACE HEIGHT: 0.062 INCHES NOMINAL. FIRST INTAKE FLANGE RAISED FACE DIAMETER: 6.188 INCHES NOMINAL. FIRST DISCHARGE CONNECTION RELATIONSHIP TO INTAKE CONNECTION: IDENTICAL TO FIRST INTAKE CONNECTION. MOUNTING TYPE: UNTHREADED HOLE BOTTOM. MOUNTING HOLE QUANTITY: 4. DISTANCE BETWEEN MOUNTING HOLE CENTERS: 20.438 INCHES NOMINAL. MOUNTING HOLE DIAMETER: 0.688 INCHES NOMINAL. FILTERING SYSTEM FOR WHICH DESIGNED: FULL FLOW. FEATURES PROVIDED: AIR BLEED VALVE AND DRAIN PLUG. SPECIAL FEATURES: INLET AND OUTLET FLANGES ARE 90.0 DEGREES APART. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 13800  
COMPANY: PARKER HANNIFIN CORPORATION  
DIV PROCESS FILTRATION DIVISION  
ADDRESS: 6640 INTECH BOULEVARD  
INDIANAPOLIS, IN 46278-2011  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4330-01-305-5867  
DEMIL CODE: A  
Total Cost - \$15,910.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 259. FILTER, FLUID:**

PART NUMBER 30106-4S35-4FK1. STYLE DESIGNATOR: C52 LEG MOUNTED BODY AND COVER ASSEMBLY. BODY OUTSIDE DIAMETER: 20.062 INCHES NOMINAL. BODY HEIGHT: 67.938 INCHES NOMINAL. DISTANCE FROM BOTTOM OF BODY TO CENTER OF INLET: 31.000 INCHES NOMINAL. CENTER-TO-CENTER DISTANCE BETWEEN CONNECTIONS: 14.500 INCHES NOMINAL. MATERIAL: STEEL CORROSION RESISTING BODY, FIBER SYNTHETIC AND RESIN SYNTHETIC FILTERING MEDIUM, RUBBER BUNA N SEAL. FILTERING MEDIA DESIGN: WOVEN SINGLE FILTERING MEDIA RESPONSE. DESIGN TYPE: REUSABLE. FILTERING ELEMENT QUANTITY: 105. FILTRATION RATING IN MICRONS: 10.0 NOMINAL. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. MAXIMUM OPERATING PRESSURE: 150.0 POUNDS PER SQUARE INCH. DROP PRESSURE: NOT RATED. DIFFERENTIAL PRESSURE: NOT RATED. FIRST INTAKE CONNECTION TYPE: RAISED FACE FLANGE SIDE NEAR TOP. FIRST INTAKE FLANGE SHAPE

STYLE: 2 ROUND WITH UNTHREADED BOLT HOLES. FIRST INTAKE FLANGE OUTSIDE DIAMETER: 9.000 INCHES NOMINAL. FIRST INTAKE FLANGE THICKNESS: 0.938 INCHES NOMINAL. FIRST INTAKE FLANGE FACE STYLE: 4 RAISED. FIRST INTAKE FLANGE RAISED FACE HEIGHT: 0.062 INCHES NOMINAL. FIRST INTAKE FLANGE RAISED FACE DIAMETER: 6.188 INCHES NOMINAL. FIRST DISCHARGE CONNECTION RELATIONSHIP TO INTAKE CONNECTION: IDENTICAL TO FIRST INTAKE CONNECTION. MOUNTING TYPE: UNTHREADED HOLE BOTTOM. MOUNTING HOLE QUANTITY: 4. DISTANCE BETWEEN MOUNTING HOLE CENTERS: 20.438 INCHES NOMINAL. MOUNTING HOLE DIAMETER: 0.688 INCHES NOMINAL. FILTERING SYSTEM FOR WHICH DESIGNED: FULL FLOW. FEATURES PROVIDED: AIR BLEED VALVE AND DRAIN PLUG. SPECIAL FEATURES: INLET AND OUTLET FLANGES ARE 90.0 DEGREES APART.  
CAGE CODE: 13800  
COMPANY: PARKER HANNIFIN CORPORATION  
DIV PROCESS FILTRATION DIVISION  
ADDRESS: 6640 INTECH BOULEVARD  
INDIANAPOLIS, IN 46278-2011  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4330-01-305-5867  
DEMIL CODE: A  
Total Cost - \$7,955.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 260. TUBE ASSEMBLY, METAL:**

PART NUMBER 66D40342-1. WALL THICKNESS: 0.049 INCHES NOMINAL. MATING END QUANTITY: 1. TUBING MATERIAL: ALUMINUM ALLOY, WW-T-700/6, ALLOY 6061. END CONNECTION STYLE: B27 UNTHREADED INTERNAL, B76 PLAIN. DESIGN FORM: PREBENT. TUBE OUTSIDE DIAMETER: 2.000 INCHES NOMINAL. SPECIAL FEATURES: GRUMMAN AIRCRAFT CORPORATION MODEL F106A AIRCRAFT.  
CAGE CODE: 98750  
COMPANY: SAN ANTONIO AIR LOGISTICS CENTER  
ADDRESS: SAN ANTONIO, TX 78241  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4710-00-081-0553  
DEMIL CODE: A  
Total Cost - \$116.18

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 261. TUBE ASSEMBLY, METAL:**

PART NUMBER 66D40342-1. WALL THICKNESS: 0.049 INCHES NOMINAL. MATING END QUANTITY: 1. TUBING MATERIAL: ALUMINUM ALLOY, WW-T-700/6, ALLOY 6061. END CONNECTION STYLE: B27 UNTHREADED INTERNAL, B76 PLAIN. DESIGN FORM: PREBENT. TUBE OUTSIDE DIAMETER: 2.000 INCHES NOMINAL. SPECIAL FEATURES: GRUMMAN AIRCRAFT CORPORATION MODEL F106A AIRCRAFT.  
APPROXIMATE QUANTITY: 25 EACH  
CAGE CODE: 98750  
COMPANY: SAN ANTONIO AIR LOGISTICS CENTER  
ADDRESS: SAN ANTONIO, TX 78241  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4710-00-081-0553  
DEMIL CODE: A  
Total Cost - \$2,904.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 262. WITHDRAWN:**

**Item 263. TUBE ASSEMBLY, METAL:**

PART NUMBER 654042. WALL THICKNESS: 0.050 INCHES  
NOMINAL. THREAD CLASS: 3B. THREAD DIRECTION: RIGHT-  
HAND. MATING END QUANTITY: 2. TUBING MATERIAL:  
STEEL, CORROSION RESISTING. END CONNECTION STYLE:  
B11 SWIVEL NUT, FLARED. SEAT ANGLE IN DEGREES: 37.0.  
DESIGN FORM: PREBENT. TUBE OUTSIDE DIAMETER: 0.250  
INCHES NOMINAL. NOMINAL THREAD SIZE: 0.438 INCHES.  
THREAD SERIES DESIGNATOR: UNJF.  
CAGE CODE: 77445  
COMPANY: FERGUSON DOOR COMPANY INC  
ADDRESS: GARDENA, CA 90247-5253  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4710-00-134-4243  
DEMIL CODE: A

Total Cost - \$390.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 264. TUBE, X-RAY:**

PART NUMBER EG252C. END ITEM IDENTIFICATION: 6635-  
00-774-6967 X-RAY MACHINE. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 37480  
COMPANY: RAYTHEON COMPANY  
MACHLETT LABORATORIES INC  
MW AND PT DIVISION  
ADDRESS: STAMFORD, CT 06900  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4710-00-137-7022  
DEMIL CODE: A

Total Cost - \$36,559.14

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 265. TUBE ASSEMBLY, METAL:**

PART NUMBER 65-23043-4. TUBING MATERIAL: STEEL,  
CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 1.500  
INCHES NOMINAL. WALL THICKNESS: 0.042 INCHES  
NOMINAL. END CONNECTION STYLE: B42 FLARED, B69  
RAISED. MATING END QUANTITY: 2. MATERIAL: STEEL,  
CORROSION RESISTING AND STEEL. THREADED SERIES  
DESIGNATOR: UN. NOMINAL THREAD SIZE: 1.875 INCHES.  
THREAD CLASS: 2A. THREAD DIRECTION: RIGHT HAND.  
SEAT ANGLE IN DEGREES: 37.0. BOLT HOLE QUANTITY: 4.  
BOLT HOLE DIAMETER: 0.250 INCHES NOMINAL. BOLT  
CIRCLE DIAMETER: 2.563 INCHES NOMINAL. DESIGN FORM:  
PREBENT.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 15992  
COMPANY: AEROPARTS MFG AND REPAIR INC  
ADDRESS: 431 RIO RANCHO BOULEVARD NE  
RIO RANCHO, NM 87124  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4710-00-249-9372  
DEMIL CODE: A

Total Cost - \$2,430.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 266. TUBE ASSEMBLY, METAL:**

PART NUMBER 65-23043-4. TUBING MATERIAL: STEEL,  
CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 1.500  
INCHES NOMINAL. WALL THICKNESS: 0.042 INCHES  
NOMINAL. END CONNECTION STYLE: B42 FLARED, B69  
RAISED. MATING END QUANTITY: 2. MATERIAL: STEEL,  
CORROSION RESISTING AND STEEL. THREADED SERIES  
DESIGNATOR: UN. NOMINAL THREAD SIZE: 1.875 INCHES.  
THREAD CLASS: 2A. THREAD DIRECTION: RIGHT HAND.  
SEAT ANGLE IN DEGREES: 37.0. BOLT HOLE QUANTITY: 4.  
BOLT HOLE DIAMETER: 0.250 INCHES NOMINAL. BOLT

CIRCLE DIAMETER: 2.563 INCHES NOMINAL. DESIGN FORM:  
PREBENT.  
APPROXIMATE QUANTITY: 25 EACH  
CAGE CODE: 15992  
COMPANY: AEROPARTS MFG AND REPAIR INC  
ADDRESS: 431 RIO RANCHO BOULEVARD NE  
RIO RANCHO, NM 87124  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4710-00-249-9372  
DEMIL CODE: A

Total Cost - \$20,250.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 267. TUBE ASSEMBLY, METAL:**

PART NUMBER 65-23043-4. TUBING MATERIAL: STEEL,  
CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 1.500  
INCHES NOMINAL. WALL THICKNESS: 0.042 INCHES  
NOMINAL. END CONNECTION STYLE: B42 FLARED, B69  
RAISED. MATING END QUANTITY: 2. MATERIAL: STEEL,  
CORROSION RESISTING AND STEEL. THREADED SERIES  
DESIGNATOR: UN. NOMINAL THREAD SIZE: 1.875 INCHES.  
THREAD CLASS: 2A. THREAD DIRECTION: RIGHT HAND.  
SEAT ANGLE IN DEGREES: 37.0. BOLT HOLE QUANTITY: 4.  
BOLT HOLE DIAMETER: 0.250 INCHES NOMINAL. BOLT  
CIRCLE DIAMETER: 2.563 INCHES NOMINAL. DESIGN FORM:  
PREBENT.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 15992  
COMPANY: AEROPARTS MFG AND REPAIR INC  
ADDRESS: 431 RIO RANCHO BOULEVARD NE  
RIO RANCHO, NM 87124  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4710-00-249-9372  
DEMIL CODE: A

Total Cost - \$3,240.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 268. TUBE ASSEMBLY, METAL, BRANCHED:**

PART NUMBER A51P20478-2. DESIGN FORM: PREBENT.  
BRANCH QUANTITY: 3. MAIN BODY TUBE WALL THICKNESS:  
0.035 INCHES NOMINAL. MAIN BODY TUBE OUTSIDE  
DIAMETER: 0.625 INCHES. MATERIAL: ALUMINUM ALLOY.  
MATERIAL DOCUMENT AND CLASSIFICATION: WW-T-700/4,  
5052-0 FED SPEC SINGLE MATERIAL RESPONSE. END ITEM  
IDENTIFICATION: AIRCRAFT MODEL F14A.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 61174  
COMPANY: NORTHROP GRUMMAN SYSTEMS CORP  
ADDRESS: 5000 US HIGHWAY 1 NORTH  
PO BOX 3447  
SAINT AUGUSTINE, FL 32095-6200  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4710-00-432-2835  
DEMIL CODE: A

Total Cost - \$858.78

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 269. TUBE ASSEMBLY, METAL:**

PART NUMBER 674416. TUBING MATERIAL: STEEL,  
CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 0.250  
INCHES NOMINAL. WALL THICKNESS: 0.023 INCHES  
NOMINAL. END CONNECTION STYLE: B3 GASKET SEAL.  
MATING END QUANTITY: 2. MATERIAL: STEEL, CORROSION  
RESISTING. THREADED SERIES DESIGNATOR: UNF.  
NOMINAL THREAD SIZE: 0.438 INCHES. THREAD CLASS: 3B.  
THREAD DIRECTION: RIGHT HAND. SEAT ANGLE IN  
DEGREES: 37.0. END CONNECTION SPEC/STD: MS9483-04,  
MS9197-04. DESIGN FORM: PREBENT.

APPROXIMATE QUANTITY: 44 EACH  
CAGE CODE: 21890  
COMPANY: LEWIS AND SAUNDERS INC  
ADDRESS: 93 LEXINGTON DRIVE  
LACONIA, NH 03246-2935  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4710-00-433-4902  
DEMIL CODE: A  
Total Cost - \$4,488.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 270. TUBE ASSEMBLY, METAL:**

PART NUMBER 674416. TUBING MATERIAL: STEEL, CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 0.250 INCHES NOMINAL. WALL THICKNESS: 0.023 INCHES NOMINAL. END CONNECTION STYLE: B3 GASKET SEAL. MATING END QUANTITY: 2. MATERIAL: STEEL, CORROSION RESISTING. THREADED SERIES DESIGNATOR: UNF. NOMINAL THREAD SIZE: 0.438 INCHES. THREAD CLASS: 3B. THREAD DIRECTION: RIGHT HAND. SEAT ANGLE IN DEGREES: 37.0. END CONNECTION SPEC/STD: MS9483-04, MS9197-04. DESIGN FORM: PREBENT. APPROXIMATE QUANTITY: 9 EACH  
CAGE CODE: 21890  
COMPANY: LEWIS AND SAUNDERS INC  
ADDRESS: 93 LEXINGTON DRIVE  
LACONIA, NH 03246-2935  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4710-00-433-4902  
DEMIL CODE: A  
Total Cost - \$918.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 271. TUBE ASSEMBLY, METAL:**

PART NUMBER 674416. TUBING MATERIAL: STEEL, CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 0.250 INCHES NOMINAL. WALL THICKNESS: 0.023 INCHES NOMINAL. END CONNECTION STYLE: B3 GASKET SEAL. MATING END QUANTITY: 2. MATERIAL: STEEL, CORROSION RESISTING. THREADED SERIES DESIGNATOR: UNF. NOMINAL THREAD SIZE: 0.438 INCHES. THREAD CLASS: 3B. THREAD DIRECTION: RIGHT HAND. SEAT ANGLE IN DEGREES: 37.0. END CONNECTION SPEC/STD: MS9483-04, MS9197-04. DESIGN FORM: PREBENT. APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 21890  
COMPANY: LEWIS AND SAUNDERS INC  
ADDRESS: 93 LEXINGTON DRIVE  
LACONIA, NH 03246-2935  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4710-00-433-4902  
DEMIL CODE: A  
Total Cost - \$612.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 272. TUBE ASSEMBLY, METAL:**

PART NUMBER 674416. TUBING MATERIAL: STEEL, CORROSION RESISTING. TUBE OUTSIDE DIAMETER: 0.250 INCHES NOMINAL. WALL THICKNESS: 0.023 INCHES NOMINAL. END CONNECTION STYLE: B3 GASKET SEAL. MATING END QUANTITY: 2. MATERIAL: STEEL, CORROSION RESISTING. THREADED SERIES DESIGNATOR: UNF. NOMINAL THREAD SIZE: 0.438 INCHES. THREAD CLASS: 3B. THREAD DIRECTION: RIGHT HAND. SEAT ANGLE IN DEGREES: 37.0. END CONNECTION SPEC/STD: MS9483-04, MS9197-04. DESIGN FORM: PREBENT. APPROXIMATE QUANTITY: 8 EACH  
CAGE CODE: 21890

COMPANY: LEWIS AND SAUNDERS INC  
ADDRESS: 93 LEXINGTON DRIVE  
LACONIA, NH 03246-2935  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4710-00-433-4902  
DEMIL CODE: A  
Total Cost - \$816.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 273. TUBE, INNER, COMUSTIO:**

PART NUMBER 546634. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 58 EACH  
CAGE CODE: 73030  
COMPANY: HAMILTON SUNDSTRAND CORPORATION  
ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4710-00-717-4508  
DEMIL CODE: A  
Total Cost - \$10,391.28

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 274. TUBE, BENT, METALLIC:**

PART NUMBER 1095F6SH1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 05073  
COMPANY: BABCOCK AND WILCOX COMPANY  
ADDRESS: 1450 POYDRAS STREET SUITE 2600  
PO BOX 60035  
NEW ORLEANS, LA 70160  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4710-00-875-6761  
DEMIL CODE: A  
Total Cost - \$3,369.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 275. TUBE BENT, METALLIC:**

PART NUMBER 1095F6SH1. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 05073  
COMPANY: BABCOCK AND WILCOX COMPANY  
ADDRESS: 1450 POYDRAS STREET SUITE 2600  
PO BOX 60035  
NEW ORLEANS, LA 70160  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4710-00-875-6761  
DEMIL CODE: A  
Total Cost - \$3,369.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 276. TUBE ASSEMBLY, METAL:**

PART NUMBER 12268821. WALL THICKNESS: 0.035 INCHES NOMINAL. TUBING MATERIAL: STEEL, MIL-T-6845 OR STEEL, MIL-T-8504. END CONNECTION STYLE: B11 SWIVEL NUT, FLARED. DESIGN FORM: PREBENT. TUBE OUTSIDE DIAMETER: 0.375 INCHES NOMINAL. APPROXIMATE QUANTITY: 20 EACH  
CAGE CODE: 19207  
COMPANY: U.S. ARMY TANK AUTOMOTIVE COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SNC

NSN: 4710-01-111-4077

DEMIL CODE: A

Total Cost - \$415.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 277. TUBE ASSEMBLY, METAL:**

PART NUMBER 301-589-804-0. TUBE OUTSIDE DIAMETER: 0.750 INCHES NOMINAL. WALL THICKNESS: 0.035 INCHES NOMINAL. DESIGN FORM: PREBENT.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 58828

COMPANY: CFM INTERNATIONAL

ADDRESS: 111 MERCHANT STREET

MAIL DROP Y7

CINCINNATI, OH 45246-3792

CONDITION CODE: A

LOCATION: AQ5

NSN: 4710-01-180-5884

DEMIL CODE: A

Total Cost - \$6,005.16

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 278. TUBE ASSEMBLY, METAL:**

PART NUMBER 74A324922-1009. BOLT HOLE QUANTITY: 2, 4. MATING END QUANTITY: 2. END CONNECTION STYLE: B70 PLAIN. DESIGN FORM: PREBENT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 76301

COMPANY: MCDONNELL DOUGLAS CORPORATION  
A WHOLLY OWNED SUBSIDIARY OF THE  
BOEING COMPANY

ADDRESS: J.S. MCDONNELL BOULEVARD

PO BOX 516

SAINT LOUIS, MO 63166-0516

CONDITION CODE: A

LOCATION: SCC

NSN: 4710-01-199-5872

DEMIL CODE: A

Total Cost - \$210.95

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 279. TUBE ASSEMBLY, METAL:**

PART NUMBER 12330106. WALL THICKNESS: 0.072 INCHES NOMINAL. OVERALL LENGTH: 36.250 INCHES NOMINAL. TUBING MATERIAL: STEEL. END CONNECTION STYLE: B27 UNTHREADED INTERNAL. DESIGN FORM: STRAIGHT. TUBE OUTSIDE DIAMETER: 0.500 INCHES NOMINAL. SPECIAL FEATURES: ITEMS INCLUDED ARE 2 NUTS, 2 SLEEVES, AND 1 BAND MARKER.

APPROXIMATE QUANTITY: 44 EACH

CAGE CODE: 19207

COMPANY: UNITED DEFENSE LP GROUND SYSTEMS DIV

ADDRESS: 1100 BAIRS ROAD

YORK, PA 17405-1512

CONDITION CODE: A

LOCATION: SNC

NSN: 4710-01-208-3405

DEMIL CODE: A

Total Cost - \$426.80

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 280. TUBE ASSEMBLY, METAL:**

PART NUMBER 1312M89P04. TUBE OUTSIDE DIAMETER: 0.250 INCHES NOMINAL. WALL THICKNESS: 0.035 INCHES NOMINAL. END CONNECTION STYLE: B12 SWIVEL NUT WITH COMPRESSION SLEEVE. MATING END QUANTITY: 2.

DESIGN FORM: PREBENT.

APPROXIMATE QUANTITY: 7 EACH

CAGE CODE: 07482

COMPANY: GENERAL ELECTRIC COMPANY

DIV GENERAL ELECTRIC AIRCRAFT ENGINES

ADDRESS: ONE NEUMANN WAY

CINCINNATI, OH 45215-1915

CONDITION CODE: A

LOCATION: AQ5

NSN: 4710-01-214-7495

DEMIL CODE: A

Total Cost - \$6,337.66

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 281. TUBE ASSEMBLY, METAL:**

PART NUMBER 1312M89P04. TUBE OUTSIDE DIAMETER" 0.0250 INCHES NOMINAL. WALL THICKNESS: 0.035 INCHES NOMINAL. END CONNECTION STYLE: B12 SWIVEL NUT WITH COMPRESSION SLEEVE. MATING END QUANTITY: 2. DESIGN FORM: PREBENT.

APPROXIMATE QUANTITY: 9 EACH

CAGE CODE: 07482

COMPANY: GENERAL ELECTRIC COMPANY

DIV GENERAL ELECTRIC AIRCRAFT ENGINES

ADDRESS: ONE NEUMANN WAY

CINCINNATI, OH 45215-1915

CONDITION CODE: A

LOCATION: SNC

NSN: 4710-01-214-7495

DEMIL CODE: A

Total Cost - \$8,148.42

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 282. TUBE ASSEMBLY, METAL:**

PART NUMBER 70307-63600-045. TUBING MATERIAL: ALUMINUM ALLOY, WW-T-700/4, ALLOY 5052. TUBE OUTSIDE DIAMETER: 2.500 INCHES NOMINAL. WALL THICKNESS: 0.049 INCHES NOMINAL. MATING END QUANTITY: 2. DESIGN FORM: PREBENT.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 78286

COMPANY: SIKORSKY AIRCRAFT CORPORATION

ADDRESS: 6900 MAIN STREET

STRATFORD, CT 06615-9129

CONDITION CODE: A

LOCATION: SCC

NSN: 4710-01-257-3793

DEMIL CODE: A

Total Cost - \$33,053.31

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 283. TUBE, WELDING:**

PART NUMBER 1542-A-1066. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 11 EACH

CAGE CODE: K1464

COMPANY: LUCAS AEROSPACE LTD

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: PTZ

NSN: 4710-99-776-6811

DEMIL CODE: A

Total Cost - \$7,158.25

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 284. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER 11512. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.312 INCHES NOMINAL. TEMPERATURE RATING: -40.0 DEGREES FAHRENHEIT AND 200.0 DEGREES FAHRENHEIT. OUTSIDE DIAMETER: 0.580 INCHES NOMINAL. MINIMUM INSIDE BENDING RADIUS: 4.000 INCHES. FIRST END CONNECTION TYPE: THREADED INTERNAL TUBE. FIRST END STYLE DESIGNATOR: C4 SWIVEL NUT, INVERTED FLARE. FIRST END THREAD CLASS: 2B. FIRST END THREAD DIRECTION: RIGHT-HAND. SECOND END CONNECTION TYPE: THREADED EXTERNAL

TUBE. SECOND END STYLE DESIGNATOR: D10 SWIVEL NUT, FLARED. SECOND END THREAD CLASS: 2A SECOND END THREAD DIRECTION: RIGHT-HAND. FIRST END SEAT ANGLE IN DEGREES: 30.0. SECOND END SEAT ANGLE IN DEGREES: 30.0. SECOND END SEAT RADIUS: 0.312 INCHES NOMINAL. INNER CONVEYING TUBE MATERIAL: RUBBER, SYNTHETIC. EXTERIOR COLOR: GREEN. FIRST END CONNECTION DESIGN: STRAIGHT. SECOND END CONNECTION DESIGN: STRAIGHT. SECOND END RELATIONSHIP WITH FIRST END: NOT IDENTICAL. BURST TEST PRESSURE: 800.0 POUNDS PER SQUARE INCH. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. LAYER COMPOSITION AND LOCATION: OUTER LAYER MOLDED RUBBER, SYNTHETIC. 2<sup>ND</sup> LAYER BRAIDED POLYAMIDE CORD. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING, BRASS. MAXIMUM OPERATING PRESSURE: 200.0 POUNDS PER SQUARE INCH. FIRST END THREAD SERIES DESIGNATOR: UNF. FIRST END NOMINAL THREAD SIZE: 0.562 INCHES. SECOND END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING, BRASS. HYDROSTATIC TEST PRESSURE: 400.0 POUNDS PER SQUARE INCH. SECOND END NOMINAL THREAD SIZE: 0.625 INCHES. SECOND END THREAD SERIES DESIGNATOR: UNF. INSIDE SURFACE CONDITION: SMOOTH. MEASURING METHOD AND LENGTH EXCLUDING END FITTINGS: 300.00 INCHES NOMINAL. SECOND END SWIVEL ACTION CAPABILITY: NOT INCLUDED. SPECIAL FEATURES: FURNISHED WITH TWO ADAPTERS, ONE THREAD INTERNAL 0.500-18 UNS BY 0.25-28 UNF EXT, THE OTHER ONE THREAD EXT 0.500-18 UNS BY 0.562-18 UNF. MEDIA FOR WHICH DESIGNED: OXYGEN, GASEOUS. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 53711  
COMPANY: NAVAL SEA SYSTEMS COMMAND  
ADDRESS: 2351 JEFFERSON DAVIS HIGHWAY  
ARLINGTON, VA 22242-5160  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4720-00-375-6546  
DEMIL CODE: A  
Total Cost - \$210.56

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 285. TUBING, NONMETALLIC:**

PART NUMBER C200050037. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.047 INCHES MINIMUM AND 0.077 INCHES MAXIMUM. NONMETALLIC HARDNESS RATING: 55.0 MINIMUM SHORE DUROMETER A AND 65.0 MAXIMUM SHORE DUROMETER A. TEMPERATURE RATING: NOT RATED. OUTSIDE DIAMETER: 0.111 INCHES MINIMUM AND 0.181 INCHES MAXIMUM. MINIMUM INSIDE BENDING RADIUS: NOT RATED. EXTERIOR COLOR: NATURAL. TUBING MATERIAL: RUBBER, SYNTHETIC MIL-STD-417 TY S GR SB610. MINIMUM TENSILE STRENGTH: 1000 POUNDS PER SQUARE INCH. BURST TEST PRESSURE: NOT RATED. INSIDE SURFACE CONDITION: SMOOTH. MEASURING METHOD AND LENGTH EXCLUDING END FITTINGS: 42.500 INCHES MINIMUM AND 43.500 INCHES MAXIMUM. FLEXIBILITY: FLEXIBLE. MAXIMUM OPERATING PRESSURE: NOT RATED  
APPROXIMATE QUANTITY: 104 EACH  
CAGE CODE: 88818  
COMPANY: KEARFOTT GUIDANCE & NAVIGATION GROUP  
ADDRESS: 150 TOTOWA ROAD  
WAYNE, NJ 07474-0946  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4720-00-570-6945  
DEMIL CODE: A  
Total Cost - \$382.72

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 286. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER 10933027 7. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.375 INCHES NOMINAL. TEMPERATURE RATING: -65.0 DEGREES FAHRENHEIT AND 250.0 DEGREES FAHRENHEIT. OUTSIDE DIAMETER: 0.781 INCHES NOMINAL. MINIMUM INSIDE BENDING RADIUS: 5.000 INCHES. EXTERIOR COLOR: ANY ACCEPTABLE. INNER CONVEYING TUBING MATERIAL: RUBBER, SYNTHETIC. FIRST END CONNECTION TYPE: THREADED INTERNAL TUBE. FIRST END STYLE DESIGNATOR: C3 SWIVEL NUT FLARE. FIRST END THREAD CLASS: 2B. FIRST END THREAD DIRECTION: RIGHT-HAND. SECOND END CONNECTION TYPE: THREADED INTERNAL TUBE. SECOND END STYLE DESIGNATOR: C3 SWIVEL NUT FLARE. SECOND END THREAD CLASS: 2B. SECOND END THREAD DIRECTION: RIGHT-HAND. FIRST END SEAT ANGLE IN DEGREES: 37.0. SECOND END SEAT ANGLE IN DEGREES: 37.0. FIRST END CONNECTION DESIGN: STRAIGHT. SECOND END CONNECTION DESIGN: ELBOW. SECOND END FLOW ANGLE IN DEGREES: 90.0. HOSE OR TUBING SPEC/STD DATA: MIL-H-13531, TYPE I SPECIFICATION. FEATURES PROVIDED: REUSABLE END FITTINGS. SECOND END RELATIONSHIP WITH FIRST END: NOT IDENTICAL. BURST TEST PRESSURE: 9000.0 PSI. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. LAYER COMPOSITION AND LOCATION: 1<sup>ST</sup> LAYER BRAIDED STEEL WIRE, OUTER LAYER MOLDED RUBBER. FIRST END FITTING/COMPONENT AND SURFACE TREATMENT: COMPLETE FITTING CADMIUM OR COMPLETE FITTING ZINC. FIRST END THREAD SERIES DESIGNATOR: UNF. FIRST END NOMINAL THREAD SIZE: 0.562 INCHES. SECOND END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL. HYDROSTATIC TEST PRESSURE: 4500.0 PSI. OUTER COVERING ENVIRONMENTAL PROTECTION: ABRASION, MILDEW, OIL, OZONE RESISTANT AND WEATHERPROOF. SECOND END FITTING/COMPONENT AND SURFACE TREATMENT: COMPLETE FITTING CADMIUM OR COMPLETE FITTING ZINC. SECOND END NOMINAL THREAD SIZE: 0.562 INCHES. SECOND END THREAD SERIES DESIGNATOR: UNF. INSIDE SURFACE CONDITION: SMOOTH. MEASURING METHOD AND LENGTH OVERALL: 36.000 INCHES NOMINAL. SECOND END SWIVEL ACTION CAPABILITY: NOT INCLUDED. MEDIA FOR WHICH DESIGNED: HYDRAULIC FLUID AND FUEL/OIL, HYDROCARBON. SPECIFICATIONS/STANDARD DATA: 81349-MIL-H-13531. DEPARTURE FROM CITED TYPE, SIZE: AS MOD BY END CONNECTION TYPE, SIZE. MAXIMUM OPERATING PRESSURE: 2250 PSI  
APPROXIMATE QUANTITY: 18 EACH  
CAGE CODE: 19207  
COMPANY: U.S. ARMY TANK AUTOMOTIVE COMMAND  
AMSTA-IM-MM  
ADDRESS: 11 MILE ROAD  
WARREN, MI 48397  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4720-00-770-6086  
DEMIL CODE: A  
Total Cost - \$211.86

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 287. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER HCF11302. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 1.250 INCHES NOMINAL. TEMPERATURE RATING: NOT RATED. OUTSIDE DIAMETER: 1.875 INCHES NOMINAL. MINIMUM INSIDE BENDING RADIUS: NOT RATED. FIRST END CONNECTION TYPE: THREADED EXTERNAL PIPE. FIRST END STYLE DESIGNATOR: D3 INVERTED FLARE. FIRST END THREAD DIRECTION: RIGHT-HAND. FIRST END SEAT ANGLE IN DEGREES: 30.0. INNER CONVEYING TUBE MATERIAL: RUBBER, SYNTHETIC. EXTERIOR COLOR: ANY ACCEPTABLE. FIRST END CONNECTION DESIGN:

STRAIGHT. SECOND END RELATIONSHIP WITH FIRST END: IDENTICAL. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. LAYER COMPOSITION AND LOCATION: 1<sup>ST</sup> LAYER BRAIDED FABRIC, OUTER LAYER MOLDED RUBBER SYNTHETIC. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL. MAXIMUM OPERATING PRESSURE: NOT RATED. FIRST END THREAD SERIES DESIGNATOR: NPT. FIRST END NOMINAL THREAD SIZE: 1.250 INCHES. INSIDE SURFACE CONDITION: SMOOTH. MEASURING METHOD AND LENGTH OVERALL: 66.000 INCHES NOMINAL. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. BURST TEST PRESSURE: NOT RATED.

APPROXIMATE QUANTITY: 7 EACH

CAGE CODE: 40152

COMPANY: VME AMERICAS INC  
SUBDIVISION OF VME GROUP N V

ADDRESS: 23001 EUCLID AVENUE  
EUCLID, OH 44117-8017

CONDITION CODE: A

LOCATION: SCC

NSN: 4720-00-869-3274

DEMIL CODE: A

Total Cost - \$445.97

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 288. HOSE, NONMETALLIC:**

PART NUMBER 450120. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 80195

COMPANY: NACCO MATERIALS HANDLING GROUP INC  
DBA HYSTER COMPANY

ADDRESS: 1400 SULLIVAN DRIVE  
GREENVILLE, NC 27834-9007

CONDITION CODE: A

LOCATION: SNC

NSN: 4720-01-075-8212

DEMIL CODE: A

Total Cost - \$816.76

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 289. HOSE, NONMETALLIC:**

PART NUMBER 2583-16MC1205. INNER CONVEYING TUBE MATERIAL: RUBBER. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. INSIDE SURFACE CONDITION: SMOOTH. EXTERIOR COLOR: NATURAL. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 1.000 INCHES NOMINAL. OUTSIDE DIAMETER: 1.500 INCHES NOMINAL. MEASURING METHOD AND LENGTH: 80.000 INCHES NOMINAL OVERALL. MINIMUM INSIDE BENDING RADIUS: NOT RATED. TEMPERATURE RATING: NOT RATED. BURST TEST PRESSURE: NOT RATED. MAXIMUM OPERATING PRESSURE: NOT RATED.

APPROXIMATE QUANTITY: 460 FOOT

CAGE CODE: 01276

COMPANY: EATON AEROQUIP INC  
DIV HYDRAULIC OPERATIONS

ADDRESS: 14615 LONE OAK ROAD  
EDEN PRAIRIE, MN 55344-2287

CONDITION CODE: A

LOCATION: BR4

NSN: 4720-01-151-0239

DEMIL CODE: A

Total Cost - \$10,722.60

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 290. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER LE271-0016-0058. HOSE OR TUBING SPEC/STD DATA: SAE AS604-81343 STANDARD. INNER CONVEYING TUBE MATERIAL: PLASTIC,

POLYTETRAFLUOROETHYLENE. INSIDE SURFACE CONDITION: SMOOTH. LAYER COMPOSITION AND LOCATION: OUTER LAYER BRAIDED CORROSION RESISTANT STEEL WIRE. EXTERIOR COLOR: ANY ACCEPTABLE. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.391 INCHES NOMINAL. OUTSIDE DIAMETER: 0.675 INCHES MINIMUM AND 0.735 INCHES MAXIMUM. MEASURING METHOD AND LENGTH: 23.875 INCHES NOMINAL OVERALL. MINIMUM INSIDE BENDING RADIUS: 5.750 INCHES. FIRST END CONNECTION TYPE: THREADED INTERNAL TUBE. FIRST END STYLE DESIGNATOR: C4 SWIVEL NUT, INVERTED FLARE. FIRST END SEAT ANGLE IN DEGREES: 8.5. FIRST END CONNECTION DESIGN: STRAIGHT. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL, CORROSION RESISTING. FIRST END THREAD SERIES DESIGNATOR: UNJS. FIRST END NOMINAL THREAD SIZE: 0.750 INCHES. FIRST END THREAD QUANTITY PER INCH: 20. FIRST END THREAD CLASS: 3B. FIRST END THREAD DIRECTION: RIGHT-HAND. SECOND END RELATIONSHIP WITH FIRST END: NOT IDENTICAL. SECOND END CONNECTION TYPE: THREADED, INTERNAL TUBE. SECOND END STYLE DESIGNATOR: C4 SWIVEL NUT, INVERTED FLARE. SECOND END SEAT ANGLE IN DEGREES: 8.5. SECOND END CONNECTION DESIGN: ELBOW SECOND END FLOW ANGLE IN DEGREES: 95.0. SECOND END SWIVEL ACTION CAPABILITY: NOT INCLUDED. SECOND END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL, CORROSION RESISTING. SECOND END THREAD SERIES DESIGNATOR: UNJS. SECOND END NOMINAL THREAD SIZE: 0.750 INCHES. SECOND END THREAD QUANTITY PER INCH: 20. SECOND END THREAD CLASS: 3B. SECOND END THREAD DIRECTION: RIGHT-HAND. TEMPERATURE RATING: -65.0 DEGREES FAHRENHEIT AND 400.0 DEGREES FAHRENHEIT. MAXIMUM OPERATING PRESSURE: 3000.0 POUNDS PER SQUARE INCH. HYDROSTATIC TEST PRESSURE: 6000.0 POUNDS PER SQUARE INCH. BURST TEST PRESSURE: 14000.0 POUNDS PER SQUARE INCH. EXTERNAL PROTECTION TYPE AND LOCATION: OVERALL CHAFE GUARD, POLYTETRAFLUOROETHYLENE TUBING. APPROXIMATE QUANTITY: 29 EACH

CAGE CODE: 43999

COMPANY: MCDONNELL DOUGLAS CORPORATION  
DBA A WHOLLY OWNED SUBSIDIARY OF  
THE BOEING COMPANY

ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309

CONDITION CODE: A

LOCATION: SNC

NSN: 4720-01-180-0903

DEMIL CODE: A

Total Cost - \$15,523.41

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 291. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER 1481-315-11. HOSE OR TUBING SPEC/STD DATA: MIL-H-8794 SPECIFICATION. INNER CONVEYING TUBE MATERIAL: RUBBER, SYNTHETIC. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. INSIDE SURFACE CONDITION: SMOOTH. LAYER COMPOSITION AND LOCATION: 1<sup>ST</sup> LAYER BRAIDED COTTON CORD, 2<sup>ND</sup> LAYER RUBBER IMPREGNATED BRAIDED STEEL WIRE, OUTER LAYER RUBBER IMPREGNATED COTTON FABRIC. EXTERIOR COLOR: ANY ACCEPTABLE. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.313 INCHES NOMINAL. OUTSIDE DIAMETER: 0.672 INCHES NOMINAL. MEASURING METHOD AND LENGTH: 180.000 INCHES NOMINAL WORKING. MINIMUM INSIDE BENDING RADIUS: 3.375 INCHES. FIRST END CONNECTION TYPE: INTERNAL QUICK DISCONNECT. FIRST END STYLE DESIGNATOR: H5

PUSH. FIRST END CONNECTION DESIGN: STRAIGHT. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING ALUMINUM ALLOY. FIRST END QUICK DISCONNECT NOMINAL SIZE: 0.375 INCHES. SECOND END RELATIONSHIP WITH FIRST END: NOT IDENTICAL. SECOND END CONNECTION TYPE: INTERNAL QUICK DISCONNECT. SECOND END STYLE DESIGNATOR: H5 PUSH. SECOND END CONNECTION DESIGN: ELBOW. SECOND END FLOW ANGLE IN DEGREES: 90.0. SECOND END SWIVEL ACTION CAPABILITY: NOT INCLUDED. SECOND END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING ALUMINUM ALLOY. SECOND END QUICK DISCONNECT NOMINAL SIZE: 0.375 INCHES. TEMPERATURE RATING: -65.0 DEGREES FAHRENHEIT AND 160.0 DEGREES FAHRENHEIT. MAXIMUM OPERATING PRESSURE: 2000.0 POUNDS PER SQUARE INCH. HYDROSTATIC TEST PRESSURE: 4500.0 POUNDS PER SQUARE INCH. BURST TEST PRESSURE: 9000.0 POUNDS PER SQUARE INCH. EXTERNAL PROTECTION TYPE AND LOCATION: OVERALL CHAFE GUARD, IRRADIATED POLYETHYLENE TUBING. CAGE CODE: 94756  
COMPANY: THE BOEING COMPANY  
BMC3 & SS DIVISION  
ADDRESS: 3370 EAST MIRALOMA AVENUE  
ANAHEIM, CA 92806-1911  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4720-01-219-2021  
DEMIL CODE: A  
Total Cost - \$14,885.97  
1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 292. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER AD32407-108. INNER CONVEYING TUBE MATERIAL: RUBBER, SYNTHETIC. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. INSIDE SURFACE CONDITION: SMOOTH. LAYER COMPOSITION AND LOCATION: 1<sup>ST</sup> LAYER BRAIDED FIBER, 2<sup>ND</sup> LAYER BRAIDED STEEL WIRE, OUTER LAYER RUBBER IMPREGNATED BRAIDED COTTON CORD. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.875 INCHES NOMINAL. OUTSIDE DIAMETER: 1.234 INCHES NOMINAL. MINIMUM INSIDE BENDING RADIUS: 7.380 INCHES. FIRST END CONNECTION TYPE: THREADED INTERNAL TUBE. FIRST END STYLE DESIGNATOR: C3 SWIVEL NUT FLARE. FIRST END SEAT ANGLE IN DEGREES: 37.0. FIRST END CONNECTION DESIGN: STRAIGHT. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL. FIRST END THREAD SERIES DESIGNATOR: UN. FIRST END NOMINAL THREAD SIZE 1.312 INCHES. FIRST END THREAD CLASS: 2B. FIRST END THREAD DIRECTION: RIGHT-HAND. SECOND END RELATIONSHIP WITH FIRST END: IDENTICAL. TEMPERATURE RATING: -40.0 DEGREES FAHRENHEIT AND 275.0 DEGREES FAHRENHEIT. MAXIMUM OPERATING PRESSURE: 800.0 POUNDS PER SQUARE INCH. HYDROSTATIC TEST PRESSURE: 1600.0 POUNDS PER SQUARE INCH. BURST TEST PRESSURE: 3200.0 POUNDS PER SQUARE INCH. APPROXIMATE QUANTITY: 163 EACH  
CAGE CODE: 73030  
COMPANY: HAMILTON SUNDSTRAND CORPORATION  
ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4720-01-230-0067  
DEMIL CODE: A  
Total Cost - \$25,040.06  
1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 293. HOSE ASSEMBLY, NONMETALLIC:**

PART NUMBER AD32407-111. INNER CONVEYING TUBE MATERIAL: RUBBER, SYNTHETIC. MEDIA FOR WHICH DESIGNED: FUEL/OIL, HYDROCARBON. INSIDE SURFACE CONDITION: SMOOTH. LAYER COMPOSITION AND LOCATION: 1<sup>ST</sup> LAYER BRAIDED FIBER, 2<sup>ND</sup> LAYER BRAIDED STEEL WIRE, OUTER LAYER RUBBER IMPREGNATED BRAIDED COTTON CORD. EXTERIOR COLOR: ANY ACCEPTABLE. CROSS-SECTIONAL SHAPE STYLE: 1 ROUND. INSIDE DIAMETER: 0.875 INCHES NOMINAL. OUTSIDE DIAMETER: 1.234 INCHES NOMINAL. MEASURING METHOD AND LENGTH: 72.000 INCHES NOMINAL EXCLUDING END FITTINGS. MINIMUM INSIDE BENDING RADIUS: 7.380 INCHES. FIRST END CONNECTION TYPE: THREADED INTERNAL TUBE. FIRST END STYLE DESIGNATOR: C3 SWIVEL NUT FLARE. FIRST END SEAT ANGLE IN DEGREES: 37.0. FIRST END CONNECTION DESIGN: STRAIGHT. FIRST END SWIVEL ACTION CAPABILITY: NOT INCLUDED. FIRST END FITTING/COMPONENT AND MATERIAL: COMPLETE FITTING STEEL. FIRST END THREAD SERIES DESIGNATOR: UN. FIRST END NOMINAL THREAD SIZE: 1.312 INCHES. FIRST END THREAD QUANTITY PER INCH: 12. FIRST END THREAD CLASS: 2B. FIRST END THREAD DIRECTION: RIGHT-HAND. SECOND END RELATIONSHIP WITH FIRST END: IDENTICAL. TEMPERATURE RATING: -40.0 DEGREES FAHRENHEIT AND 275.0 DEGREES FAHRENHEIT. MAXIMUM OPERATING PRESSURE: 800.0 POUNDS PER SQUARE INCH. HYDROSTATIC TEST PRESSURE: 1600.0 POUNDS PER SQUARE INCH. BURST TEST PRESSURE: 3200.0 POUNDS PER SQUARE INCH. APPROXIMATE QUANTITY: 217 EACH  
CAGE CODE: 73030  
COMPANY: HAMILTON SUNDSTRAND CORPORATION  
ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4720-01-230-0070  
DEMIL CODE: A  
Total Cost - \$34,503.00  
1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 294. HOSE, PREFORMED:**

PART NUMBER 300592-29. MATERIAL: FIBERGLASS. COVER MATERIAL: RUBBER, CHLOROPRENE. REINFORCEMENT MATERIAL: WIRE. STYLE DESIGNATOR: C3 CENTER HUMP. EFFECTIVE LENGTH: 2.900 INCHES NOMINAL. LARGEST OUTSIDE DIAMETER: 2.000 INCHES NOMINAL. BULGE WIDTH: 0.500 INCHES NOMINAL. ENLARGED END: NOT PROVIDED. WALL THICKNESS: 0.060 INCHES NOMINAL. HOSE INSIDE DIAMETER: 1.000 INCHES NOMINAL. PROTECTIVE CAP: NOT INCLUDED. END ITEM IDENTIFICATION: B-1B AIRCRAFT. APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 53949  
COMPANY: RCF SEALS AND COUPLINGS INC  
ADDRESS: 320 COMMERCE LOOP  
VIDALIA, GA 30474  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4720-01-326-1514  
DEMIL CODE: A  
Total Cost - \$2,674.80  
1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 295. HOSE, PREFORMED:**

PART NUMBER 300592-29. MATERIAL: FIBERGLASS. COVER MATERIAL: RUBBER, CHLOROPRENE. REINFORCEMENT MATERIAL: WIRE. STYLE DESIGNATOR: C3 CENTER HUMP. EFFECTIVE LENGTH: 2.900 INCHES NOMINAL. LARGEST OUTSIDE DIAMETER: 2.000 INCHES NOMINAL. BULGE WIDTH: 0.500 INCHES NOMINAL. ENLARGED END: NOT

PROVIDED. WALL THICKNESS: 0.060 INCHES NOMINAL.  
HOSE INSIDE DIAMETER: 1.000 INCHES NOMINAL.  
PROTECTIVE CAP: NOT INCLUDED. END ITEM  
IDENTIFICATION: B-1B AIRCRAFT.  
APPROXIMATE QUANTITY: 20 EACH  
CAGE CODE: 53949  
COMPANY: RCF SEALS AND COUPLINGS INC  
ADDRESS: 320 COMMERCE LOOP  
VIDALIA, GA 30474  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4720-01-326-1514  
DEMIL CODE: A  
Total Cost - \$5,349.60

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 296. HOSE AIR DUCT:**

PART NUMBER AD1397-15. CROSS-SECTIONAL SHAPE  
STYLE: 3 ROUND. NOMINAL INSIDE DIAMETER: 3.500  
INCHES. TEMPERATURE RANGE: 0.0 – 600.0 DEGREES  
FAHRENHEIT. NOMINAL OVERALL LENGTH: 180.000 INCHES.  
MATERIAL: FIBERGLASS, ALL PLIES.  
APPROXIMATE QUANTITY: 56 FOOT  
CAGE CODE: 98891  
COMPANY: HBD INDUSTRIES INC  
ADDRESS: 201 NORTH ALLEN  
CHANUTE, KS 66720-0728  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4720-01-409-0036  
DEMIL CODE: A  
Total Cost - \$39,217.36

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 297. SPACER, FLEXIBLE, PIPELINE:**

PART NUMBER 75643-55X13PC19. FABRICATION METHOD:  
MOLDED. OVERALL LENGTH: 24.750 INCHES NOMINAL.  
FLANGE THICKNESS: 0.188 INCHES NOMINAL. THICKNESS:  
0.188 INCHES NOMINAL. BODY LENGTH: 2.125 INCHES  
NOMINAL. INSIDE WIDTH: 8.500 INCHES NOMINAL. INSIDE  
LENGTH: 22.000 INCHES NOMINAL. OUTSIDE WIDTH: 11.250  
INCHES NOMINAL. DENSITY RATING: NOT RATED.  
DUROMETER HARDNESS RATING: NOT RATED. MATERIAL:  
RUBBER, SYNTHETIC, MIL-S-6855, CLASS 2. GRADE 60-  
CANCELED. STYLE DESIGNATOR: R4 RECTANGULAR.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 96169  
COMPANY: ELECTRIC BOAT CORPORATION  
ADDRESS: 75 EASTERN POINT ROAD  
GROTON, CT 06340-4989  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4730-00-082-5925  
DEMIL CODE: A  
Total Cost - \$389.66

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 298. ADAPTER, STRAIGHT, HOSE TO BOSS:**

PART NUMBER 617310. MATERIAL: ALUMINUM ALLOY  
OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION:  
AMS4120 ASSN STD SINGLE MATERIAL RESPONSE  
OVERALL. CONNECTION TYPE: THREADED EXTERNAL  
HOSE GRIPPING 1<sup>ST</sup> END, THREADED EXTERNAL BOSS 2<sup>ND</sup>  
END. CONNECTION STYLE: B61 GRIPPING NIPPLE 1<sup>ST</sup> END,  
B71 EXTERNAL SEAT FOR GASKET SEAL 2<sup>ND</sup> END. NOMINAL  
INSIDE DIAMETER HOSE ACCOMMODATED: 0.375 INCHES  
FIRST END. NOMINAL OUTSIDE DIAMETER HOSE  
ACCOMMODATED: 0.700 INCHES 1<sup>ST</sup> END. THREAD SERIES  
DESIGNATOR: UNEF 2<sup>ND</sup> END. NOMINAL THREAD SIZE: 1.000  
INCHES 2<sup>ND</sup> END. REDUCED PASSAGE NOMINAL INSIDE  
DIAMETER: 0.263 INCHES 2<sup>ND</sup> END. UNION JOINT LOCATION:

SECOND END. NOMINAL OVERALL LENGTH: 2.051 INCHES.  
END ITEM IDENTIFICATION: F105, F106 AIRCRAFT.  
APPROXIMATE QUANTITY: 17 EACH  
CAGE CODE: 77445  
COMPANY: UNITED TECHNOLOGIES CORPORATION  
PRATT AND WHITNEY DIVISION  
ADDRESS: 400 MAIN STREET  
EAST HARTFORD, CT 06108-0968  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-00-133-2649  
DEMIL CODE: A  
Total Cost - \$10,639.79

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 299. COUPLING HALF, QUICK DISCONNECT:**

PART NUMBER C2773-3. BODY STYLE: 1 COUPLING HALF.  
FURNISHED ITEMS: CAP AND WIRE ROPE. OVERALL  
LENGTH: 1.518 INCHES NOMINAL. FIRST END STYLE  
DESIGNATOR: D7 EXTERNAL SEAT FOR GASKET SEAL.  
FIRST END THREAD CLASS: 2A. FIRST LEG LENGTH: 0.350  
INCHES NOMINAL. QUICK DISCONNECT METHOD: PUSH-  
LOCK ALL ENDS. QUICK DISCONNECT NOMINAL SIZE: 0.250  
INCHES ALL ENDS. FIRST FLUID END CONNECTION TYPE:  
THREADED EXTERNAL BOSS. FEATURES PROVIDED: SELF-  
SEALING. MAXIMUM OPERATING PRESSURE AND MEDIA  
FOR WHICH DESIGNED: NOT RATED. FIRST END THREAD  
SERIES DESIGNATOR: UNF. BODY MATERIAL: STEEL  
CORROSION RESISTING. FIRST END NOMINAL THREAD  
SIZE: 0.438 INCHES. QUICK DISCONNECT END  
CONNECTION TYPE: EXTERNAL ALL ENDS. MAXIMUM  
OPERATING TEMPERATURE AND MEDIA FOR WHICH  
DESIGNED: NOT RATED.  
APPROXIMATE QUANTITY: 16 EACH  
CAGE CODE: 79326  
COMPANY: TRANSDIGM INC  
ADDRESS: 5000 TRIGGS STREET  
LOS ANGELES, CA 90022-4833  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-00-235-1443  
DEMIL CODE: A  
Total Cost - \$17,536.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 300. FLANGE, PIPE:**

PART NUMBER B16-5-1961. BOLT CIRCLE DIAMETER: 2.625  
INCHES NOMINAL. FLANGE DIAMETER: 3.750 INCHES  
NOMINAL. THICKNESS: 0.562 INCHES NOMINAL. NOMINAL  
PIPE SIZE FOR WHICH DESIGNED: 0.500 INCHES. BOLT  
HOLE QUANTITY: 4. BOLT HOLE DIAMETER: 0.625 INCHES  
NOMINAL. RAISED FACE HEIGHT: 0.250 INCHES NOMINAL.  
RAISED FACE DIAMETER: 1.375 INCHES NOMINAL. NECK  
HEIGHT: 1.500 INCHES NOMINAL. FLANGE SECTION STYLE:  
2-RAISED FACE, WELDING NECK. FACE SEATING SURFACE  
CONDITION: MACHINED. MAXIMUM OPERATING PRESSURE  
AND MEDIA FOR WHICH DESIGNED: 600.0-PSI GAS, 600.0-  
PSI OIL, AND 600.0 PSI WATER. MAXIMUM OPERATING  
TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 950.0  
DEGREES FAHRENHEIT GAS, 950.0 DEGREES FAHRENHEIT  
OIL, AND 950.0 DEGREES FAHRENHEIT WATER. MATERIAL:  
STEEL. MATERIAL DOCUMENT AND CLASSIFICATION: ASTM  
A182, GRADE F1 ASSN STD SINGLE MATERIAL RESPONSE.  
STYLE DESIGNATOR: 1 ROUND, ONE BOLT HOLE CIRCLE.  
NONDEFINITIVE SPEC/STD DATA: 22 TABLE AND 23 TABLE.  
APPROXIMATE QUANTITY: 59 EACH  
CAGE CODE: 80204  
COMPANY: AMERICAN NATIONAL STANDARDS INSTITUTE  
ADDRESS: 25 WEST 43<sup>RD</sup> STREET 4<sup>TH</sup> FLOOR  
NEW YORK, NY 10036  
CONDITION CODE: A  
LOCATION: NNC



NSN: 4730-00-256-8513

DEMIL CODE: A

Total Cost - \$2,521.66

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 301. FLANGE, PIPE:**

PART NUMBER B16-5-1961. BOLT CIRCLE DIAMETER: 2.625 INCHES NOMINAL. FLANGE DIAMETER: 3.750 INCHES NOMINAL. THICKNESS: 0.562 INCHES NOMINAL. NOMINAL PIPE SIZE FOR WHICH DESIGNED: 0.500 INCHES. BOLT HOLE QUANTITY: 4. BOLT HOLE DIAMETER: 0.625 INCHES NOMINAL. RAISED FACE HEIGHT: 0.250 INCHES NOMINAL. RAISED FACE DIAMETER: 1.375 INCHES NOMINAL. NECK HEIGHT: 1.500 INCHES NOMINAL. FLANGE SECTION STYLE: 2-RAISED FACE, WELDING NECK. FACE SEATING SURFACE CONDITION: MACHINED. MAXIMUM OPERATING PRESSURE AND MEDIA FOR WHICH DESIGNED: 600.0-PSI GAS, 600.0-PSI OIL, AND 600.0 PSI WATER. MAXIMUM OPERATING TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 950.0 DEGREES FAHRENHEIT GAS, 950.0 DEGREES FAHRENHEIT OIL, AND 950.0 DEGREES FAHRENHEIT WATER. MATERIAL: STEEL. MATERIAL DOCUMENT AND CLASSIFICATION: ASTM A182, GRADE F1 ASSN STD SINGLE MATERIAL RESPONSE. STYLE DESIGNATOR: 1 ROUND, ONE BOLT HOLE CIRCLE. NONDEFINITIVE SPEC/STD DATA: 22 TABLE AND 23 TABLE. APPROXIMATE QUANTITY: 80 EACH

CAGE CODE: 80204

COMPANY: AMERICAN NATIONAL STANDARDS INSTITUTE

ADDRESS: 25 WEST 43<sup>RD</sup> STREET 4<sup>TH</sup> FLOOR

NEW YORK, NY 10036

CONDITION CODE: A

LOCATION: SCC

NSN: 4730-00-256-8513

DEMIL CODE: A

Total Cost - \$3,419.20

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 302. FLANGE, PIPE:**

PART NUMBER B16-5-1961. BOLT CIRCLE DIAMETER: 2.625 INCHES NOMINAL. FLANGE DIAMETER: 3.750 INCHES NOMINAL. THICKNESS: 0.562 INCHES NOMINAL. NOMINAL PIPE SIZE FOR WHICH DESIGNED: 0.500 INCHES. BOLT HOLE QUANTITY: 4. BOLT HOLE DIAMETER: 0.625 INCHES NOMINAL. RAISED FACE HEIGHT: 0.250 INCHES NOMINAL. RAISED FACE DIAMETER: 1.375 INCHES NOMINAL. NECK HEIGHT: 1.500 INCHES NOMINAL. FLANGE SECTION STYLE: 2-RAISED FACE, WELDING NECK. FACE SEATING SURFACE CONDITION: MACHINED. MAXIMUM OPERATING PRESSURE AND MEDIA FOR WHICH DESIGNED: 600.0-PSI GAS, 600.0-PSI OIL, AND 600.0 PSI WATER. MAXIMUM OPERATING TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 950.0 DEGREES FAHRENHEIT GAS, 950.0 DEGREES FAHRENHEIT OIL, AND 950.0 DEGREES FAHRENHEIT WATER. MATERIAL: STEEL. MATERIAL DOCUMENT AND CLASSIFICATION: ASTM A182, GRADE F1 ASSN STD SINGLE MATERIAL RESPONSE. STYLE DESIGNATOR: 1 ROUND, ONE BOLT HOLE CIRCLE. NONDEFINITIVE SPEC/STD DATA: 22 TABLE AND 23 TABLE. APPROXIMATE QUANTITY: 50 EACH

CAGE CODE: 80204

COMPANY: AMERICAN NATIONAL STANDARDS INSTITUTE

ADDRESS: 25 WEST 43<sup>RD</sup> STREET 4<sup>TH</sup> FLOOR

NEW YORK, NY 10036

CONDITION CODE: A

LOCATION: SRC

NSN: 4730-00-256-8513

DEMIL CODE: A

Total Cost - \$2,137.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 303. TRAP, MOISTURE:**

PART NUMBER 5105B. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 93236

COMPANY: FLOWSERVE U.S. INC

DIV GOVERNMENT MARINE BUSINESS UNIT

ADDRESS: 942 MEMORIAL PARKWAY

PHILLIPSBURG, NJ 08865-2741

CONDITION CODE: A

LOCATION: NNC

NSN: 4730-00-659-6602

DEMIL CODE: A

Total Cost - \$12,540.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 304. TRAP, STEAM:**

PART NUMBER 0067PC1T040. MATERIAL AND LOCATION: STEEL BODY, WORKING PARTS CORROSION RESISTING METAL. DESIGN TYPE: PISTON. BODY DESIGN: STRAIGHT PATTERN. MAXIMUM STEAM WORKING PRESSURE: 1500.0 POUNDS PER SQUARE INCH. RATED CAPACITY AT MAXIMUM WORKING PRESSURE: NOT RATED. INLET/OUTLET CONNECTION SIMILARITY: IDENTICAL. INLET/OUTLET CONNECTION NOMINAL PIPE SIZE: 2.000 INCHES. INLET/OUTLET CONNECTION TYPE: FLANGED. FLANGE FACING TYPE: RAISED. FLANGE OUTSIDE DIAMETER: 9.250 INCHES NOMINAL. FLANGE THICKNESS: 2.000 INCHES NOMINAL. FLANGE BOLT CIRCLE DIAMETER: 6.750 INCHES NOMINAL. FLANGE BOLT HOLE QUANTITY: 8. FLANGE BOLT HOLE DIAMETER: 1.0363 INCHES NOMINAL. INLET LOCATION IN RELATION TO INSTALLED POSITION: UPPER SIDE. OUTLET LOCATION IN RELATION TO INSTALLED POSITION: UPPER SIDE. STRAINER: NOT INCLUDED. GAGE GLASS: NOT INCLUDED. APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 57574

COMPANY: VELAN VALVE CORPORATION

ADDRESS: 94 AVENUE C GRISWOLD INDUSTRIAL PARK

WILLISTON, VT 05495

CONDITION CODE: A

LOCATION: AQ5

NSN: 4730-00-828-8820

DEMIL CODE: A

Total Cost - \$11,718.88

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 305. CONNECTION, SOUND IS:**

PART NUMBER 593-208-1864845. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 80064

COMPANY: DERBYSHIRE MACHINE & TOOL CO. INC

ADDRESS: 5100 BELFIELD AVENUE

PHILADELPHIA, PA 19144-1788

CONDITION CODE: A

LOCATION: SCC

NSN: 4730-00-859-2766

DEMIL CODE: A

Total Cost - \$2,514.45

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 306. CONNECTION, SOUND IS:**

PART NUMBER 593-208-1864845. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 80064

COMPANY: DERBYSHIRE MACHINE & TOOL CO. INC

ADDRESS: 5100 BELFIELD AVENUE

PHILADELPHIA, PA 19144-1788

CONDITION CODE: A

LOCATION: NNC

NSN: 4730-00-859-2766

DEMIL CODE: A

Total Cost - \$10,057.80

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.****Item 307. ADAPTER, POLARIZER:**

NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: UNKNOWN

COMPANY: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: FLC

NSN: 4730-01-016-1263

DEMIL CODE: A

Total Cost - \$6,455.52

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.****Item 308. ELBOW ASSEMBLY, HYDRAULIC:**

PART NUMBER CA49757. GENERAL CHARACTERISTICS:

CONSISTS OF NOZZLE, PART NUMBER C49758,1; TUBE,

PART NUMBER B49759, 1; ELBOW ADAPTER, PART NUMBER

B70132, 1; O RING, PART NUMBER 2-018/PARKER, 1;

FEMALE PLUG, PART NUMBER LL6-K31/HANSEN, 1;

FERRULE, PART NUMBER CL-3-F/CARR-LANE, 2; CABLE,

6.000 INCH LENGTH, PART NUMBER CL-3-C/CARR-LANE, 1;

TAG, P/N B48369, 1; SCREW, P/N 70467, 3.

APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 05825

COMPANY: NORTHROP GRUMMAN SYSTEMS CORP

ELECTRONIC SYSTEMS

ADDRESS: PO BOX 1488 MS 9E2E

ANNAPOLIS, MD 21404-0000

CONDITION CODE: A

LOCATION: AQ5

NSN: 4730-01-027-2309

DEMIL CODE: A

Total Cost - \$1,956.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.****Item 309. ELBOW ASSEMBLY, HYDRAULIC:**

PART NUMBER CA49757. GENERAL CHARACTERISTICS:

CONSISTS OF NOZZLE, PART NUMBER C49758,1; TUBE,

PART NUMBER B49759, 1; ELBOW ADAPTER, PART NUMBER

B70132, 1; O RING, PART NUMBER 2-018/PARKER, 1;

FEMALE PLUG, PART NUMBER LL6-K31/HANSEN, 1;

FERRULE, PART NUMBER CL-3-F/CARR-LANE, 2; CABLE,

6.000 INCH LENGTH, PART NUMBER CL-3-C/CARR-LANE, 1;

TAG, P/N B48369, 1; SCREW, P/N 70467, 3.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 05825

COMPANY: NORTHROP GRUMMAN SYSTEMS CORP

ELECTRONIC SYSTEMS

ADDRESS: PO BOX 1488 MS 9E2E

ANNAPOLIS, MD 21404-0000

CONDITION CODE: A

LOCATION: SRC

NSN: 4730-01-027-2309

DEMIL CODE: A

Total Cost - \$4,890.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.****Item 310. COUPLING HALF, QUICK DISCONNECT:**

PART NUMBER LEC250D6. OVERALL LENGTH: 2.085 INCHES

MINIMUM AND 2.116 INCHES MAXIMUM. FIRST END STYLE

DESIGNATOR: D6 FLARED. FIRST END OUTSIDE DIAMETER

TUBE ACCOMMODATED: 0.375 INCHES NOMINAL. FIRST

END THREAD CLASS: 3A. FIRST LEG LENGTH: 0.566 INCHES

MINIMUM AND 0.583 INCHES MAXIMUM. QUICK

DISCONNECT METHOD: PUSH-PULL ALL ENDS. QUICK

DISCONNECT NOMINAL SIZE: 0.688 INCHES ALL ENDS.

FIRST FLUID END CONNECTION TYPE: THREADED

EXTERNAL TUBE. FEATURES PROVIDED: SAFETY LOCKING  
FEATURE AND SELF-SEALING. MAXIMUM OPERATING  
PRESSURE AND MEDIA FOR WHICH DESIGNED: 25,500.0 PSI  
FLUID COOLANOL. FIRST END THREAD SERIES

DESIGNATOR: UNJF. FIRST END SEAT ANGLE: 37.0

DEGREES NOMINAL. BODY MATERIAL: STEEL COMP 303.

BODY SURFACE TREATMENT DOCUMENT AND

CLASSIFICATION: QQ-P-35 FED SPEC SINGLE TREATMENT

RESPONSE. FIRST END NOMINAL THREAD SIZE: 0.562

INCHES. QUICK DISCONNECT END CONNECTION TYPE:

INTERNAL ALL ENDS. BODY SURFACE TREATMENT:

PASSIVATE. MAXIMUM OPERATING TEMPERATURE AND

MEDIA FOR WHICH DESIGNED: 25,135.0 DEGREES CELSIUS,

FLUID COOLANOL. BODY MATERIAL DOCUMENT AND

MATERIAL CLASSIFICATION: QQ-S-764 FED SPEC SINGLE

MATERIAL RESPONSE. BODY STYLE: 1 COUPLING HALF.

CAGE CODE: 79326

COMPANY: TRANSDIGM INC

ADDRESS: 5000 TRIGGS STREET

LOS ANGELES, CA 90022-4833

CONDITION CODE: A

LOCATION: SCC

NSN: 4730-01-035-6901

DEMIL CODE: A

Total Cost - \$1,522.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.****Item 311. COUPLING HALF, QUICK DISCONNECT:**

PART NUMBER LEC250D6. OVERALL LENGTH: 2.085 INCHES

MINIMUM AND 2.116 INCHES MAXIMUM. FIRST END STYLE

DESIGNATOR: D6 FLARED. FIRST END OUTSIDE DIAMETER

TUBE ACCOMMODATED: 0.375 INCHES NOMINAL. FIRST

END THREAD CLASS: 3A. FIRST LEG LENGTH: 0.566 INCHES

MINIMUM AND 0.583 INCHES MAXIMUM. QUICK

DISCONNECT METHOD: PUSH-PULL ALL ENDS. QUICK

DISCONNECT NOMINAL SIZE: 0.688 INCHES ALL ENDS.

FIRST FLUID END CONNECTION TYPE: THREADED

EXTERNAL TUBE. FEATURES PROVIDED: SAFETY LOCKING

FEATURE AND SELF-SEALING. MAXIMUM OPERATING

PRESSURE AND MEDIA FOR WHICH DESIGNED: 25,500.0 PSI

FLUID COOLANOL. FIRST END THREAD SERIES

DESIGNATOR: UNJF. FIRST END SEAT ANGLE: 37.0

DEGREES NOMINAL. BODY MATERIAL: STEEL COMP 303.

BODY SURFACE TREATMENT DOCUMENT AND

CLASSIFICATION: QQ-P-35 FED SPEC SINGLE TREATMENT

RESPONSE. FIRST END NOMINAL THREAD SIZE: 0.562

INCHES. QUICK DISCONNECT END CONNECTION TYPE:

INTERNAL ALL ENDS. BODY SURFACE TREATMENT:

PASSIVATE. MAXIMUM OPERATING TEMPERATURE AND

MEDIA FOR WHICH DESIGNED: 25,135.0 DEGREES CELSIUS,

FLUID COOLANOL. BODY MATERIAL DOCUMENT AND

MATERIAL CLASSIFICATION: QQ-S-764 FED SPEC SINGLE

MATERIAL RESPONSE. BODY STYLE: 1 COUPLING HALF.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 79326

COMPANY: TRANSDIGM INC

ADDRESS: 5000 TRIGGS STREET

LOS ANGELES, CA 90022-4833

CONDITION CODE: A

LOCATION: AQ5

NSN: 4730-01-035-6901

DEMIL CODE: A

Total Cost - \$15,220.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.****Item 312. REDUCER, PIPE:**

PART NUMBER 221-1421. END ITEM IDENTIFICATION:

SCOOP LOADER. NO ADDITIONAL DESCRIPTION

INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 100 EACH

CAGE CODE: 10988

COMPANY: CASE CORPORATION

ADDRESS: 700 STATE STREET  
RACINE, WI 53404-3343  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4730-01-055-7646  
DEMIL CODE: A  
Total Cost - \$102.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 313. TEE, TUBE TO HOSE:**

PART NUMBER 1940621. END ITEM IDENTIFICATION: CHRYSLER CORP, DODGE LIGHT DUTY TRUCK 1973, J SERIES. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 114 EACH  
CAGE CODE: 86403  
COMPANY: CHRYSLER CORPORATION  
SERVICE AND PARTS OPERATIONS  
ADDRESS: 26311 LAWRENCE AVENUE  
CENTER LINE, MI 48015-9960  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4730-01-163-2607  
DEMIL CODE: A  
Total Cost - \$150.48

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 314. RESTRICTOR, FLUID FLOW:**

PART NUMBER L5840193-009. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION  
A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-188-1586  
DEMIL CODE: A  
Total Cost - \$27,280.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 315. REDUCER, TUBE:**

PART NUMBER R45280P 1012. THREAD CLASS: 3B ALL ENDS. REDUCER TYPE: CONCENTRIC. CONNECTION STYLE: B4A SWIVEL NUT INVERTED FLARE ALL ENDS. CONNECTION TYPE: THREADED INTERNAL TUBE ALL ENDS. THREAD QUANTITY PER INCH: 18 FIRST END, 16 SECOND END. NOMINAL THREAD SIZE: 0.843 INCHES FIRST END, 1.000 INCHES SECOND END. SEAT ANGLE: 8.5 DEGREES ALL ENDS. NOMINAL OUTSIDE DIAMETER TUBE ACCOMMODATED: 0.625 INCHES FIRST END, 0.750 INCHES SECOND END. NOMINAL OVERALL LENGTH: 1.031 INCHES. MATERIAL: STEEL COMP 630 OVERALL. MATERIAL DOCUMENT AND CLASSIFICATION: RES 266 MFR REF SINGLE MATERIAL RESPONSE OVERALL. THREAD SERIES DESIGNATOR: UNJS FIRST END, UNJ SECOND END. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 50599  
COMPANY: CRANE RESISTOFLEX  
ADDRESS: 2575 WEST 5<sup>TH</sup> STREET  
JACKSONVILLE, FL 32254-2066  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4730-01-206-8475  
DEMIL CODE: A  
Total Cost - \$242.58

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 316. MANIFOLD, INLET:**

PART NUMBER U537592. END ITEM IDENTIFICATION: HEAT EXCHANGER, PART NUMBER UA537569-1, FOR B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 78943  
COMPANY: PARKER HANNIFIN CORPORATION  
DBA UNITED AIRCRAFT PRODUCTS  
ADDRESS: 200 RAILROAD STREET  
FOREST, OH 45843-9193  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-207-5248  
DEMIL CODE: A  
Total Cost - \$23,520.30

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 317. MANIFOLD, OUTLET:**

PART NUMBER U537591. END ITEM IDENTIFICATION: HEAT EXCHANGER, PART NUMBER UA537569-1, FOR B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 78943  
COMPANY: PARKER HANNIFIN CORPORATION  
DBA UNITED AIRCRAFT PRODUCTS  
ADDRESS: 200 RAILROAD STREET  
FOREST, OH 45843-9193  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-207-5249  
DEMIL CODE: A  
Total Cost - \$20,254.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 318. MANIFOLD, OUTLET:**

PART NUMBER U537859. END ITEM IDENTIFICATION: HEAT EXCHANGER, PART NUMBER UA537569-1, FOR B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 9 EACH  
CAGE CODE: 78943  
COMPANY: PARKER HANNIFIN CORPORATION  
DBA UNITED AIRCRAFT PRODUCTS  
ADDRESS: 200 RAILROAD STREET  
FOREST, OH 45843-9193  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-207-5253  
DEMIL CODE: A  
Total Cost - \$21,229.11

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 319. MANIFOLD, INLET:**

PART NUMBER U537860. END ITEM IDENTIFICATION: HEAT EXCHANGER, PART NUMBER UA537569-1, FOR B-1B AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 78943  
COMPANY: PARKER HANNIFIN CORPORATION  
DBA UNITED AIRCRAFT PRODUCTS  
ADDRESS: 200 RAILROAD STREET  
FOREST, OH 45843-9193  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-207-5254  
DEMIL CODE: A  
Total Cost - \$23,285.70

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 320. ADAPTER, STRAIGHT, HOSE TO GAS FITTING:**

PART NUMBER 45852276-501. END ITEM IDENTIFICATION: KC135 AIRCRAFT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 15 EACH  
CAGE CODE: 82918  
COMPANY: THE BOEING COMPANY  
ADDRESS: 3801 SOUTH OLIVER STREET  
WICHITA, KS 67210-2196  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-207-5264  
DEMIL CODE: A  
Total Cost - \$69,775.80

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 321. COUPLING HALF, QUICK DISCONNECT:**

PART NUMBER 251G96BE12. BODY STYLE: 1 COUPLING HALF. OVERALL LENGTH: ANY ACCEPTABLE. FIRST END STYLE DESIGNATOR: D6 FLARED. FIRST END OUTSIDE DIAMETER TUBE ACCOMMODATED: 0.750 INCHES NOMINAL. FIRST END THREAD CLASS: 3A. FIRST LEG LENGTH: 0.864 INCHES NOMINAL. QUICK DISCONNECT METHOD: PUSH-PULL ALL ENDS. FIRST FLUID END CONNECTION TYPE: THREADED EXTERNAL TUBE. MAXIMUM OPERATING PRESSURE AND MEDIA FOR WHICH DESIGNED: 500.0 PSI, WATER. FIRST END THREAD QUANTITY PER INCH: 12. FIRST END THREAD SERIES DESIGNATOR: UNJ. FIRST END SEAT ANGLE: 37.0 DEGREES NOMINAL. BODY MATERIAL: STEEL COMP 303, FIRST END NOMINAL THREAD SIZE: 1.062 INCHES. QUICK DISCONNECT END CONNECTION TYPE: INTERNAL ALL ENDS. BODY SURFACE TREATMENT: PASSIVATE. MAXIMUM OPERATING TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 98.0 DEGREES CELSIUS, WATER.  
CAGE CODE: 79326  
COMPANY: NORTHROP GRUMMAN SYSTEMS CORP  
ADDRESS: SOUTH OYSTER BAY ROAD  
BETHPAGE, NY 11714-3582  
CONDITION CODE: A  
LOCATION: SCC  
NSN: 4730-01-217-9280  
DEMIL CODE: A  
Total Cost - \$340.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 322. COUPLING HALF, QUICK DISCONNECT:**

PART NUMBER 251G96BE8. BODY STYLE: 1 COUPLING HALF. OVERALL LENGTH: 2.845 INCHES NOMINAL. FIRST END STYLE DESIGNATOR: D6 FLARED. FIRST END OUTSIDE DIAMETER TUBE ACCOMMODATED: 0.500 INCHES NOMINAL. FIRST END THREAD CLASS: 3A. FIRST LEG LENGTH: 1.281 INCHES NOMINAL. QUICK DISCONNECT METHOD: PUSH-PULL ALL ENDS. FIRST FLUID END CONNECTION TYPE: THREADED EXTERNAL TUBE. MAXIMUM OPERATING PRESSURE AND MEDIA FOR WHICH DESIGNED: 500.0 PSI, WATER. FIRST END THREAD SERIES DESIGNATOR: UNJF. FIRST END SEAT ANGLE: 37.0 DEGREES NOMINAL. BODY MATERIAL: STEEL COMP 303, FIRST END NOMINAL THREAD SIZE: 0.750 INCHES. QUICK DISCONNECT END CONNECTION TYPE: INTERNAL ALL ENDS. BODY SURFACE TREATMENT: PASSIVATE. MAXIMUM OPERATING TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 98.0 DEGREES CELSIUS, WATER.  
CAGE CODE: 79326  
COMPANY: NORTHROP GRUMMAN SYSTEMS CORP  
ADDRESS: SOUTH OYSTER BAY ROAD  
BETHPAGE, NY 11714-3582  
CONDITION CODE: A

LOCATION: SCC  
NSN: 4730-01-217-9281  
DEMIL CODE: A  
Total Cost - \$832.30

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 323. ELBOW, TUBE TO HOSE:**

PART NUMBER 30006-5-4ZK. THREAD CLASS: 2B 1<sup>ST</sup> END. CONNECTION STYLE: B3 SWIVEL NUT, FLARE FIRST END; B60 GRIPPING SECOND END. LEG LENGTH: 0.422 INCHES NOMINAL FIRST END; 3.000 INCHES NOMINAL SECOND END. CONNECTION TYPE: THREADED INTERNAL TUBE FIRST END; THREADED EXTERNAL HOSE GRIPPING SECOND END. NOMINAL THREAD SIZE: 0.500 INCHES FIRST END. SEAT ANGLE: 37.0 DEGREES FIRST END. FLOW ANGLE: 45.0 DEGREES. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 0.250 INCHES SECOND END. NOMINAL OUTSIDE DIAMETER HOSE ACCOMMODATED: 0.312 INCHES FIRST END; 0.687 INCHES SECOND END. MATERIAL: STEEL CORROSION RESISTING OVERALL. THREAD SERIES DESIGNATOR: UNF FIRST END. FURNISHED ITEMS AND QUANTITY: SWIVEL NUT, 1. SPECIFICATIONS/STANDARD DATA GOVERNMENT SPECIFICATION: 81349-MIL-F-52525/2. APPROXIMATE QUANTITY: 6 EACH  
CAGE CODE: 98441  
COMPANY: PARKER HANNIFIN CORPORATION  
DIV STRATOFLEX PRODUCTS DIVISION  
ADDRESS: 220 ROBERTS CUT-OFF ROAD  
FORT WORTH, TX 76114-0398  
CONDITION CODE: A  
LOCATION: SRC  
NSN: 4730-01-226-3300  
DEMIL CODE: A  
Total Cost - \$804.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 324. ELBOW, TUBE TO HOSE:**

PART NUMBER 30006-5-4ZK. THREAD CLASS: 2B 1<sup>ST</sup> END. CONNECTION STYLE: B3 SWIVEL NUT, FLARE FIRST END; B60 GRIPPING SECOND END. LEG LENGTH: 0.422 INCHES NOMINAL FIRST END; 3.000 INCHES NOMINAL SECOND END. CONNECTION TYPE: THREADED INTERNAL TUBE FIRST END; THREADED EXTERNAL HOSE GRIPPING SECOND END. NOMINAL THREAD SIZE: 0.500 INCHES FIRST END. SEAT ANGLE: 37.0 DEGREES FIRST END. FLOW ANGLE: 45.0 DEGREES. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 0.250 INCHES SECOND END. NOMINAL OUTSIDE DIAMETER HOSE ACCOMMODATED: 0.312 INCHES FIRST END; 0.687 INCHES SECOND END. MATERIAL: STEEL CORROSION RESISTING OVERALL. THREAD SERIES DESIGNATOR: UNF FIRST END. FURNISHED ITEMS AND QUANTITY: SWIVEL NUT, 1. SPECIFICATIONS/STANDARD DATA GOVERNMENT SPECIFICATION: 81349-MIL-F-52525/2. APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 98441  
COMPANY: PARKER HANNIFIN CORPORATION  
DIV STRATOFLEX PRODUCTS DIVISION  
ADDRESS: 220 ROBERTS CUT-OFF ROAD  
FORT WORTH, TX 76114-0398  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4730-01-226-3300  
DEMIL CODE: A  
Total Cost - \$268.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 325. COUPLING, TUBE:**

PART NUMBER 3841267-101. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 38 EACH  
CAGE CODE: 92003

COMPANY: PARKER HANNIFIN CORPORATION  
DIV AEROSPACE GROUP HEADQUARTERS  
ADDRESS: 14300 ALTON PARKWAY  
IRVINE, CA 92618-1898  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-252-7661  
DEMIL CODE: A  
Total Cost - \$26,891.84

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 326. COUPLING HALF, SELF-SEALING:**  
PART NUMBER LE276-0002-0002. BODY MATERIAL;  
ALUMINUM. BODY STYLE: 1 COUPLING HALF. FIRST LEG  
LENGTH: 0.911 INCHES NOMINAL. MAXIMUM OPERATING  
PRESSURE AND MEDIA FOR WHICH DESIGNED: 19.3  
POUNDS PER SQUARE INCH AIR. MAXIMUM OPERATING  
TEMPERATURE AND MEDIA FOR WHICH DESIGNED: 80.0  
DEGREES FAHRENHEIT AIR. OVERALL LENGTH: 4.570  
INCHES NOMINAL. FIRST FLUID END CONNECTION TYPE:  
THREADED EXTERNAL TUBE. FIRST END STYLE  
DESIGNATOR: D6 FLARED. FIRST END SEAT ANGLE: 37.0  
DEGREES NOMINAL. FIRST END OUTSIDE DIAMETER TUBE  
ACCOMMODATED: 1.000 INCHES NOMINAL. FIRST END  
THREAD SERIES DESIGNATOR: UNJ. FIRST END THREAD  
SIZE: 1.312 INCHES. FIRST END THREAD QUANTITY PER  
INCH: 12. FIRST END THREAD CLASS: 3A.  
SPECIFICATION/STANDARD DATA: 96906-MS33656  
GOVERNMENT STANDARD.  
APPROXIMATE QUANTITY: 32 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION DBA  
A WHOLLY OWNED SUBSIDIARY OF  
THE BOEING COMPANY  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-288-5270  
DEMIL CODE: A  
Total Cost - \$27,328.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 327. ELBOW, FLANGE:**  
PART NUMBER 7543257. FSC APPLICATION DATA:  
HYDRAULIC POWER. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.  
APPROXIMATE QUANTITY: 38 EACH  
CAGE CODE: 05228  
COMPANY: PTI TECHNOLOGIES INC  
ADDRESS: 501 DEL NORTE BOULEVARD  
OXNARD, CA 93030-7983  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4730-01-347-1619  
DEMIL CODE: A  
Total Cost - \$19,760.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 328. COUPLING HALF, QUICK DISCONNECT:**  
PART NUMBER Z-1455H-5-F5. BODY MATERIAL: STEEL  
COMP 17-4PH. BODY STYLE: 1 COUPLING HALF. FIRST LEG  
LENGTH: 0.453 INCHES NOMINAL. MAXIMUM OPERATING  
PRESSURE AND MEDIA FOR WHICH DESIGNED: 3000.0  
POUNDS PER SQUARE INCH ANY ACCEPTABLE. MAXIMUM  
OPERATING TEMPERATURE: NOT RATED. FIRST FLUID END  
CONNECTION TYPE: THREADED EXTERNAL TUBE. FIRST  
END STYLE DESIGNATOR: D8 FLARELESS. FIRST END SEAT  
ANGLE: 12.0 DEGREES NOMINAL. FIRST END OUTSIDE  
DIAMETER TUBE ACCOMMODATED: 0.312 INCHES  
NOMINAL. FIRST END THREAD SERIES DESIGNATOR: UNJF.

FIRST END NOMINAL THREAD SIZE: 0.500 INCHES. FIRST  
END THREAD CLASS: 3A. QUICK DISCONNECT METHOD:  
PUSH-PULL ALL ENDS. QUICK DISCONNECT END  
CONNECTION TYPE: INTERNAL ALL ENDS. FURNISHED  
ITEMS AND QUANTITY: 1 SEAL AND 1 DUST PLUG  
ASSEMBLY. FEATURES PROVIDED: SELF-SEALING AND  
SAFETY LOCKING FEATURE.  
APPROXIMATE QUANTITY: 3 EACH  
CAGE CODE: 79318  
COMPANY: WHITTAKER CONTROLS INC  
ADDRESS: 12838 SATICOY STREET  
NORTH HOLLYWOOD, CA 91605-3505  
CONDITION CODE: A  
LOCATION: SNC  
NSN: 4730-01-349-3953  
DEMIL CODE: A  
Total Cost - \$7,455.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 329. VALVE, BALL:**  
PART NUMBER 1427RA3. STYLE DESIGNATOR: A1A  
STRAIGHT THRU FLANGED ENDS. FACE-TO-FACE  
DISTANCE: 14.750 INCHES. VALVE SIZE: 4.000 INCHES.  
MEDIA FOR WHICH DESIGNED: WATER, SALT SINGLE  
RESPONSE. MAXIMUM OPERATING PRESSURE: 700.0  
POUNDS PER SQUARE INCH SINGLE RESPONSE. VALVE  
OPERATION METHOD: HYDRAULIC. CONNECTION TYPE:  
FLANGE FIRST END, FLANGE SECOND END. FLANGE  
SHAPE: ROUND WITH HOLES FIRST END, ROUND WITH  
HOLES SECOND END. NOMINAL OUTSIDE DIAMETER: 8.690  
INCHES FIRST END, 8.750 INCHES SECOND END. NOMINAL  
THICKNESS: 0.144 INCHES FIRST END, 1.500 INCHES  
SECOND END. BOLT HOLE QUANTITY: 10 FIRST END, 10  
SECOND END. BOLT HOLE NOMINAL DIAMETER: 0.688  
INCHES FIRST END, 0.688 INCHES SECOND END. BOLT  
CIRCLE NOMINAL DIAMETER: 7.188 INCHES FIRST END,  
7.125 INCHES SECOND END. FLANGE FACE DESIGN: PLAIN  
FIRST END, PLAIN SECOND END. SPECIAL FEATURES: ONE  
HYDRAULIC ACTUATOR WITH LIMIT SWITCH MICRO 4CE2.  
CAGE CODE: 78062  
COMPANY: SARGENT CONTROLS & AEROSPACE  
ADDRESS: 5675 WEST BURLINGAME ROAD  
TUCSON, AZ 85743-9453  
CONDITION CODE: A  
LOCATION: NNC  
NSN: 4810-00-064-7364  
DEMIL CODE: B  
Total Cost - \$8,159.92

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

THE FOLLOWING ARTICLES APPLY:  
PART 05-I: Military Munitions List Items (MLI)  
PART 05-J: Commerce Control List Items (CCLI)  
PART 05-K: Munitions List and Commerce Control  
List Items (MLI/CCLI) Compliance

**END USE CERTIFICATE APPLIES AND MUST BE  
COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO  
AWARD. THIS PROPERTY MAY REQUIRE A LICENSE FOR  
EXPORT.**

**Item 330. SLEEVE AND SLIDE, DIRECTIONAL  
CONTROL LINEAR VALVE:**  
PART NUMBER HP321501-1. VALVE DESIGN CONTROL  
ACTIVITY: 84685. SLIDE MATERIAL: STEEL CORROSION  
RESISTING. SLEEVE MATERIAL: STEEL CORROSION  
RESISTING. NO ADDITIONAL DESCRIPTION INFORMATION  
AVAILABLE.  
APPROXIMATE QUANTITY: 2 EACH  
CAGE CODE: 70236  
COMPANY: TACTAIR FLUID CONTROLS INC  
ADDRESS: 4806 WEST TAFT ROAD

LIVERPOOL, NY 13088-5596

CONDITION CODE: A

LOCATION: SCC

NSN: 4810-00-578-4286

DEMIL CODE: A

Total Cost - \$1,113.94

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 331. SLEEVE AND SLIDE, DIRECTIONAL CONTROL LINEAR VALVE:**

PART NUMBER 2102-15. END ITEM IDENTIFICATION: AIRCRAFT HYDRAULIC SYSTEMS. SLIDE MATERIAL: STEEL CORROSION RESISTING. SLEEVE MATERIAL: STEEL CORROSION RESISTING. SPECIAL FEATURES: DIMENSIONS IN INCHES; 10.500 OUTSIDE DIAMETER, 9.360 INSIDE DIAMETER, 24 HOLES 0.250 DIAMETER.

APPROXIMATE QUANTITY: 12 EACH

CAGE CODE: 60029

COMPANY: SMITHS AEROSPACE INC

ADDRESS: 1700 BUSINESS CENTER DRIVE

DUARTE, CA 91010-2859

CONDITION CODE: A

LOCATION: AQ5

NSN: 4810-00-995-9347

DEMIL CODE: A

Total Cost - \$14,400.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 332. VALVE, SOLENOID:**

PART NUMBER 5-041-6-24VDC. FLOW CONTROL DEVICE: POPPET. VALVE OPERATION METHOD: ELECTRIC MOTOR. VOLTAGE IN VOLTS AND CURRENT TYPE: 24.0 DC. FLOW CONTROL DEVICE NORMAL OPERATING POSITION: OPEN. THREAD SERIES DESIGNATOR: NPT FIRST END. NOMINAL THREAD SIZE: 0.750 INCHES FIRST END. MOUNTING POSITION: HORIZONTAL.

APPROXIMATE QUANTITY: 38 EACH

CAGE CODE: 07988

COMPANY: AUTOMOTIVE INC

FLUID POWER SYSTEMS COMPONENTS DIV

ADDRESS: 595 SCHELTER ROAD

LINCOLNSHIRE, IL 60069-4220

CONDITION CODE: A

LOCATION: AQ5

NSN: 4810-01-208-0356

DEMIL CODE: A

Total Cost - \$5,392.96

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 333. ROD ASSEMBLY, ACTUATOR:**

PART NUMBER 736211. END ITEM IDENTIFICATION: B-1B AIRCRAFT. FSC APPLICATION DATA: VALVE, SHUTOFF, APU. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 45153

COMPANY: UNITED TECHNOLOGIES

HAMILTON SUNDSTRAND POWER SYSTEMS

ADDRESS: 4400 RUFFIN ROAD

PO BOX 85757

SAN DIEGO, CA 92186-5757

CONDITION CODE: A

LOCATION: AQ5

NSN: 4810-01-216-6859

DEMIL CODE: A

Total Cost - \$6,741.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 334. VALVE, LINEAR, DIRECTIONAL CONTROL:**

PART NUMBER 176004-100. END ITEM IDENTIFICATION: C-5B AIRCRAFT. SPECIAL FEATURES: CONSISTS OF 1

MS20427 M5-11 RIVET; 1 176017-001 WASHER; 1 176028-001 PIN; 1 176026-001 SHAFT; 1 176019-001 SLIDE; 1 176018-001 SLEEVE.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 19156

COMPANY: MOOG AIRCRAFT GROUP

SALT LAKE CITY OPERATIONS

ADDRESS: 2268 SOUTH 3270 WEST

SALT LAKE CITY, UT 84119-1112

CONDITION CODE: A

LOCATION: AQ5

NSN: 4810-01-228-3812

DEMIL CODE: A

Total Cost - \$37,389.50

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 335. BODY, VALVE:**

PART NUMBER 320542. MATERIAL: ALUMINUM ALLOY. VALVE TYPE FOR WHICH DESIGNED: SOLENOID. OVERALL LENGTH: 3.050 INCHES NOMINAL. SPECIAL FEATURES: SIDE HAS BRACKET FOR SOLENOID. END ITEM IDENTIFICATION: B1-B AIRCRAFT.

APPROXIMATE QUANTITY: 17 EACH

CAGE CODE: 79318

COMPANY: WHITTAKER CONTROLS INC

ADDRESS: 12838 SATICOY STREET

NORTH HOLLYWOOD, CA 91605-3505

CONDITION CODE: A

LOCATION: SRC

NSN: 4810-01-322-4809

DEMIL CODE: A

Total Cost - \$36,193.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 336. BODY, VALVE:**

PART NUMBER 2495351. MATERIAL: STEEL. OVERALL LENGTH: 4.010 INCHES NOMINAL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 59211

COMPANY: PARKER HANNIFIN CUSTOMER SUPPORT INC

ADDRESS: 14300 ALTON PARKWAY

IRVINE, CA 92618-1814

CONDITION CODE: A

LOCATION: SCC

NSN: 4810-01-375-8113

DEMIL CODE: A

Total Cost - \$3,685.35

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 337. BODY, VALVE:**

PART NUMBER 2495351. MATERIAL: STEEL. OVERALL LENGTH: 4.010 INCHES NOMINAL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 59211

COMPANY: PARKER HANNIFIN CUSTOMER SUPPORT INC

ADDRESS: 14300 ALTON PARKWAY

IRVINE, CA 92618-1814

CONDITION CODE: A

LOCATION: AQ5

NSN: 4810-01-375-8113

DEMIL CODE: A

Total Cost - \$2,456.90

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 338. VALVE, FLOW CONTROL:**

PART NUMBER 60501. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 19 EACH

CAGE CODE: 31849

COMPANY: GREGORY ENGINEERING CORP  
ADDRESS: 105 BARTLETT STREET  
MARLBOROUGH, MA 01752  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4820-00-006-1636  
DEMIL CODE: A

Total Cost - \$6,646.20

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 339. VALVE, FLOW CONTROL:**

PART NUMBER 60501. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 8 EACH

CAGE CODE: 31849

COMPANY: GREGORY ENGINEERING CORP

ADDRESS: 105 BARTLETT STREET

MARLBOROUGH, MA 01752

CONDITION CODE: A

LOCATION: SCC

NSN: 4820-00-006-1636

DEMIL CODE: A

Total Cost - \$2,798.40

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 340. SLEEVE AND SLIDE, DIRECTIONAL  
CONTROL LINEAR VALVE:**

PART NUMBER 3455007-1. SPECIAL FEATURES: CONSIST  
OF 1 SLIDE, PART NUMBER 3455009-1 AND 1 SLEEVE, PART  
NUMBER 3455008-1. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 10 EACH

CAGE CODE: 33068

COMPANY: HTD AEROSPACE INC DEL

ADDRESS: 29 INDUSTRIAL PARK ROAD

EAST LYME, CT 06333-0219

CONDITION CODE: A

LOCATION: FHC

NSN: 4820-00-184-5140

DEMIL CODE: A

Total Cost - \$15,505.10

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 341. SLEEVE AND SLIDE, DIRECTIONAL  
CONTROL LINEAR VALVE:**

PART NUMBER 3455007-1. SPECIAL FEATURES: CONSIST  
OF 1 SLIDE, PART NUMBER 3455009-1 AND 1 SLEEVE, PART  
NUMBER 3455008-1. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 33068

COMPANY: HTD AEROSPACE INC DEL

ADDRESS: 29 INDUSTRIAL PARK ROAD

EAST LYME, CT 06333-0219

CONDITION CODE: A

LOCATION: FGC

NSN: 4820-00-184-5140

DEMIL CODE: A

Total Cost - \$4,651.53

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 342. VALVE, GLOBE:**

PART NUMBER 8600-204. STYLE DESIGNATOR: A1  
STRAIGHT THRU. MEDIA FOR WHICH DESIGNED: WATER-  
OIL-GAS SINGLE RESPONSE. MAXIMUM OPERATING  
PRESSURE: 3000.0 POUNDS PER SQUARE INCH SINGLE  
RESPONSE. CONNECTION TYPE: UNTHREADED INTERNAL  
TUBE FIRST END. SPECIAL FEATURES: WITHOUT  
PREINSERTED RINGS.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 96169

COMPANY: ELECTRIC BOAT CORPORATION  
ADDRESS: 75 EASTERN POINT ROAD  
GROTON, CT 06340-4989

CONDITION CODE: A

LOCATION: SRC

NSN: 4820-00-904-1503

DEMIL CODE: A

Total Cost - \$8,208.09

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 343. DISK, VALVE:**

PART NUMBER V6038. END ITEM IDENTIFICATION: VALVE B  
2-WAY 3-PORT. NO ADDITIONAL DESCRIPTION  
INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 03670

COMPANY: ANSUL INCORPORATED

ADDRESS: ONE STANTON STREET

MARINETTE, WI 54143-2542

CONDITION CODE: A

LOCATION: SRC

NSN: 4820-00-980-4493

DEMIL CODE: A

Total Cost - \$8,362.24

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 344. LIMITER, PRESSURE:**

PART NUMBER 54494-40736. END ITEM IDENTIFICATION: AIR  
DATA COMPUTER, MODEL AN/AMS-442. NO ADDITIONAL  
DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 97384

COMPANY: AAI CORPORATION

ADDRESS: HUNT VALLEY, MD 21030-0126

CONDITION CODE: A

LOCATION: SG2

NSN: 4820-01-017-2353

DEMIL CODE: A

Total Cost - \$23,022.90

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 345. VALVE, GLOBE:**

PART NUMBER 6181-73. FLOW CONTROL DEVICE: DISK.  
END ITEM IDENTIFICATION: AIR-DRY CORP VALVE  
MANIFOLD ASSEMBLY 10409. VALVE OPERATION METHOD:  
MANUAL. MOUNTING FACILITY: PANEL. SPECIAL  
FEATURES: CARTRIDGE TYPE. MATERIAL: STEEL  
CORROSION RESISTING BODY.

CAGE CODE: 01496

COMPANY: AIR DRY COMPANY OF AMERICA LLC

ADDRESS: 1740 COMMERCE WAY

PASO ROBLES, CA 93446-3620

CONDITION CODE: A

LOCATION: SCC

NSN: 4820-01-017-2663

DEMIL CODE: A

Total Cost - \$403.96

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 346. COVER, VALVE:**

PART NUMBER 35055. END ITEM IDENTIFICATION: AIRCRAFT  
MODEL S-3A. GENERAL CHARACTERISTICS: ALUMINUM  
ALLOY, 4.500 INCH DIAMETER FLANGE, 0.130 INCHES  
THICK, 8 BOLT HOLES EQUALLY SPACED ON 4.000 INCH  
CIRCLE 0.750 INCHES HIGH FROM TOP OF FLANGE TO TOP  
OF COVER 3.750 INCH TOP DIAMETER WITH INTERNALLY  
THREADED HOLE ON SIDE 0.125-27 NPT THREAD SIZE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 24235

COMPANY: WILLIAMS INTERNATIONAL COMPANY LLC

ADDRESS: 2280 WEST MAPLE ROAD

WALLED LAKE, MI 48390-3828  
 CONDITION CODE: A  
 LOCATION: SRC  
 NSN: 4820-01-025-8505  
 DEMIL CODE: A  
 Total Cost - \$1,341.34

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 347. VALVE, BACK PRESSURE REGULATING:**

PART NUMBER 10459-11. GENERAL CHARACTERISTICS  
 ITEM DESCRIPTION: PARTS LIST CONTAINS 2 BEARINGS, 1 MOUNTING BRACKET, 1 BUSHING, 1 CYLINDER AIR, 1 HOLDER, 13 NUTS, 2 O-RINGS, 1 PLATE MOUNTING, 1 PLUG, 1 ROD CONTROL, 3 SCREWS, 1 SEAL, 4 THREADED RODS, 1 VALVE. END ITEM IDENTIFICATION: F100-PW100 ENG F15 TEST STAND.  
 APPROXIMATE QUANTITY: 9 EACH  
 CAGE CODE: 06659  
 COMPANY: TESTECK INC.  
 ADDRESS: 12271 GLOBE ROAD  
 LIVONIA, MI 48150-1193  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 4820-01-071-4131  
 DEMIL CODE: A  
 Total Cost - \$23,778.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 348. REGULATOR, PNEUMATIC:**

PART NUMBER 10459-14. GENERAL CHARACTERISTICS  
 ITEM DESCRIPTION: PARTS LIST CONTAINS 1 AIR CYLINDER, 1 BLEED SCREW, 4 CAP SCREWS, 1 COUPLING, 1 MOUNTING BRACKET, 1 PLUNGER, 1 PRESSURE REGULATOR, 1 SPACER, 1 STOP; 17.09 INCH LENGTH. END ITEM IDENTIFICATION: F100-PW100 ENG F15 TEST STAND.  
 APPROXIMATE QUANTITY: 10 EACH  
 CAGE CODE: 06659  
 COMPANY: TESTECK INC.  
 ADDRESS: 12271 GLOBE ROAD  
 LIVONIA, MI 48150-1193  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 4820-01-071-4791  
 DEMIL CODE: A  
 Total Cost - \$34,000.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 349. VALVE ASSEMBLY, CABIN MODULATING:**

PART NUMBER C31E2066-1. GENERAL CHARACTERISTICS  
 ITEM DESCRIPTION: INSULATION SHALL BE A GSS27001 TYPE 2 SYSTEM EXCEPT USING GB100C2 INSULATION. END ITEM IDENTIFICATION: EF111A AIRCRAFT.  
 APPROXIMATE QUANTITY: 9 EACH  
 CAGE CODE: 26512  
 COMPANY: NORTHROP GRUMMAN SYSTEMS CORP  
 ADDRESS: SOUTH OYSTER BAY ROAD  
 BETHPAGE, NY 11714-3582  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 4820-01-095-0945  
 DEMIL CODE: A  
 Total Cost - \$50,778.45

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 350. VALVE, BUTTERFLY:**

PART NUMBER L5338238-001. MATERIAL: ALUMINUM ALLOY BODY. STYLE DESIGNATOR: A1 STRAIGHT THRU. VALVE OPERATION METHOD: MANUAL. CONNECTION TYPE: UNTHREADED EXTERNAL HOSE FIRST END. CONNECTION STYLE: G63 BEADED FIRST END. NOMINAL INSIDE

DIAMETER HOSE ACCOMMODATED: 1.250 INCHES FIRST END. SPECIAL FEATURES: OPPOSITE OF 4820-01-165-7076.  
 CAGE CODE: 43999  
 COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
 ADDRESS: 2401 EAST WARDLOW ROAD  
 LONG BEACH, CA 90807-5309  
 CONDITION CODE: A  
 LOCATION: FGC  
 NSN: 4820-01-165-6921  
 DEMIL CODE: A  
 Total Cost - \$1,238.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 351. VALVE, BUTTERFLY:**

PART NUMBER L5338238-001. MATERIAL: ALUMINUM ALLOY BODY. STYLE DESIGNATOR: A1 STRAIGHT THRU. VALVE OPERATION METHOD: MANUAL. CONNECTION TYPE: UNTHREADED EXTERNAL HOSE FIRST END. CONNECTION STYLE: G63 BEADED FIRST END. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 1.250 INCHES FIRST END. SPECIAL FEATURES: OPPOSITE OF 4820-01-165-7076.  
 CAGE CODE: 43999  
 COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
 ADDRESS: 2401 EAST WARDLOW ROAD  
 LONG BEACH, CA 90807-5309  
 CONDITION CODE: A  
 LOCATION: FHC  
 NSN: 4820-01-165-6921  
 DEMIL CODE: A  
 Total Cost - \$1,238.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 352. VALVE, BUTTERFLY:**

PART NUMBER L5338238-001. MATERIAL: ALUMINUM ALLOY BODY. STYLE DESIGNATOR: A1 STRAIGHT THRU. VALVE OPERATION METHOD: MANUAL. CONNECTION TYPE: UNTHREADED EXTERNAL HOSE FIRST END. CONNECTION STYLE: G63 BEADED FIRST END. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 1.250 INCHES FIRST END. SPECIAL FEATURES: OPPOSITE OF 4820-01-165-7076.  
 APPROXIMATE QUANTITY: 10 EACH  
 CAGE CODE: 43999  
 COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
 ADDRESS: 2401 EAST WARDLOW ROAD  
 LONG BEACH, CA 90807-5309  
 CONDITION CODE: A  
 LOCATION: AQ5  
 NSN: 4820-01-165-6921  
 DEMIL CODE: A  
 Total Cost - \$12,380.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 353. VALVE, BUTTERFLY:**

PART NUMBER L5338238-002. MATERIAL: ALUMINUM ALLOY BODY. STYLE DESIGNATOR: A1 STRAIGHT THRU. VALVE OPERATION METHOD: MANUAL. CONNECTION TYPE: UNTHREADED EXTERNAL HOSE FIRST END. CONNECTION STYLE: G63 BEADED FIRST END. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 1.250 INCHES FIRST END.  
 APPROXIMATE QUANTITY: 2 EACH  
 CAGE CODE: 43999  
 COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY



ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: FGC  
NSN: 4820-01-165-7076  
DEMIL CODE: A  
Total Cost - \$2,476.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 354. VALVE, BUTTERFLY:**

PART NUMBER L5338238-002. MATERIAL: ALUMINUM ALLOY BODY. STYLE DESIGNATOR: A1 STRAIGHT THRU. VALVE OPERATION METHOD: MANUAL. CONNECTION TYPE: UNTHREADED EXTERNAL HOSE FIRST END. CONNECTION STYLE: G63 BEADED FIRST END. NOMINAL INSIDE DIAMETER HOSE ACCOMMODATED: 1.250 INCHES FIRST END.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4820-01-165-7076  
DEMIL CODE: A  
Total Cost - \$12,380.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 355. BODY, VALVE:**

PART NUMBER 736268. SPECIAL FEATURES: ELBOW SHAPED 6.00 INCHES FROM END TO CENTER LINE BY 3.10 INCHES FROM END TO CENTER LINE; APPROXIMATELY 3.50 INCHES OVERALL DIAMETER; ONE END FITTING PER MS33746, OTHER END FLANGED TO MATE PRESSURE SCIENCE PART NUMBER 2710-400F. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
CAGE CODE: 45153  
COMPANY: UNITED TECHNOLOGIES HAMILTON SUNDSTRAND POWER SYSTEMS  
ADDRESS: 4400 RUFFIN ROAD  
PO BOX 85757  
SAN DIEGO, CA 92186-5757  
CONDITION CODE: A  
LOCATION: FGC  
NSN: 4820-01-167-9482  
DEMIL CODE: A  
Total Cost - \$3,002.00

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 356. BODY, VALVE:**

PART NUMBER 736268. SPECIAL FEATURES: ELBOW SHAPED 6.00 INCHES FROM END TO CENTER LINE BY 3.10 INCHES FROM END TO CENTER LINE; APPROXIMATELY 3.50 INCHES OVERALL DIAMETER; ONE END FITTING PER MS33746, OTHER END FLANGED TO MATE PRESSURE SCIENCE PART NUMBER 2710-400F. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
APPROXIMATE QUANTITY: 15 EACH  
CAGE CODE: 45153  
COMPANY: UNITED TECHNOLOGIES HAMILTON SUNDSTRAND POWER SYSTEMS  
ADDRESS: 4400 RUFFIN ROAD  
PO BOX 85757  
SAN DIEGO, CA 92186-5757  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4820-01-167-9482  
DEMIL CODE: A

Total Cost - \$45,030.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 357. CARTRIDGE, CHECK VALVE:**

PART NUMBER 1C1054. SPECIAL FEATURES: 2.090 INCHES LENGTH; 0.483 INCHES DIAMETER; 5/16-32 NEF-SB THREADS ONE END; 30.0 DEGREE CHAMFER OTHER END; TWO PIECE BODY CRES PER AMS 5643 17-4 PH; POPPET FLOW CONTROL; MAXIMUM OPERATING PRESSURE 4000.0 PSIG; OPERATING TEMPERATURE -65.0 TO 275.0 DEGREES FAHRENHEIT; HYDRAULIC FLUID PER STO145LB0001 OR MIL-H-5606. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
APPROXIMATE QUANTITY: 401 EACH  
CAGE CODE: 99240  
COMPANY: CRISSAIR INC  
ADDRESS: 38905 10<sup>TH</sup> STREET EAST  
PO BOX 4000  
PALMDALE, CA 93550-4000  
CONDITION CODE: A  
LOCATION: FGC  
NSN: 4820-01-168-1307  
DEMIL CODE: A  
Total Cost - \$36,090.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 358. CARTRIDGE, CHECK VALVE:**

PART NUMBER 1C1054. SPECIAL FEATURES: 2.090 INCHES LONG; 0.483 INCHES DIAMETER; 5/16-32 NEF-SB THREADS ONE END; 30.0 DEGREE CHAMFER OTHER END; TWO PIECE BODY CRES PER AMS 5643 17-4 PH; POPPET FLOW CONTROL; MAXIMUM OPERATING PRESSURE 4000.0 PSIG; OPERATING TEMPERATURE -65.0 TO 275.0 DEGREES FAHRENHEIT; HYDRAULIC FLUID PER STO145LB0001 OR MIL-H-5606. END ITEM IDENTIFICATION: B-1B AIRCRAFT.  
APPROXIMATE QUANTITY: 10 EACH  
CAGE CODE: 99240  
COMPANY: CRISSAIR INC  
ADDRESS: 38905 10<sup>TH</sup> STREET EAST  
PO BOX 4000  
PALMDALE, CA 93550-4000  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4820-01-168-1307  
DEMIL CODE: A  
Total Cost - \$900.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 359. VALVE, CALIBRATED FLOW:**

PART NUMBER L5840179-001. END CONNECTION QUANTITY: 2. FIRST END CONNECTION TYPE: THREADED EXTERNAL TUBE. FIRST END STYLE DESIGNATOR: D2 INVERTED FLARE. FIRST END THREAD SIZE AND SERIES/TYPE DESIGNATOR: 9/16-20 UNJF. FIRST END THREAD CLASS: 3A. FIRST END THREAD DIRECTION: RIGHT-HAND. FIRST END SEAT ANGLE IN DEGREES: 30.0. BODY STYLE: A1 STRAIGHT THRU. MEDIA FOR WHICH DESIGNED: HYDRAULIC FLUID, MIL-H-5606. VALVE DISCHARGE FLOW RATE: 0.4 GALLONS PER MINUTE.  
APPROXIMATE QUANTITY: 4 EACH  
CAGE CODE: 43999  
COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY  
ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309  
CONDITION CODE: A  
LOCATION: FGC  
NSN: 4820-01-187-2833  
DEMIL CODE: A  
Total Cost - \$9,586.16

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 360. VALVE, CALIBRATED FLOW:**

PART NUMBER L5840179-001. END CONNECTION QUANTITY: 2. FIRST END CONNECTION TYPE: THREADED EXTERNAL TUBE. FIRST END STYLE DESIGNATOR: D2 INVERTED FLARE. FIRST END THREAD SIZE AND SERIES/TYPE DESIGNATOR: 9/16-20 UNJF. FIRST END THREAD CLASS: 3A. FIRST END THREAD DIRECTION: RIGHT-HAND. FIRST END SEAT ANGLE IN DEGREES: 30.0. BODY STYLE: A1 STRAIGHT THRU. MEDIA FOR WHICH DESIGNED: HYDRAULIC FLUID, MIL-H-5606. VALVE DISCHARGE FLOW RATE: 0.4 GALLONS PER MINUTE. APPROXIMATE QUANTITY: 21 EACH

CAGE CODE: 43999

COMPANY: MCDONNELL DOUGLAS CORPORATION DBA A WHOLLY OWNED SUBSIDIARY OF THE BOEING COMPANY

ADDRESS: 2401 EAST WARDLOW ROAD  
LONG BEACH, CA 90807-5309

CONDITION CODE: A

LOCATION: AQ5

NSN: 4820-01-187-2833

DEMIL CODE: A

Total Cost - \$50,327.34

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 361. VALVE AND HOUSING ASSEMBLY:**

PART NUMBER AD30504-1. END ITEM IDENTIFICATION: 4920-01-131-1022. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 9 EACH

CAGE CODE: 73030

COMPANY: HAMILTON SUNDSTRAND CORPORATION

ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010

CONDITION CODE: A

LOCATION: AQ5

NSN: 4820-01-189-6025

DEMIL CODE: A

Total Cost - \$16,290.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 362. VALVE, SAFETY RELIEF:**

PART NUMBER AD30504-4. FLOW CONTROL DEVICE: PISTON. VALVE OPERATION METHOD: AUTOMATIC. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 3 EACH

CAGE CODE: 73030

COMPANY: HAMILTON SUNDSTRAND CORPORATION

ADDRESS: ONE HAMILTON ROAD  
WINDSOR LOCKS, CT 06096-1010

CONDITION CODE: A

LOCATION: AQ5

NSN: 4820-01-226-8927

DEMIL CODE: A

Total Cost - \$25,635.18

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 363. SEAT, VALVE:**

HARDNESS RATING: NOT RATED. SEATING SURFACE SHAPE: FLAT. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 32 EACH

CAGE CODE: UNKNOWN

COMPANY: UNKNOWN

ADDRESS: UNKNOWN

CONDITION CODE: A

LOCATION: SCC

NSN: 4820-01-273-5752

DEMIL CODE: A

Total Cost - \$9,348.80

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 364. GUIDE, VALVE STEM:**

PART NUMBER HC-MS-55-2-1/2 K6 ITEM 9. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE. APPROXIMATE QUANTITY: 4 EACH

CAGE CODE: 15187

COMPANY: ANDERSON GREENWOOD CROSBY DBA DIV OF ANDERSON

ADDRESS: 43 KENDRICK STREET  
PO BOX 308

WRENTHAM, MA 02093-1554

CONDITION CODE: A

LOCATION: AQ5

NSN: 4820-01-299-3966

DEMIL CODE: A

Total Cost - \$10,028.00

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 365. BODY, VALVE:**

PART NUMBER 2499233. MATERIAL: ALUMINUM ALLOY. OVERALL LENGTH: 4.460 INCHES NOMINAL. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 6 EACH

CAGE CODE: 59211

COMPANY: PARKER HANNIFIN CUSTOMER SUPPORT INC

ADDRESS: 14300 ALTON PARKWAY  
IRVINE, CA 92618-1814

CONDITION CODE: A

LOCATION: SCC

NSN: 4820-01-375-8114

DEMIL CODE: A

Total Cost - \$9,158.52

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 366. PISTON PIN FITTING:**

PART NUMBER RM100. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 11140

COMPANY: KH PRODUCTS

ADDRESS: 500 57<sup>TH</sup> STREET  
MARION, IA 52302-3877

CONDITION CODE: A

LOCATION: SRC

NSN: 4910-00-922-8736

DEMIL CODE: A

Total Cost - \$11,416.18

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 367. FRAME:**

PART NUMBER 31442. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

CAGE CODE: 29731

COMPANY: GARDNER DENVER WATER JETTINGS SYSTEMS INC

ADDRESS: 12300 NORTH HOUSTON ROSILYN ROAD  
HOUSTON, TX 77086-3219

CONDITION CODE: A

LOCATION: SCC

NSN: 4940-01-117-9047

DEMIL CODE: A

Total Cost - \$12,511.67

1 EACH

**Note: Add \$36.00 to your bid for shipping this item.**

**Item 368. ADAPTER, MECHANICAL TEST:**

PART NUMBER 23096008000. END ITEM IDENTIFICATION: C-130 AUTO TEST SYSTEM. NO ADDITIONAL DESCRIPTION INFORMATION AVAILABLE.

APPROXIMATE QUANTITY: 2 EACH

CAGE CODE: 31705

COMPANY: ADVANCED TECHNOLOGY AND TESTING

---

ADDRESS: 12841 STARK ROAD  
LIVONIA, MI 48150  
CONDITION CODE: A  
LOCATION: AQ5  
NSN: 4940-01-298-0866  
DEMIL CODE: A  
Total Cost - \$5,617.44

1 LOT

**Note: Add \$36.00 to your bid for shipping this item.**

---

## Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)

See DRMS pamphlet, *Sale by Reference*, March 1994, for General Information and Instructions 1 thru 17.

- 18. Submission of Bids.** Bids must be in the possession of the Sales Contracting Officer by the hour (exact time) specified for the bid opening. Bids must be submitted on the forms provided in this Invitation. Forms must be typewritten or prepared in ink or indelible pencil, and signed by the person submitting the bid. Envelopes containing the bids must be sealed and identified by the name and address of the bidder, the number of the sale, and the date and hour of the bid opening. (See following format.)

<p>NAME _____</p> <p>ADDRESS _____</p> <p>CITY    ST    ZIP _____</p> <p style="text-align: center; margin-top: 20px;">Defense Reutilization &amp; Marketing Service Bid Room, National Sales Office 74 Washington Ave N. BATTLE CREEK, MI 49017-3092</p> <p>SALE NUMBER: 38-4935 BID OPENING DATE: February 18, 2004 @ 9:00 A.M. (EST) BIDDER IDENTIFICATION NUMBER: 300-FILL-IN-YOUR-NUMBER</p>	<div style="border: 1px solid black; padding: 10px; width: 100px; margin: 0 auto;"> POSTAGE REQUIRED </div>
---	---

**19. Bids may be submitted via:**

- A. U.S. Mail-Users of the U.S. Postal Service (including USPS Express Mail)
- B. Express Mail/Hand Carried Bids-Users of Express Mail Services and hand carried bids.
- C. Electronic Method-Instructions for on-line bidding at <http://www.drms.dla.mil>

**Bids submitted by telegram, facsimile, electronic mail (Internet) or mailgram must be specific as to sender and content, to include name and title of sender, complete firm name (if other than an individual), complete address, telephone number, invitation for bid number, item number on which the bid is submitted, unit price and total price and amount.**

**20. Telephonic bids will not be accepted on this sale.**

**21. All bids must be addressed and mailed or delivered to:**

Defense Reutilization and Marketing service  
Bid Room, National sales Office  
74 Washington Ave N  
Battle Creek, MI 49017-3092  
Facsimile Number (269)961-7658

**22. All Payments must be addressed and mailed or delivered to:**

Defense Reutilization and Marketing service  
ATTN: Cashier  
74 Washington Ave N  
Battle Creek, MI 49017-3092  
Facsimile Number (269)961-7314

- 23. Personal Checks:** Personal checks will be accepted for payments of debts, interest, liquidated damages, overages and storage charges, for amounts of \$25.00 or less. Make checks payable to the U.S. Treasury.

- 24. Facsimile Notification of Award:** The bidder may request facsimile notification or award by checking the appropriated block on the Item Bid Page. When requested by the bidder, facsimile notification will be sent simultaneously with the mailing of the contract and will include the contract number and item(s) awarded.

- 25. Disposal Notification to All Purchasers and Sub-Purchasers:** The use, disposition, export and reexport of this property is subject to all applicable U.S. laws and regulations, including the Arms Export Control Act (22 CFR 2751 et seq.); the Export Administration Act of 1979 (560 U.S.C. App. 2401 et seq.); International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.); and the Espionage Act (37 U.S.C. 791 et seq.) which among other things, prohibits:
- a. The making of false statements and concealment of any material information regarding the use or disposition, export or reexport of the property, and
  - b. Any use or disposition, export or reexport of the property, which is not authorized in accordance with the provisions of this agreement.
- Before any export or reexport of this property is attempted, contact the Office of Defense Trade Controls, Department of State and the Bureau of Export Administration, Department of Commerce for export licensing requirements.

## ADDITIONAL GENERAL INFORMATION AND INSTRUCTIONS - SEALED BID – CONTINUED

26. **EXCHANGE SALE:** This property is being offered in accordance with the exchange/sale provisions of Section 201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

**NOTICE:**

High bids on Demil B or Q items, where an End Use Certificate is required, are taking 60 to 120 days (or longer) to clear Trade Security Control, part of the Department of Commerce. To ensure you don't lose the right to the property, during the clearance process, please enter "60" or leave blank the portion of Standard Form 114, Item Bid and Award Page, which states, "In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within \_\_\_\_ calendar days...to pay for and remove the property." **We are unable to extend Bid Acceptance Periods of less than 60 days.** Failure to leave this line blank or specifying less than 60 days may cause you to lose the right to the property.

---

## Supply Condition Codes

Code	Title	Definition
A	Serviceable (issuable without qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction. Includes material with more than 6 months' shelf life remaining.
B	Serviceable (issuable with qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable for its intended purpose but which is restricted from issue to specific units activities, or geographical areas by reason of its limited usefulness or short service life expectancy. Includes material with 3 through 6 months' shelf life remaining.
C	Serviceable (priority issue)	Items which are serviceable and issuable to selected customers, but which must be issued before Condition A and B material to avoid loss or as a usable asset. Includes material with less than 3 months shelf life remaining.
D	Serviceable (test/ modification)	Serviceable material, which requires test, alteration, modification, conversion, or disassembly. (This does not include items, which must be inspected or tested immediately prior to issue.)
E	Unserviceable (limited restoration)	Material, which involves only limited expense or effort to restore to serviceable condition and which is accomplished in the storage activity where the stock is located.
F	Unserviceable (reparable)	Economically reparable material which requires repair, overhaul, or reconditioning (includes reparable items, which are radioactively contaminated).
H	Unserviceable	Material, which has been determined to be unserviceable and does not meet repair criteria, (includes condemned items which are radioactively contaminated).

## Demilitarization Codes/Requirements

A DEMIL customer service helpline at 1-888-352-9333 is available 8:00-5:00 EST/EDST to address any demilitarization problems or concerns.

Code	Explanation
A	Non-MLI/Non-CCLI. <b>Demilitarization not required.</b>
B	MLI (NON-SME). <b>Demilitarization not required.</b> Trade Security Controls (TSC) required at disposition.
G	MLI (SME). <b>Demilitarization required</b> - AEDA. Demilitarization, and if required, declassification and/or removal of sensitive markings or information will be accomplished prior to physical transfer to a DRMO. This code will be used for all AEDA items, including those, which also require declassification and/or removal of sensitive markings or information.
Q	CCLI. Commerce Control List Item – <b>Demilitarization not required.</b> CCLI are dual-use (military, commercial, and other strategic uses) items under the jurisdiction of the Bureau of Export Administration, U.S. Department of Commerce, through the Export Administration Regulations. The types of items under the Commerce Control List (CCL) are commodities (i.e., equipment, materials, electronics, propulsion systems, etc.), software, and technology. The CCL does not include those items exclusively controlled by another department or agency of the U.S. Government.

## Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)

The General Information and Instructions and General and Special Conditions of Sale are hereby incorporated by reference and become a part of this Invitation for Bids and any contract resulting from acceptance of bid submitted pursuant to this Invitation for Bids as fully as though such Instructions, Term and Conditions had been specifically set forth herein. The Instructions, Term and Conditions are contained in Defense Reutilization and Marketing Service pamphlet entitled *Sale by Reference - Instructions, Terms and Conditions Applicable to Department of Defense Personal Property Offered for sale by Defense Reutilization and Marketing Service dated March 1994*, and may be obtained from the DRMS Web site, [www.dla.mil/drms](http://www.dla.mil/drms) or upon request from the DRMS National Sales Office, 74 Washington Ave. N, Battle Creek, MI 49017-3092. Copies are available through any activity of the Defense Reutilization and Marketing Service.

The specific Instructions, Terms and Conditions applicable to this sale are as follows:

DRMS pamphlet *Sale by Reference, March 1994*:

- Part 1: **General Information and Instructions** (DRMS Form 81, Oct 93): Complete except: Condition 6 should read: Any sale or use tax imposed by any state, country or political subdivision will be paid by the Purchaser.
- Part 2: **General Sale Terms and Conditions** (Standard Form 114C, Jun 86 ed., and DRMS Form 84, Oct 93). All Conditions Except 1, 8, 9, 14, and 28.
- Part 3: **Special Sealed Bid Conditions** (Standard Form 114C-1, Jan 70 ed., and DRMS Form 99, Oct 93). All Conditions Except A & E.
- Part 5: **Additional Special Circumstance Conditions - Miscellaneous** (DRMS Form 86, Oct 93). As specified in item description.
- Part 6: **Additional Special Circumstance Conditions- Demilitarization and Mutilation** (DRMS Form 95 Oct 93). As specified in item description.
- Part 7: **Additional Special Circumstance Conditions - Hazardous and Dangerous Property** (DRMS Form 98, Oct 93). As specified in item description.

In addition to the above, the following is also incorporated as part of this sale:

---

## Articles

### ARTICLE AE: DEFAULT

If the Purchaser fails to pay for property within ten days of award stated on the DRMS Form 1427, Notice of Award, Statement, and Release Document, then the Purchaser will be considered to be in default and, without further notice, shall lose all right, title, and interest in the property and will be assessed a 20% liquidated damage fee. Buyers who default on sales contracts may be proposed for debarment and restricted from participating in future Government sales.

### ARTICLE B07: CHANGE IN CONTRACT CLAUSES

The terminology "Strategic List" and "SLI" appearing in Article J: STRATEGIC LIST ITEMS (SLI) and Article K: MUNITIONS AND STRATEGIC LIST ITEM (MLI/SLI) COMPLIANCE found at Part 5 of the Sale by Reference pamphlet dated March 1994 is deleted and "Commodity Control List" and "CCLI" respectively, is substituted therefore. All other language remains unchanged and in full force and effect.

### ARTICLE B58: WARRANTY FOR USABLE AIRCRAFT COMPONENTS/PARTS

The Purchaser is advised that the aircraft components/parts of this sale may not currently be certified by the appropriate regulatory agency (ies) for use on civilian aircraft. The Purchaser represents, warrants, and guarantees to the Government that this (these) item (s) will not be used, offered for sale, or sold for use on civilian aircraft unless proper certification is obtained from the appropriate regulatory agency (ies). This (these) item (s) may also not be installed on any civilian aircraft unless done so by a Federal Aviation Administration (FAA) certified technician and/or mechanic. The Purchaser agrees to hold the Government harmless from any and all demands, suits, actions, or claim whatsoever nature arising from or out of violation of this warranty.

### ARTICLE RCPB01: PAYMENT ON AWARD

(a) A bid deposit is not required on this sale. Full payment of the contract line items and shipping charges are due within ten calendar days from the date of award. Payment is considered late when the payment is not in possession of the cashier no later than 4:30 P.M. Eastern time on the tenth calendar day. Otherwise, the Purchaser will be considered to be in default and provisions of Article AE, DEFAULT, apply.

(b) All payments, including those for liquidated damages, and interest, must be in the form of cashier's check, certified check, traveler's check, bank draft, money order, cash or credit card (MasterCard, Visa, Discover Card, American Express only). Make checks payable to U.S. Treasury. When a credit card is used as payment, the credit card number, the name as printed on the credit card, and the expiration date must be provided. If more than one credit card is used, the bidder must identify the exact monetary amount to be applied against exact credit card. Bidders whose payment is accompanied by a letter of credit, or who have on file an approved bid bond (SF150 or SF 151) may make payments by uncertified personal company checks, but only up to an amount equal to the penal sum of their bond or the amount of their letter of credit.

(c) If, for any reason, a bidder's uncertified check is not honored for payment by the payee's bank upon initial presentment for payment, the Government may, after notifying the bidder, require the bidder to make all future payments by cash, cashier's check, certified check, traveler's check, bank draft or money order.

(d) Successful bidders that wish to make payment via credit card for property awarded via credit card can do so by providing language substantially as follows:

I (WE) AUTHORIZED THE SALES CONTRACTING OFFICER TO OBTAIN PAYMENT BY CREDIT CARD FOR ANY ITEMS I AM (WE ARE) AWARDED ON THIS SALE.

Any necessary adjustments in accordance with condition of sale entitled "Adjustment or Variation in Quantity or Weight" will be applied to the card as a debit or credit.

(e) Personal checks will be accepted for payment of debt interest, liquidated damages, overages and storage charges for amounts of \$25.00 or less.

(f) All payments should be addressed and mailed or delivered to:  
Defense Reutilization and Marketing Service  
Attn.: Cashier  
74 North Washington Ave.  
Battle Creek, MI 49017-3092

Credit card payments may be faxed to: (269)961-7314

### ARTICLE RCPB02: RECEIPT OF PROPERTY

The Purchaser is required to make all arrangements to off load property upon receipt at the destination stated on the "SHIP TO DATA" form provided in the IFB. If for any reason the carrier cannot off load the property during the working hours stated on the "SHIP TO DATA" form, all transportation, storage or any other cost incurred by the carrier will be paid by the Purchaser



to the carrier. If for any reason the Purchaser or original consignee redirects or refuses shipment of property, any additional transportation, storage, or any cost will be paid by the Purchaser to the carrier.

**ARTICLE RCPB04: SHIPPING CHARGES FOR PROPERTY.**

There will be a charge for staging, loading and shipping property located at the DLA Depots and will become part of the bid price on each line item when bidding. The DLA Depot reserves the right to ship, stage, and load the property. When shipping is performed by the DLA Depot, the Depot will arrange all packing, bracing, loading, and contracting requirements for the item to be shipped to the successful bidder for CONUS Destinations Only. CONUS is defined as the 48 contiguous states of the United States.

The shipping charge for each item is listed in the item description. This charge is non-refundable except in the following circumstances:

- (a) Failure by the Government to provide any of the property purchased.
- (b) Complete return of property to Government control when determined by the Sales Contracting Officer that property was misdescribed or damaged prior to receipt by the Purchaser.

In no event will shipping charges be refunded due to shortage in quantity, or for any other reason other than cited above.

**ARTICLE RCPB07: SHIPMENT OF PROPERTY.**

For the purpose of establishing a location for the receipt of property purchased, each buyer must provide a "ship to" address. Each buyer may establish only one location within CONUS to receive property. Should it become necessary to change a "ship to" address, the buyer must be prepared to receive property at both the old and new location for a period of at least 30 days after receipt of the address change to the Government. The "SHIP TO DATA" form requires that "Hours of Operation" be given by the Purchaser. The Purchaser must ensure that someone is available at the ship to location during the stated hours of operation. The Government cannot guarantee that the carrier will call prior to delivery or accommodate appointments.

**ARTICLE 61: DENIED AREAS**

The bidder understands and agrees that the ultimate destination of any property awarded from this sale will not be to Cuba, Iran, Iraq, Libya, Unita (Angola), and Bosnian Serb-Controlled area of the Republic of Bosnia-Herzegovina. The following countries are able to purchase demil "A" (non MLI/SLI) coded property only, but they need to submit a completed End-Use Certificate (EUC) to the sales contracting officer when submitting a bid for property. Afghanistan, Albania, Bulgaria, Burma, Cambodia, Peoples Republic of China, Estonia, Ethiopia, Haiti, Laos, Latvia, Lithuania, Madagascar, Mongolia, Mozambique, Peru, Romania, Somalia, Sudan, Syria, Vietnam, All former states of Yugoslavia, South Africa, Slovenia, Bosnia-Herzegovina, Montenegro, Serbia and other Republics and All former states of the Soviet Union.

## Sale of Government Property Item Bid and Award Page

Address your bid to: Defense Reutilization and Marketing Service Bid Room, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092	Bids will be opened at: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092
Sale No. 38-4935	Date: February 18, 2004 at 9:00 a.m. EST

Bids will be publicly opened on the date and time specified, subject to:

1. **TERMS AND CONDITIONS**
  - ☒ General Sale Terms and Conditions, SF 114C, Jun. 86 ed.; and  
Special Sealed Bid Conditions, SF 114C-1, Jan. 1970 Ed
  - ☒ Terms/conditions incorporated herein by reference;
  - ☒ Special terms/conditions incorporated into the Invitation for Bid;
2. **PAYMENT REQUIREMENTS**
  - ☒ Bidder is required to pay for any or all of the items listed on the Item Bid Page(s) at the price bid for each item, in accordance with Article B01.

### BID (This section to be completed by the Bidder)

In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within \_\_\_\_\_ calendar days (60 calendar days if no period is specified by the Government or the Bidder, but not less than 10 calendar days) to pay for and remove the property. The total amount is \$\_\_\_\_\_.

#### THE BIDDER (Check appropriate boxes)

1. ☐ has, ☐ has not inspected the property on which the bid is submitted.
2. ☐ is, ☐ is not, an individual or a small business concern. (See CFR, Title 13, Chapter 1, Part 121, Sec. 121.3-9 for the definition of small business.)

Complete the following only if the total amount of the bid(s) exceeds \$25,000.

- 3a. ☐ has, ☐ has not, employed or retained any company or person (other than a full-time, bona fide employee working solely for the Bidder) to solicit or secure this contract, and
- 3b. ☐ has, ☐ has not, paid or agreed to pay any company or person (other than a full-time, bona fide employee working solely for the Bidder) any fee, commission, percentage or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to furnish information relating to (a) and (b) above as requested by the Contracting officer, (For interpretation of the representation, including the term "bona fide employee", see CFR, TITLE 41, SUBPART 101-45.3.)

Name and address of bidder (Street, City, State, and Zip Code) (type or print) – (MUST be same on envelope)	Signature of person authorized to sign this bid	
Telephone number: Bidder identification no. (If applicable) 300	Signers name and title (type or print)	Date Of Bid

### Acceptance by the Government (This section for Government use only)

Accepted as to item(s) numbered (For acceptance information see DRMS Form 1427 attached)	United States of America By:  (Contracting Officer)	Date of Acceptance
Total Amount	Contract Number(s)	Name and Title of Contracting Officer

**Sale of Government Property**  
**Item Bid Page**

**NOTICE: INDIVIDUAL BIDS ONLY**

[illegible]

- ☐ Bidder may request facsimile notification of award by checking this block. See General Information and Instruction No. 22 of Sale by Reference. Our facsimile number is:

Bid number to be filled in by sales office		Name of bidder and identification number, if applicable (type or print)
--	--	---

Standard Form 114A Computer Generated

**IMPORTANT NOTICE: PROVIDE YOUR COMPLETE NAME AND MAILING ADDRESS, BIDDER ID NO., SALE NO. AND BID OPENING DATE ON THE FACE OF THE ENVELOPE AS SHOWN IN THE EXAMPLE IN THIS IFB. IT IS IMPORTANT TO YOU AS WELL AS TO THE GOVERNMENT.**

---

## Credit Card Information

### Please note

Effective immediately, if you use a credit card for payment and, at the time of processing, it is declined by the bank, you will be advised, in writing, that your credit card will no longer be accepted for a period of one (1) year. Fraudulent use of credit cards will result in your being recommended for debarment from the DRMS sales program.

If a credit card is to be used as a payment, complete the following information and return this sheet with your bid, or AFTER AWARD, facsimile this completed page to (269) 961-7314. Be sure to include your contract number.

### (Please type or legibly print information)

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Company Name: \_\_\_\_\_

Card Holder Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_ - \_\_\_\_\_

Master Card ( ) Visa ( ) Discover ( ) American Express ( )

Credit Card Number: \_\_\_\_\_

Expiration date: Month \_\_\_\_\_ Year \_\_\_\_\_

I (we) authorize the sales contracting officer to obtain payment by credit card for any items I am (we are) awarded on this sale.

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date

**Ship to Data****When shipping is part of the Terms and Conditions**

When property is to be shipped to the Purchaser by the DLA Dept the following information is required. Forward the below information with your bid. Only one shipping address is authorized, per bidder.

Name of company: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Designated Agent at shipping destination: \_\_\_\_\_

Telephone number of contact person: \_\_\_\_\_

Fax number of contact person: \_\_\_\_\_

Hours of operation: \_\_\_\_\_

(NOTE: The government cannot guarantee that the carrier will call prior to delivery nor accommodate appointments.)

Bidders Identification Number: \_\_\_\_\_

\* First time bidders will be assigned a Bidders Identification Number.

BEFORE YOU BEGIN, READ THE FILLER HELP PROVIDED UNDER FILE/FORM INFO. THEN  
PUT YOUR CURSOR IN THE RED BOX AND CLICK ON F1 FOR SOME ADDITIONAL INFO.



IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO. \_\_\_\_\_

END-USE CERTIFICATE (STATEMENT REGARDING DISPOSITION AND USE OF PROPERTY) (Please read Privacy Act Statement on reverse before completing this form. If additional space is required, use separate sheets and identify by Block Number.)		FOR AGENCY USE ONLY				Form Approved OMB No. 0704-0382 Expires Dec 31, 2004
TSC CLD	PRIMARY PURCHASER	SUB-PURCHASER				
YES		1	2	3	4	
NO						
<p>The public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to DoD, Washington Headquarters Services, DIOR (0704-0382), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to either of these addresses. RETURN COMPLETED FORM TO THE OFFICE STATED ON THE IFB, SOLICITATION OR PROPOSAL.</p> <p><b>INSTRUCTIONS.</b> This form <b>must be fully completed</b> by all applicants for Munitions List Items (MLI)/Commerce Control List Items (CCLI) prior to acceptance by the U.S. Government and constitutes an integral part of this bid. The information given must be true and correct and will become a part of this contract. <b>Every block MUST have an entry.</b> If necessary, insert "NONE," "SAME AS BLOCK X," or "NOT APPLICABLE" (do not use "N/A"). If the applicant is acting solely as an Agent, a DLA Form 1822 must be signed by the Principal. The term Approving Official is used to indicate the person authorized to act for the U.S. Government (Sales Contracting Officer, Plant Clearance Officer, or other designated individual). <b>FOR ALL SALES OF PROPERTY APPROVED BY PLANT CLEARANCE OFFICERS, UPON THE REMOVAL OF THE PROPERTY, ALL DOCUMENTATION REQUIRED BY THIS FORM WILL BE FORWARDED TO THE IDENTIFIED TRADE SECURITY CONTROL OFFICE.</b></p> <p>The following applies to all property subject to sale using this form: the use, disposition, export, or re-export of this property, is subject to the publications, penalties, and other provisions of the economic programs administered by the Office of Foreign Assets Control, U.S. Treasury Department, 31 CFR Chapter V.</p>						
THIS STATEMENT IS SUBMITTED IN CONNECTION WITH: <input type="checkbox"/> SALE <input type="checkbox"/> EXCHANGE <input type="checkbox"/> OTHER:		LINE ITEM NUMBER/COMMODITY				
NAME (Last, First, Middle)		SSN/ALIEN CARD NO./COUNTRY ID				
DATE OF BIRTH (MM/DD/YY)	PLACE OF BIRTH (City or County, State, Country)				TELEPHONE NUMBER (Include Area Code)	
MAILING ADDRESS		PHYSICAL ADDRESS				
<b>SECTION I. GENERAL INFORMATION</b>						
<b>APPLICABILITY.</b> This statement applies to the property for which we have submitted our bid/offer pursuant to the above identified invitation.						
1. TYPE OF FIRM <input type="checkbox"/> SOLE PROPRIETORSHIP <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> CORPORATION <input type="checkbox"/> OTHER (Specify):						
2. NATURE OF END-USER'S BUSINESS		3. NATURE OF PRINCIPAL'S BUSINESS			4. FIRM'S ID/FEDERAL TAX NUMBER	
5. BUSINESS/CORPORATION HEADQUARTERS		6. BRANCH OFFICE				
A. NAME		A. NAME				
B. ADDRESS (Physical location)		B. ADDRESS (Physical location)				
7. ALL CORPORATE OFFICERS, PARTNERS AND/OR AGENTS ARE TO PROVIDE, ON SEPARATE SHEETS OF PAPER, THEIR NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH. FAILURE TO PROVIDE THIS INFORMATION COULD RESULT IN SIGNIFICANT DELAY OR DENIAL OF THE AWARD.						
<b>SECTION II. END USE/USER INFORMATION.</b> If this is a negotiated exchange, identify the property being exchanged: _____						
1. PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING: Enter and "X" in the appropriate item(s) below. In the case of resale, Item 1.F. or 1.G. MUST be marked.						
<input type="checkbox"/> A. Retention for the following specific use (see note):		<input type="checkbox"/> B. Resold in the form received for the following use (see note):			<input type="checkbox"/> C. The property will not be sold or otherwise disposed of for use outside of the United States or to non-U.S. Citizens/Nationals in the United States.	
<input type="checkbox"/> D. The property may be re-exported in the form received to the following country/countries:		<input type="checkbox"/> E. Resale after following alteration (description of final production): in (Country/Countries): and distribution in (Country/Countries):			<input type="checkbox"/> F. If sold, name, address, and telephone number of sub-purchaser(s):	
<input type="checkbox"/> G. The customers are unknown at this time. If required by the contract/transfer document, I will obtain prior written approval for the resale of any of the property covered by this contract.						
ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property which may be of value in considering the proposal:						
<b>NOTE: Example of specific uses: AIRCRAFT.</b> The bidder/recipient certifies that the aircraft will be used: as a flyable aircraft; as a nonflyable aircraft to be used only for parts, display, or ground instruction, etc.; for resale as a flyable aircraft.						

**SECTION III. UNDERSTANDING AND NOTIFICATIONS**

1. The use, disposition, export and re-export of this property is subject to all applicable U.S. Laws and Regulations, including but not limited to the Arms Export Control Act (22 USC 2751 et seq.); Export Administration Act of 1979 (50 USC App. 2401 et seq.) as continued under Executive Order 12924; International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.) and the Espionage Act (18 USC 793 et seq.); which, among other things, prohibit:

A. The making of false statements and concealment of any material information regarding the use or disposition, export or re-export of the property and

B. Any use, disposition, export or re-export of the property not permitted by applicable statute and regulation.

2. The submission of false or misleading information and/or concealment of any material facts regarding the use, disposition or export of this property may constitute a violation of provisions of 18 USC 793/1001, 22 USC 2778/2779, 50 USC App. 2410, and 50 USC App. 1-44. Sanctions for violations will be in conformity with U.S. laws and regulations (including Federal Acquisition Regulations and DoDD 2030.8) and may include the denial of U.S. export privileges and of any participation in future U.S. Government contracts.

3. Transfers of MLI and CCLI property by purchasers/bidders are subject to the requirements of the appropriate licensing department or agency. In many cases, an export license or other authorization may be required. With respect to MLI, registration of the purchaser's/bidder's business with the Department of the State may also be required. It is the responsibility of the purchaser/bidder to determine what the applicable requirements may be and to obtain all necessary authorizations or

4. When MLI/CCLI property is transferred, the information in this form regarding the above laws and regulations must be passed to the subsequent purchaser/receiver. Records of Resale in buyer's possession should be available for Trade Security Controls Office review, if requested.

5. The Invitation For Bid and Sale/Exchange Contract number can be referenced when submitting an application for an export license or other authorization to the Department of State for MLI or Department of Commerce for CCLI.

6. The Government expects the Purchaser/Recipient to cooperate with all authorized Government representatives to verify the existence and condition of MLI/CCLI.

**SECTION IV. CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB**

1. I do certify that all information given in this Statement Regarding Disposition and Use of Property is true and correct to the best of my knowledge and belief and have not knowingly omitted any information which is inconsistent with this statement. I understand this statement will be referred to and be a part of the contract of sale/exchange with the U.S. Government. I agree to submit a written request for amendment of this statement to the Approving Official prior to effecting any change of fact or intention from that stated herein or in any prior amendment, whether occurring before or after the release of the commodities, and not to effect such changes without first receiving written approval of the Approving Official.

2. I acknowledge having been advised that the MLI/CCLI property I purchased is controlled by the U.S. Government and in many cases cannot be transferred (exported, sold or given) to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident without a valid State/Commerce Department export authorization. Should I transfer this property to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident, I will obtain any required authorization before making such transfers. I will not transfer this property to countries, regimes and nationals targeted under the sanctions program administered by the U.S. Treasury Department's Office of Foreign Assets Control.

3. Neither the applicant, corporate officers, directors or partners is:

A. The subject of an indictment for or has been convicted of violating any of the U.S. Criminal statutes enumerated in 22 CFR 120.27 since the effective date of the Arms Export Control Act, Public Law 94-329, 90 Stat. 729 (June 30, 1976) ; or

4. The person signing this DLA Form 1822 is:

- ☐ a Citizen of the United States of America, or
- ☐ lawfully admitted to the United States for Permanent Residence and maintains such residence under the Immigration and Nationality Act, as amended (8 USC 1101(a), 20, 60 Stat. 163) , or
- ☐ a Citizen of \_\_\_\_\_, and/or
- ☐ is an official of a foreign government entity in the United States.

A. NAME (Type or print)

B. SIGNATURE

C. DATE SIGNED

**PRIVACY ACT STATEMENT**

**AUTHORITY:** 10 USC 136; 40 USC 471; 50 USC 2411; 22 USC 2751; and EO 9397.

**PRINCIPAL PURPOSE(S):** Determine applicant eligibility to participate in the program and ensure that property recipients comply with the terms of the sale.

**ROUTINE USES:** Data may be disclosed to the Departments of State, Commerce, Treasury, Transportation and Justice for determining compliance with applicable laws and regulations and to the General Services Administration to determine presence of debarment proceedings against a recipient.

**DISCLOSURE:** Voluntary; however, failure to provide the requested information may result in ineligibility to receive surplus or foreign personal property. DLA PRIVACY ACT SYSTEM NOTICE S800.10 DLSC APPLIES - SEE THIS NOTICE FOR FURTHER INFORMATION.

---

**INSTRUCTIONS FOR COMPLETING DLA FORM 1822, END-USE CERTIFICATE (12/14/01)**

---

**All individuals wanting to acquire Department of Defense surplus property, identified as Munitions List Items (MLI) or Commerce Control List Items (CCLI), are required to fully complete this End-Use Certificate (EUC), DLA Form 1822.** It is your responsibility to fully and accurately complete this form. The use of "home made" EUC's is discouraged because they are not covered under the Paperwork Reduction Act. Due to the critical nature of this document, failure to comply with any of these instructions and/or accurately provide the required information will result in this EUC being deemed unacceptable and will cause significant delay or denial in obtaining the Trade Security Control (TSC) clearance required to receive MLI/CCLI property.

All entries must be typed or clearly printed. When providing the required information and additional space is needed, the use of a separate sheet of paper is acceptable. At the top of each additional sheet of paper you must place your name and the IFB/Contract no./Offer No./Standard Form-122/Standard Form-123 Order No. You must also cite the appropriate block number(s) and/or letter(s) for each entry.

Every block on the EUC must have an entry. If the information being requested does not apply to your situation, the only entries which will be acceptable are: "NONE", "DOES NOT APPLY", or "NOT APPLICABLE" (do not use N/A, N/R or draw a line). If you have to repeat information that was previously entered in another block, cite the SECTION, block number and/or letter; i.e., "SAME AS SECTION 'X', BLOCK 'X'". The Approving Official (Sales Contracting Officer, Plant Clearance Officer, or other designated individual) will review the EUC for completeness and accuracy.

**PAGE 1****AT TOP OF PAGE IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO:**

Enter the number (if not pre-printed) of the Invitation For Bid (IFB), contract/offer, proposal number, order number, etc. that is used to identify the specific sale or exchange.

**1. THIS STATEMENT IS SUBMITTED IN CONNECTION WITH:**

Place and "X" in the block that best identifies the type of transaction you are entering into:

- SALE - purchasing property from the Defense Reutilization and Marketing Service or the Defense Contract Management Agency.
- EXCHANGE - an agreement with a Military Service Museum to exchange property for agreed upon property or /services.
- OTHER - for those transactions, which are not a sale or exchange and where title to property may or may not pass from government control.

**2. LINE ITEM NUMBER/COMMODITY:**

Enter the line item number for each MLI/CCLI item you are interested in acquiring.

For negotiated exchanges, or other types of transactions, enter the name or nomenclature of the property, which you will be receiving upon completion of the negotiations.

**3. NAME** (Last, First, Middle): This should be the name of the individual who signing this form. Please print/type your complete legal name legibly. Provide last name, complete first name (initials for first name will not be accepted) and middle name (if any). If you do not have a middle name, use NMN (No Middle Name). Include any other names ever used (i.e., maiden name, nicknames, acronyms, aliases, doing business as (DBA) and/or "also known as (AKA)" name(s).)

If individuals are bidding for themselves, that individual's name must be provided in this block.

If the bid is for a business, the individual authorized to sign this EUC must provide his/her name in this block.

**4. SOCIAL SECURITY NUMBER (SSN)/ALIEN CARD NO./COUNTRY ID:**

If the bid is for an individual, that individual's SSN must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their SSN in this block.

If the bid is in the name of a Permanent Resident, enter your Alien Identification Number.

If the bid is in the name of a Non-U.S. Citizen/National, non-Permanent Resident acting for a foreign government, enter your Country Identification Number

**5. DATE OF BIRTH (DoB):** Enter DoB as Month/Day/Year (MM/DD/YYYY).

If the bid is for an individual, that individual's Date of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Date of Birth in this block.

**6. PLACE OF BIRTH** (City or County, State, Country): City/County name must be spelled out. Only the two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's Place of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Place of Birth in this block.



---

**7. TELEPHONE NUMBER:** (Include Area Code).

If the bid is for an individual, that individual's telephone number (including Area Code) must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their telephone number (including Area Code) in this block.

**8. MAILING ADDRESS:** Enter complete mailing address. Street and City names must be spelled out; abbreviations are unacceptable. Post Office Box is acceptable. The two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's mailing address must be provided in this block.

If the bid for a business, the business's mailing address must provide in this block.

**9. PHYSICAL ADDRESS:** Enter complete physical address. Street and City names must be spelled out; abbreviations are unacceptable. The two-letter or standard abbreviation for the State or Country is acceptable. Entering Post Office Box is not acceptable.

If the bid is for an individual, that individual's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

If the bid is for a business, the business's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

**SECTION I. GENERAL INFORMATION**

**10. BLOCK 1. TYPE OF FIRM:**

If the bid is for an individual, enter "Not Applicable".

If the bid is for a business, check the box that most closely describes the organization:

- "Sole Proprietorship" = solitary owner/independent control
- "Partnership" = two or more persons contractually associated as joint principals in a business with joint rights and responsibilities.
- "Corporation" = an association or group of individuals united in trade or similar interests that has filed Articles of Incorporation.
- "Other" = (The signer of this EUC must check "Other" and specify affiliation with official bidder.)  
 = Principal (Person having controlling authority)  
 = Agent (Person acting for or in place of another by authority from him).

If the "Type of Firm" is a corporation, provide the state in which the Articles of Incorporation were filed. The two-letter standard abbreviation for the state or country is acceptable.

**11. BLOCK 2. NATURE OF END-USER'S BUSINESS:**

This should best describe the type business/interest of the ultimate end-user.

**12. BLOCK 3 - NATURE OF PRINCIPAL'S BUSINESS**

This should best describe the type business/interest of the official bidder.

**13. BLOCK 4 - FIRM'S ID/FEDERAL TAX NUMBER:**

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name and that company does not have a Federal Tax Number but is using some other form of tax identifying number (i.e., a personal SSN) list that number and specify (i.e., SSN registered to (provide name)).

**BLOCK 5 - BUSINESS/CORPORATION HEADQUARTERS**

**14. BLOCK 5A - NAME:**

If bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the official company headquarters name in this block (include aliases/acronyms/trade styles).

**15. BLOCK 5B - ADDRESS:**

Give full physical address. Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter (or standard) abbreviation for State or Country is acceptable.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address of company headquarters. (Post Office Box is unacceptable).

**BLOCK 6 - BRANCH OFFICE:**

**16. BLOCK 6A - NAME:**

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company name, the individual signing this EUC must provide all official company branch name(s) in this block (include aliases/acronyms/trade styles).

---

If the official company branch and headquarters' names are the same, enter "Same as Block 5A".  
 If the bid is in a company's name and there is no branch office for this company, enter "Not Applicable".

**17. BLOCK 6B - ADDRESS:** Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter or standard abbreviation for State or Country is acceptable.

If the bid is in the name of an individual and there are no branch offices, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address (Street, City, State, and Zip) of all company branch office(s). (Post Office Box is unacceptable).

If company's branch and headquarters offices use the same address, enter "Same as Block 5B"

If there are no branch offices, enter "Not Applicable".

**18. BLOCK 7 - ON SEPARATE SHEETS OF PAPER, ATTACH THE NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH OF CORPORATE**

**OFFICERS, PARTNERS AND/OR AGENTS.**

Failure to comply will cause your transaction to be placed on hold or not considered.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is for a company, the required information for each of the Officers, Directors, and Partners is to be on separate sheets of paper.

**SECTION II. END-USERS/USER INFORMATION**

If this is a negotiated exchange, identify the item(s) you will be providing the government in this exchange:

**BLOCK 1 - PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING:**

Enter an "X" in the appropriate item(s) below. In the case of resale, item 1F or 1G must be marked in addition to any other item.

**19. BLOCK 1A. RETENTION FOR THE FOLLOWING SPECIFIC USE** (see note at bottom of page 1 of this form)

If property is being retained for official bidder's own use, explain intended use.

If statement in Block 1A does not apply, enter "Not Applicable" and go to Block 1B.

**20. BLOCK 1B. Resold in form received for the following use** (see note at bottom of page 1 of the form).

If property is being resold, give specific information about resale customer's intended use.

If statement in Block 1B does not apply, enter "Not Applicable" and go to Block 1C.

**21. BLOCK 1C. The property will not be sold or otherwise disposed of for use outside of the U.S. or to non-U.S. Citizens/Nationals in the United States.**

Check this box if applicable.

If statement in Block 1C does not apply, enter "Not Applicable" and go to Block 1D.

**22. BLOCK 1D. The property may be re-exported in the form received to the following country/countries:**

Check this box if applicable, and list the country(ies). Attach valid, current Department of State Registration (for export).

If statement in Block 1D does not apply, enter "Not Applicable" and go to Block 1E.

**23. BLOCK 1E. Resale after following alteration (description of final production):**

Describe the altered product;

**in (Country/Countries):** List all countries where this product will be sold. (If necessary use a separate sheet of paper to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

**and distribution in (Country/Countries):** List all countries where this product will be distributed. (If necessary use a separate sheet to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

Attach valid, current Department of State Registration (for export).

If this statement does not apply to you, enter Not Applicable and go to Block 1G.

**24. BLOCK 1F. If sold, name, address, and telephone number of sub-purchaser(s):**

Provide the full name, physical address and telephone number of the individual/company that purchased the item(s).

If this block does not apply to you, enter Not Applicable.

---

---

**25. BLOCK 1G. The customers are unknown at this time. If required by the contract/offer, I will obtain prior written approval for the resale of any of the property covered by this contract.**

If this block does not apply to you, enter Not Applicable.

**26. ADDITIONAL INFORMATION:** State any other material facts relating to end user and use of the property that may be of value in considering the proposal:

If this block does not apply to you, enter Not Applicable.

**PAGE 2**

**SECTION III - UNDERSTANDING AND NOTIFICATION**

Please read carefully. This section cites the various laws and regulations you must comply with in the use of, disposition of and export of property.

**SECTION IV - CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB.**

This section is self-explanatory. By signing and dating this form, you are certifying that all the information you are providing is true and correct and you understand and agree to all the provisions in this end use certificate. This form will become part of the contract.

**26. PARAGRAPH 4.** The person signing this DLA Form 1822 is:

Check the block that applies to you and fill out any applicable portion.

**28. BLOCK A - NAME** (Type or Print)

Be sure your name is legible.

**29. BLOCK B - SIGNATURE** Be sure to sign this form

If signer of EUC is Officer, Director, Partner, Principal, Agent, etc., for official bidder, provide title/authority.

**30. BLOCK C - DATE SIGNED** Be sure you date this form.